

REACH Regulation n° 1907/2006 prescribes a Material Safety Data Sheet (SDS) for dangerous substances and mixtures. The material subject of this document is a non-hazardous mixture and a mandatory safety data sheet is not required.

With this **Information Sheet of Use**, Taro Plast wants to provide their customers with *"the necessary information to enable the identification and implementation of appropriate measures for risk management"*.

**Revision No. 4 of 17/12/2014**

## 1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

Trade name:

**TAROLOX 2050 G – TAROLOX 2052 G**  
(see product list at point 16)

Use: polymeric compound – industrial use

Company:

TARO PLAST SPA  
Strada Diolo 57/A  
I-43019 Soragna (PR)  
Tel. +39 0524596711  
Fax +39 0524599084  
e-mail: [taroplast@taroplast.com](mailto:taroplast@taroplast.com)

Emergency telephone number of the company and/or of an authorised advisory centre:

office hours (8:30 to 17:00)  
TARO PLAST SPA  
Strada Diolo 57/A  
I-43019 Soragna (PR)  
Tel. +39 0524596711  
Fax +39 0524599084  
e-mail: [taroplast@taroplast.com](mailto:taroplast@taroplast.com)

## 2. HAZARDS IDENTIFICATION

Mixture is not classified as hazardous according to European Directive 1999/45/EC and its amendments.

No specific hazards are encountered under normal product use.

Contact with molten product may cause thermal burns.

Spilled product may cause a slipping hazard.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Compound of PBT/PET

Poly(buthylene terephthalate) / Polyethylene terephthalate (PET) glass fiber reinforced

Hazardous components within the meaning of EEC directive 67/548 and corresponding classification:

none

## 4. FIRST AID MEASURES

General information:

At room temperature, solid product is neither irritant nor gives off hazardous vapours.

Contact with skin:

Product, at ambient conditions, is not expected to be hazardous by skin contact. Should irritation occur, rinse with water and soap.

In case of contact with molten material, wash with plenty of water. Do not attempt to remove solidified polymer from skin.

# Information Sheet of Use

## Contact with eyes:

In case of irritation caused by fine dust, rinse with water until irritation disappears.

In case of contact with molten plastic, wash immediately with cold water and seek medical attention.

## Swallowing:

No specific measures. Seek a medical examination and present the safety-data sheet.

## Inhalation:

Product fine dust may cause mild respiratory irritation. Ventilate the premises.

In case of irritation from inhalation of processing fumes, remove the patient from the contaminated premises and made to rest in a well ventilated area. Should the patient feel unwell, OBTAIN MEDICAL ATTENTION.

---

## 5. FIRE-FIGHTING MEASURES

### Recommended extinguishers:

Water spray, CO<sub>2</sub>, Foam, Chemical powders.

### Extinguishers not to be used:

None in particular.

### Risks arising from combustion:

Avoid inhaling the fumes. Combustion products: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>). Molten polymer or air-drying at temperature > 195°C can produce small quantities of acetaldehyde (CAS# 75-07-0). At elevated temperature (above 290°C) may be generated tetrahydrofuran (THF).

Under certain fire conditions, traces of other toxic gases cannot be excluded.

### Protective equipment:

Use protection for the respiratory tract.

---

## 6. ACCIDENTAL RELEASE MEASURES

### Measures for personal safety:

Avoid the formation of dust

Use gloves and protective clothing, while handling molten material.

Spilled product may cause a slipping hazard.

### Environmental measures:

Limit leakages in the environment. If the product has escaped into a water course, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities. The product floats in water and remains in the soil surface.

### Cleaning methods:

Recover the product for re-use if possible, or for elimination.

---

## 7. HANDLING AND STORAGE

### Handling precautions:

Avoid contact and inhalation of the vapours. Use gloves and protective clothing, while handling molten material. Do not eat or drink while working.

See, too, paragraph 8 below.

Take proper precautions when transferring, including grounding all equipment and providing an inert atmosphere to prevent electrostatic charge formation. Avoid dust accumulation.

### Incompatible materials:

None in particular. See point 10.

### Storage conditions:

Hygroscopic material. Store in closed containers in a dry place, not exposed to direct sunlight.

Avoid all sources of ignition: heat, sparks, open flame.

### Instructions as regards storage premises:

Adequately ventilated premises.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled. Molten polymer or air-drying at temperature > 195°C can produce small quantities of acetaldehyde

## Information Sheet of Use

(CAS# 75-07-0). At elevated temperature (above 290°C) may be generated tetrahydrofuran (THF).

Respiratory protection:

Not needed for normal use. Use protection for the respiratory tract during hot melt conditions.

Protection for hands:

Not needed for normal use. Wear gloves to prevent contact during hot melt conditions.

Eye protection:

Not needed for normal use. Wear safety goggles to avoid eye contact with molten material.

Protection for skin:

No special precaution must be adopted for normal use. Wear protective clothing to prevent contact during hot melt conditions.

Exposure limit(s) (ACGIH):

None.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:	solid granulated – different colours
Odour:	odourless
pH:	N.A.
Melting range:	220 – 260°C
Solid/gas flammability:	N.A.
Relative density (at 23°C):	1.30 ÷ 1.7 g/cm <sup>3</sup>
Solubility in water:	INSOLUBLE
Lipid solubility:	N.A.
Partition c. (n-octanol/H <sub>2</sub> O):	N.A.
Vapour density:	N.A.

---

### 10. STABILITY AND REACTIVITY

Conditions to avoid:

Stable under normal conditions. Avoid heat, fire and sparks

Substances to avoid:

None in particular.

Hazardous decomposition products:

carbon monoxide, carbon dioxide, acetaldehyde (> 195°C), tetrahydrofuran (> 290°C).

---

### 11. TOXICOLOGICAL INFORMATION

The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the preparation. Set out below is the toxicological information relating to the main substances in the preparation:

The product does not contain toxicologically relevant substances.

Due to its chemical and physical properties, the product does not appear to possess any toxicological properties which would require special handling other than the good industrial hygiene and safety practice employed with any industrial material of this type.

---

### 12. ECOLOGICAL INFORMATION

Adopt good working practices, so that the product is not released into the environment.

Non-biodegradable. The product remains in the soil surface.

---

### 13. DISPOSAL CONSIDERATIONS

Recover if possible. This product is not regarded as hazardous waste. Dispose in accordance with the local and national regulations currently in force.

---

### 14. TRANSPORT INFORMATION

The product should not be considered as dangerous good under transport regulations.

# Information Sheet of Use

---

## 15. REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)
  - Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)
  - Dir. 98/24/EC (Risks related to chemical agents at work)
  - Dir. 2000/39/EC (Occupational exposure limit values)
  - Dir. 2006/8/EC
  - Regulation (EC) n. 1907/2006 (REACH)
  - Regulation (EC) n. 1272/2008 (CLP)
  - Regulation (EC) n. 790/2009 (ATP 1 CLP)
  - Regulation (EU) n. 453/2010 (Annex I)
  - Regulation (EU) n. 286/2011 (ATP 2 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

The product should not be considered as dangerous accordingly to dir 1999/45/CE.

---

## 16. OTHER INFORMATION

This document is valid for the materials listed below:

- TAROLOX 2050 G\*
- TAROLOX 2052 G\*

Where: G = glass fiber and \* = from 2 to 10

Available versions: L, W, H

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

ACGIH - Threshold Limit Values - 2004 edition

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

Issued by: Product Safety Dept.

This document cancels and replaces any preceding release.