

**ZENITE LKX1745 VD3133 BLACK D1**

Version 1.0      Revision Date: 01/08/2020      SDS Number: 000000045593      Date of last issue: -  
Date of first issue: 01/08/2020

---

**SECTION 1. IDENTIFICATION**

Product name : ZENITE LKX1745 VD3133 BLACK D1

Product code : 00000000021046630

**Manufacturer or supplier's details**

Company name of supplier : Celanese Ltd. Irving Texas

Address : 222 West Las Colinas Boulevard Suite 900N  
Irving TX TX 75039

Telephone : '+1 972-443-4000

E-mail address of person responsible for the SDS : HazCom@celanese.com

Emergency telephone number : DOMESTIC NORTH AMERICA: 800-424-9300  
INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

**Recommended use of the chemical and restrictions on use**

Recommended use : Plastic processing industry

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
titanium dioxide	13463-67-7	>= 30 - < 50
glass, oxide, chemicals	65997-17-3	>= 10 - < 20
copper chromite black spinel	68186-91-4	>= 5 - < 10
silicon dioxide	7631-86-9	>= 1 - < 5
aluminium hydroxide	21645-51-2	>= 1 - < 5

---

**SECTION 4. FIRST AID MEASURES**

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.

---

**ZENITE LKX1745 VD3133 BLACK D1**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/08/2020	000000045593	Date of first issue: 01/08/2020

---

- If symptoms persist, call a physician.
- In case of skin contact : Cool skin rapidly with cold water after contact with molten material.  
Do not peel solidified product off the skin.  
Burns must be treated by a physician.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water  
Foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)
- Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)
- Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Avoid breathing dust.  
Ensure adequate ventilation.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

**ZENITE LKX1745 VD3133 BLACK D1**

Version 1.0      Revision Date: 01/08/2020      SDS Number: 000000045593      Date of last issue: -  
 Date of first issue: 01/08/2020

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed. During processing, dust may form explosive mixture in air.
- Advice on safe handling : For personal protection see section 8.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Minimize dust generation and accumulation.
- Conditions for safe storage : Keep in a dry, cool place.  
 Maintain dryness of resin.  
 Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Total dust)	10 mg/m <sup>3</sup>	OSHA P0
		TWA	10 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH
glass, oxide, chemicals	65997-17-3	TWA (fibres)	1 fibre/cm <sup>3</sup>	ACGIH
		TWA (Inhalable fraction)	5 mg/m <sup>3</sup>	ACGIH
		TWA (fibres)	1 fibre/cm <sup>3</sup>	ACGIH
copper chromite black spinel	68186-91-4	TWA	0.5 mg/m <sup>3</sup> (chromium)	OSHA Z-1
		C	5 mg/m <sup>3</sup> (Manganese)	OSHA Z-1
		TWA	0.5 mg/m <sup>3</sup> (chromium)	ACGIH
		TWA (Inhalable fraction)	0.1 mg/m <sup>3</sup> (Manganese)	ACGIH
		TWA (Respirable fraction)	0.02 mg/m <sup>3</sup> (Manganese)	ACGIH
		C	5 mg/m <sup>3</sup> (Manganese)	OSHA P0
		TWA	1 mg/m <sup>3</sup> (Copper)	NIOSH REL
		TWA	0.5 mg/m <sup>3</sup> (chromium)	NIOSH REL
		TWA	1 mg/m <sup>3</sup>	NIOSH REL

**ZENITE LKX1745 VD3133 BLACK D1**

Version 1.0      Revision Date: 01/08/2020      SDS Number: 000000045593      Date of last issue: -  
 Date of first issue: 01/08/2020

			(Manganese)	
		ST	3 mg/m3 (Manganese)	NIOSH REL
silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL
aluminium hydroxide	21645-51-2	TWA (Respirable fraction)	1 mg/m3 (Aluminium)	ACGIH

**Engineering measures** : Local exhaust

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : pellets  
 Odour : slight  
 Flash point : Not applicable  
 Density : not determined  
 Solubility(ies)  
 Water solubility : insoluble  
 Auto-ignition temperature : not determined

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.  
 Chemical stability : No decomposition if stored and applied as directed.  
 Possibility of hazardous reactions : Stable under recommended storage conditions.  
 No hazards to be specially mentioned.  
 Dust may form explosive mixture in air.  
 Conditions to avoid : No data available

## ZENITE LKX1745 VD3133 BLACK D1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/08/2020	000000045593	Date of first issue: 01/08/2020

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:****silicon dioxide:**

Acute oral toxicity : LD50 (Rat): 3,160 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:**

Remarks: No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**ZENITE LKX1745 VD3133 BLACK D1**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/08/2020	000000045593	Date of first issue: 01/08/2020

---

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as defined by the  
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +  
B).

Additional ecological : No data available  
information

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Where possible recycling is preferred to disposal or  
incineration.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste  
handling site for recycling or disposal.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

Not regulated as a dangerous good

**ZENITE LKX1745 VD3133 BLACK D1**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/08/2020	000000045593	Date of first issue: 01/08/2020

---

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

copper chromite black	68186-91-4	5 - 10 %
spinel		

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

copper chromite black	68186-91-4	6.6 %
spinel		

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM1 Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

copper chromite black	68186-91-4	6.6 %
spinel		


**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

**ZENITE LKX1745 VD3133 BLACK D1**

Version 1.0      Revision Date: 01/08/2020      SDS Number: 000000045593      Date of last issue: -  
Date of first issue: 01/08/2020

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information****NFPA:****HMIS® IV:**

<b>HEALTH</b>	*	<b>0</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 01/08/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET



## ZENITE LKX1745 VD3133 BLACK D1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/08/2020	000000045593	Date of first issue: 01/08/2020

---

US / EN