

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/29	300010000559	Date of first issue: 2024/10/29

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ZYTEL® HTN FR52G35BL GY163 APC1
Product code : 000000000021055216

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd
赛拉尼斯(上海)国际贸易有限公司

Address : 4560 Jinke Road, Zhangjiang, Pudong
Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone : CHEMTREC International phone number: +1-703-527 3887,
+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Polymer

Restrictions on use : For manufacturing and research use only

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: pellets
Color	: gray
Odor	: none

Not a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

GHS label elements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/29	300010000559	Date of first issue: 2024/10/29

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

This product does not contain any components that require disclosure according to country regulations.

4. FIRST AID MEASURES

If inhaled	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
In case of skin contact	: The material is not likely to be hazardous by skin contact, but cleaning the skin after use is advisable. Cool skin rapidly with cold water after contact with molten material. Do not peel polymer from the skin. Obtain medical treatment for thermal burn.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.
If swallowed	: No specific intervention is indicated. Consult a physician if necessary.
Most important symptoms and effects, both acute and delayed	: None known.
Notes to physician	: Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water Foam Dry chemical Carbon dioxide (CO ₂)
Specific hazards during fire fighting	: Combustible Large molten masses may ignite spontaneously in air. Water quenching is good practice. Minimize the generation and accumulation of dust. Material in pellet form may accumulate static charge when poured from one container to another.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/29	300010000559	Date of first issue: 2024/10/29

Failure or malfunction of temperature control systems on processing equipment, such as extruders, may create explosion hazards.

Hazardous combustion products : Hazardous combustion products may include:
Carbon monoxide
carbon dioxide
(see also section 10)

Specific extinguishing methods : Evacuate personnel and keep upwind of fire.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Spilled material is a slipping hazard.

Environmental precautions : Do not discharge to streams, ponds, lakes or sewers.

Methods and materials for containment and cleaning up : Spills of fine material should be cleaned using gentle sweeping or vacuuming. Cleaning methods (e.g. compressed air) which can generate potentially combustible dust clouds should not be used.
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Use only non-sparking tools.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Open container only in well-ventilated area.
Wash hands thoroughly after handling.
Provide appropriate exhaust ventilation at dryers, machinery and at places where dust or volatiles can be generated.
Do not breathe dust.
Minimize the generation and accumulation of dust.
Pneumatic conveying and other mechanical handling operations can generate combustible dust.
Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

Avoidance of contact : Strong acids
Strong bases
Strong oxidizing agents

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version 1.0 Revision Date: 2024/10/29 SDS Number: 300010000559 Date of last issue: -
Date of first issue: 2024/10/29

Storage

Conditions for safe storage : Store in a cool, dry place.
Keep container closed to prevent contamination.
Keep in an area equipped with sprinklers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dust (inhalable and respirable fraction)	Not Assigned	TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH

Engineering measures : General mechanical ventilation is normally adequate but use local exhaust where necessary to maintain exposures below acceptable limits.
Use local exhaust to completely remove vapors and fumes liberated during hot processing from the work area.

Personal protective equipment

Respiratory protection : A respiratory protection program that meets country requirements must be followed whenever workplace conditions warrant respirator use.
Consult the respirator manufacturer to determine the appropriate type of equipment for a given application.
Observe respirator use limitations specified by the manufacturer.
Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.

Eye/face protection : Wear safety glasses with side shields.
Wear tightly fitting chemical splash goggles and face shield when possibility exists for eye and face contact due to spattering or splashing of molten material.
A full-face mask respirator provides protection from eye irritation.

Skin and body protection : If there is a potential for contact with hot/molten material wear heat resistant clothing and footwear.

Hand protection

Remarks : Wear leather or cotton gloves when grinding, sawing, routing, drilling or sanding. When handling hot material, use heat

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version 1.0	Revision Date: 2024/10/29	SDS Number: 300010000559	Date of last issue: - Date of first issue: 2024/10/29
----------------	------------------------------	-----------------------------	--

resistant gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	pellets
Color	:	gray
Odor	:	none
Odor Threshold	:	Not applicable
pH	:	Not applicable
Melting point/ range	:	> 200 °C
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.
Self-ignition	:	Not applicable
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	> 1
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Decomposition temperature	:	> 360 °C Thermal decomposition of the resin accelerates above temperature listed. Decomposition can occur below the recommended processing

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/29	300010000559	Date of first issue: 2024/10/29

temperature limit.
Decomposition is a function of both processing temperature and time at that temperature.

Viscosity
Viscosity, dynamic : Not applicable
Viscosity, kinematic : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Stable at normal ambient temperature and pressure.

Chemical stability : Stable at normal ambient temperature and pressure.

Possibility of hazardous reactions : Polymerization will not occur.

Conditions to avoid : Temperature > 360 °C
Avoid prolonged exposure at or above the recommended processing temperatures.

Decomposes on heating.

At temperatures above the "conditions to avoid" temperature, thermal decomposition of the resin accelerates.

Decomposition can occur below the recommended processing temperature limit.

Decomposition is a function of both processing temperature and time at that temperature.

Incompatible materials : Strong acids
Strong bases
Strong oxidizing agents

Hazardous decomposition products : Hazardous thermal decomposition products may include:

traces of hydrogen cyanide
Ammonia
Nitrogen oxides (NOx)
carbon dioxide
Carbon monoxide
Respirable particles.
Benzene
hexanediol
Cyclopentanone
Aldehydes
hydrogen bromide
Hydrogen chloride

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/29	300010000559	Date of first issue: 2024/10/29

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data is available on the product itself.
For additional toxicity data, write to the company address or
call the non-emergency number shown in Section 1.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/29	300010000559	Date of first issue: 2024/10/29

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data is available on the product itself.
Toxicity is expected to be low based on insolubility in water.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Preferred options for disposal are recycling or incineration with energy recovery.
The high fuel value of this product makes incineration very desirable for material that cannot be recycled.
Incinerator must be capable of scrubbing out acidic combustion products.
Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations.

Contaminated packaging : Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/29	300010000559	Date of first issue: 2024/10/29

Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Marine pollutant	: no

Special precautions for user

Remarks	: Not classified as dangerous in the meaning of transport regulations.
---------	--

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	: Not listed
----------------------------------	--------------

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	: Not listed
---	--------------

Hazardous Chemicals for Priority Management under SAWS	: Not listed
--	--------------

Regulations on Occupational Labor Protection in the at workplaces where Toxic Substances Are Used

Catalogue of Highly Toxic Chemicals	: Not listed
-------------------------------------	--------------

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export	: Not listed
---	--------------

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals	: Not listed
---	--------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/29	300010000559	Date of first issue: 2024/10/29

16. OTHER INFORMATION

Revision Date : 2024/10/29

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® HTN FR52G35BL GY163 APC1

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/29	300010000559	Date of first issue: 2024/10/29
