

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚

酰胺树脂

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/12
8.0	2025/04/14	300000003232	Date of first issue: 2024/01/29

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ZYTEL® RS HTN59G55LWSF NC010 高性能聚酰胺树脂
Product code : 000000000027042447

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd
赛拉尼斯(上海)国际贸易有限公司
Address : 4560 Jinke Road, Zhangjiang, Pudong
Shanghai, China 201210
Telephone : 86-21-38619288
Emergency telephone number : CHEMTREC International phone number: +1-703-527 3887,
+86 532 8388-9090 (China, 24h)
E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry
Restrictions on use : For manufacturing and research use only

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: pellets
Colour	: Natural
Odour	: none

Not a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

GHS label elements

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚

酰胺树脂

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/12
8.0	2025/04/14	300000003232	Date of first issue: 2024/01/29

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

This product does not contain any components that require disclosure according to country regulations.

4. FIRST AID MEASURES

If inhaled	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
In case of skin contact	: The material is not likely to be hazardous by skin contact, but cleaning the skin after use is advisable. Cool skin rapidly with cold water after contact with molten material. Do not peel polymer from the skin. Obtain medical treatment for thermal burn.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.
If swallowed	: No specific intervention is indicated. Consult a physician if necessary.
Most important symptoms and effects, both acute and delayed	: None known.
Notes to physician	: Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water Foam Dry chemical Carbon dioxide (CO2)
Specific hazards during fire-fighting	: Combustible Large molten masses may ignite spontaneously in air. Water quenching is good practice. Minimize the generation and accumulation of dust. Material in pellet form may accumulate static charge when poured from one container to another. Failure or malfunction of temperature control systems on processing equipment, such as extruders, may create explosion hazards.
Hazardous combustion prod-	: Hazardous combustion products may include:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚

酰胺树脂

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/12
8.0	2025/04/14	300000003232	Date of first issue: 2024/01/29

ucts
Carbon monoxide
carbon dioxide
(see also section 10)

Specific extinguishing meth- : Evacuate personnel and keep upwind of fire.
ods

Special protective equipment : Wear self-contained breathing apparatus and protective suit.
for firefighters

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Avoid breathing dust.
tive equipment and emer- : Ensure adequate ventilation.
gency procedures : Spilled material is a slipping hazard.

Environmental precautions : Do not discharge to streams, ponds, lakes or sewers.

Methods and materials for : Pick up and arrange disposal without creating dust.
containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable con-
tainer for disposal.
Dust deposits should not be allowed to accumulate on surfac-
es, as these may form an explosive mixture if they are re-
leased into the atmosphere in sufficient concentration.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : Open container only in well-ventilated area.
Wash hands thoroughly after handling.
Provide appropriate exhaust ventilation at dryers, machinery
and at places where dust or volatiles can be generated.
Do not breathe dust.
Minimize the generation and accumulation of dust.
Pneumatic conveying and other mechanical handling opera-
tions can generate combustible dust.
Routine housekeeping should be instituted to ensure that
dusts do not accumulate on surfaces.

Avoidance of contact : Strong acids
Strong bases
Strong oxidizing agents

Storage

Conditions for safe storage : Store in a cool, dry place.
Keep container closed to prevent contamination.
Keep in an area equipped with sprinklers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚

酰胺树脂

Version 8.0 Revision Date: 2025/04/14 SDS Number: 300000003232 Date of last issue: 2024/04/12
Date of first issue: 2024/01/29

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dust (inhalable and respirable fraction)	Not Assigned	TWA (Respirable particulate matter)	3 mg/m3	ACGIH
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH

Engineering measures : General mechanical ventilation is normally adequate but use local exhaust where necessary to maintain exposures below acceptable limits.
Use local exhaust to completely remove vapors and fumes liberated during hot processing from the work area.

Personal protective equipment

Respiratory protection : A respiratory protection program that meets country requirements must be followed whenever workplace conditions warrant respirator use.
Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.
Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Protective suit
If there is a potential for contact with hot/molten material wear heat resistant clothing and footwear.

Hand protection

Remarks : Wear leather or cotton gloves when grinding, sawing, routing, drilling or sanding. When handling hot material, use heat resistant gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Colour : Natural

Odour : none

Odour Threshold : Not applicable

pH : Not applicable

Melting point/ range : > 200 °C

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚

酰胺树脂

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/12
8.0	2025/04/14	300000003232	Date of first issue: 2024/01/29

Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form combustible dust concentrations in air during processing, handling or other means.
Self-ignition	: Not applicable
Upper explosion limit / Upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: Not applicable
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: > 1
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: Not applicable
Decomposition temperature	: > 340 °C Thermal decomposition of the resin accelerates above temperature listed. Decomposition can occur below the recommended processing temperature limit. Decomposition is a function of both processing temperature and time at that temperature.
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: Stable at normal ambient temperature and pressure.
Chemical stability	: Stable at normal ambient temperature and pressure.
Possibility of hazardous reactions	: Polymerization will not occur.
Conditions to avoid	: Temperature > 340 °C Avoid prolonged exposure at or above the recommended pro-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚

酰胺树脂

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/12
8.0	2025/04/14	300000003232	Date of first issue: 2024/01/29

		cessing temperatures. Decomposes on heating. At temperatures above the "conditions to avoid" temperature, thermal decomposition of the resin accelerates. Decomposition can occur below the recommended processing temperature limit. Decomposition is a function of both processing temperature and time at that temperature.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents
Hazardous decomposition products	:	Hazardous thermal decomposition products may include: traces of hydrogen cyanide Aldehydes Nitrogen oxides (NOx) Ammonia carbon dioxide Carbon monoxide

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚

酰胺树脂

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/12
8.0	2025/04/14	300000003232	Date of first issue: 2024/01/29

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data is available on the product itself.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data is available on the product itself.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Preferred options for disposal are recycling or incineration with energy recovery. The high fuel value of this product makes incineration very desirable for material that cannot be recycled. Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations.
Contaminated packaging	: Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚

酰胺树脂

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/12
8.0	2025/04/14	300000003232	Date of first issue: 2024/01/29

Environmentally hazardous : no

IATA-DGR

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

IMDG-Code

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Marine pollutant	: no

JT/T 617

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Environmentally hazardous	no

Special precautions for user

Remarks	: Not classified as dangerous in the meaning of transport regulations.
---------	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚

酰胺树脂

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/12
8.0	2025/04/14	300000003232	Date of first issue: 2024/01/29

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals and it does not meet the definition of hazardous chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Measures on the Environmental Administration of New Chemical Substances Registration

Registration/Notification number : T-113288(变 1)

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals : Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances : Not listed

List of Controlled Ozone Depleting Substances Import and Export : Not listed

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚

酰胺树脂

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/12
8.0	2025/04/14	300000003232	Date of first issue: 2024/01/29

Environmental Protection Law

List of Priority Controlled Chemicals : Listed

List of Key Controlled New Pollutants : Not listed

16. OTHER INFORMATION

Revision Date : 2025/04/14
Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ZYTEL® RS HTN59G55LWSF NC010 高性能聚 酰胺树脂

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/12
8.0	2025/04/14	300000003232	Date of first issue: 2024/01/29

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN