

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CELANYL B2 H J8 BK 2000/UV/1 (OMNILON PA6 IM8 UV L BK2000)

Version 1.0 Revision Date: 2022/09/22 SDS Number: 000000028229 Date of last issue: -
Date of first issue: 2022/09/22

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CELANYL B2 H J8 BK 2000/UV/1 (OMNILON PA6 IM8 UV L BK2000)
Product code : 00000000021044633

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd
Address : 4560 Jinke Road, Zhangjiang, Pudong
Shanghai, China 201210
Telephone :
Emergency telephone number : CHEMTREC International phone number: +1-703-527 3887,
+86 532 8388-9090 (China, 24h)
E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : pellets
Odour : slight

Not a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

**CELANYL B2 H J8 BK 2000/UV/1 (OMNILON
PA6 IM8 UV L BK2000)**

Version 1.0 Revision Date: 2022/09/22 SDS Number: 000000028229 Date of last issue: -
Date of first issue: 2022/09/22

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Polyethylene	9002-88-4	≥ 1 -< 10
maleic anhydride	108-31-6	≥ 0.1 -< 1

4. FIRST AID MEASURES

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Cool skin rapidly with cold water after contact with molten material.
Do not peel solidified product off the skin.
Burns must be treated by a physician.
- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water
Foam
Dry chemical
Carbon dioxide (CO₂)
- Specific hazards during : Do not use a solid water stream as it may scatter and spread

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CELANYL B2 H J8 BK 2000/UV/1 (OMNILON PA6 IM8 UV L BK2000)

Version 1.0	Revision Date: 2022/09/22	SDS Number: 000000028229	Date of last issue: - Date of first issue: 2022/09/22
----------------	------------------------------	-----------------------------	--

firefighting	:	fire.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid breathing dust. Ensure adequate ventilation. Avoid dust formation.
Environmental precautions	:	No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion	:	During processing, dust may form explosive mixture in air. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Minimize dust generation and accumulation. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Avoidance of contact	:	Not applicable

Storage

Conditions for safe storage	:	Keep in a dry, cool place. Maintain dryness of resin Electrical installations / working materials must comply with the technological safety standards.
-----------------------------	---	--

**CELANYL B2 H J8 BK 2000/UV/1 (OMNILON
PA6 IM8 UV L BK2000)**

Version 1.0 Revision Date: 2022/09/22 SDS Number: 000000028229 Date of last issue: -
Date of first issue: 2022/09/22

Materials to avoid : No materials to be especially mentioned.
Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polyethylene	9002-88-4	PC-TWA (Total dust)	5 mg/m3	CN OEL
maleic anhydride	108-31-6	PC-TWA	1 mg/m3	CN OEL
	Further information: Sensitizing			
		PC-STEL	2 mg/m3	CN OEL
	Further information: Sensitizing			
		TWA (Inhalable fraction and vapor)	0.01 mg/m3	ACGIH

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
Eye/face protection : Safety glasses
Skin and body protection : Protective suit
Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets
Odour : slight
Flash point : Not applicable
Density : 1.1 - 1.5 g/cm³ (20 °C)
Solubility(ies)

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CELANYL B2 H J8 BK 2000/UV/1 (OMNILON PA6 IM8 UV L BK2000)

Version 1.0	Revision Date: 2022/09/22	SDS Number: 000000028229	Date of last issue: - Date of first issue: 2022/09/22
----------------	------------------------------	-----------------------------	--

Water solubility : insoluble

Auto-ignition temperature : For further information, refer to the product technical data sheet.

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
Dust may form explosive mixture in air.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition products : No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

**CELANYL B2 H J8 BK 2000/UV/1 (OMNILON
PA6 IM8 UV L BK2000)**

Version 1.0 Revision Date: 2022/09/22 SDS Number: 000000028229 Date of last issue: -
Date of first issue: 2022/09/22

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or incineration.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CELANYL B2 H J8 BK 2000/UV/1 (OMNILON PA6 IM8 UV L BK2000)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/09/22	000000028229	Date of first issue: 2022/09/22

Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

16. OTHER INFORMATION

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CELANYL B2 H J8 BK 2000/UV/1 (OMNILON PA6 IM8 UV L BK2000)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/09/22	000000028229	Date of first issue: 2022/09/22

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average
CN OEL / PC-TWA : Permissible concentration - time weighted average
CN OEL / PC-STEL : Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



CELANYL B2 H J8 BK 2000/UV/1 (OMNILON PA6 IM8 UV L BK2000)

Version
1.0

Revision Date:
2022/09/22

SDS Number:
000000028229

Date of last issue: -
Date of first issue: 2022/09/22

CN / EN