

# SAFETY DATA SHEET



## PE19Y

Version 2.0  
Document no. 130000144150

Revision Date 2018/01/29  
Issue Date 2022/11/24

This SDS adheres to the standards and regulatory requirements of China and may not meet the regulatory requirements in other countries.

### Section 1 - Chemical and Enterprise Identification

**Product name** : PE19Y

**Product name in English** : PE19Y

**Recommended use of the chemical and restriction on use**

**Recommended use** : For industrial use only.  
Paste for electronic industry

**Restrictions on use** : Do not use product for anything outside of the above specified uses.

**Manufacturer, importer, supplier**

**Company** : Celanese (Shanghai) International Trading Co., Ltd  
**Street address** : No. 600 Cailun Road, Zhangjiang Hi-Tech Park, Pudong New District, Shanghai 201203, PRC  
**Telephone** : 86 21 3862 2888  
**Telefax** : 86 21 3862 2898

**E-mail address** : DPCNSDS@dupont.com

**Emergency telephone number** : CHEMTREC International: +1-703-527 3887, +86 532 8388-9090 (China, 24h)

**Date of first preparation** : 2018/01/29

### Section 2 - Hazard Identification

**GHS Hazard Category**

**Flammable liquids** : Category 4  
**Serious eye damage/eye irritation** : Category 2B  
**Acute aquatic toxicity** : Category 1  
**Chronic aquatic toxicity** : Category 1

Endpoints which are not classified, cannot be classified or are not applicable are not shown.

**Label content**

**Pictogram** :



**Signal word** : Warning

**PE19Y**

Version 2.0  
Document no. 130000144150

Revision Date 2018/01/29  
Issue Date 2022/11/24

- Hazardous warnings** : Combustible liquid.  
Causes eye irritation.  
Very toxic to aquatic life with long lasting effects.
- Precautionary statements** : **Preventive Measures:**  
Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Wash skin thoroughly after handling.  
Avoid release to the environment.  
Wear protective gloves/ eye protection/ face protection.  
**Accident Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/ attention.  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
Collect spillage.  
**Safe Storage:**  
Store in a well-ventilated place. Keep cool.  
**Waste Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

**Main Symptom After Contact**

No information available.

**Section 3 - Ingredients/Composition Information**

**Chemical nature** : Mixture

**Components**

| Chemical name                   | CAS-No.    | Concentration |
|---------------------------------|------------|---------------|
| Silver powder                   | 7440-22-4  | 50 - 60%      |
| (2-Methoxymethylethoxy)propanol | 34590-94-8 | 20 - 30%      |
| 2-(2-Ethoxyethoxy)ethyl acetate | 112-15-2   | 10 - 20%      |

**Section 4 - First-aid Measures**

- Inhalation** : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
- Skin contact** : Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
- Eye contact** : Immediately flush eyes for at least 15 minutes. Get medical attention.
- Ingestion** : If swallowed Rinse mouth with water. Call a physician or poison control centre immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center.
- Most important symptoms/effects, acute and delayed** : No information available.

**PE19Y**Version 2.0  
Document no. 130000144150Revision Date 2018/01/29  
Issue Date 2022/11/24**Protection of first-aiders** : No information available.**Notes to physician** : No information available.**Section 5 - Fire-fighting Measures****Suitable extinguishing media** : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray, Dry chemical, Carbon dioxide (CO<sub>2</sub>)**Specific hazards** : Hazardous decomposition products formed under fire conditions. (see also section 10) Avoid breathing decomposition products.**Special protective equipment for firefighters** : Exposure to decomposition products may be a hazard to health. Wear self-contained breathing apparatus for firefighting if necessary.**Specific extinguishing methods** : No information available.**Further information** : Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal risk. Do not allow run-off from fire fighting to enter drains or water courses.**Section 6 - Leak Emergency Treatment****Protective measures, devices and emergency treatment procedure for workers** : Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear suitable protective equipment.**Environmental precautions** : Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Clean contaminated floors and objects thoroughly while observing environmental regulations.**Methods and materials for containment and cleaning up** : Contain spill. Soak up with inert absorbent material. Collect and contain contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated surface thoroughly.**Prevention of secondary hazards** : No information available.**Additional advice** : Dispose of in accordance with local regulations.**Section 7 - Operation Handling and Storage****Operation Handling****Technical measures/Precautions** : Avoid inhalation, ingestion and contact with skin and eyes. Do not use in areas without adequate ventilation. Keep container closed when not in use. Take care to avoid waste and spillage when weighing, loading and mixing the product.

**PE19Y**

Version 2.0  
Document no. 130000144150

Revision Date 2018/01/29  
Issue Date 2022/11/24

Precautions for safe handling : Avoid formation of dust and aerosols. Keep away from heat and sources of ignition.

**Storage**

Suitable storage conditions : Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from sources of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Keep container closed when not in use. Do not reuse empty container.

Storage period: Stable under normal conditions.

**Section 8 - Exposure Control and Personal Protection****Control parameters**

Applicable occupational exposure limits are listed below.

| Chemical name                   | Occupational Exposure Limits           | Regulation |
|---------------------------------|--|------------|
| Silver powder                   |  |            |
| TWA                             | 0.1 mg/m <sup>3</sup> (Dust and fume.) | US ACGIH   |
| (2-Methoxymethylethoxy)propanol |  |            |
| STEL                            | 900 mg/m <sup>3</sup>                  | GBZ 2.1    |
|                                 | Can be absorbed through skin.          | GBZ 2.1    |
| TWA                             | 600 mg/m <sup>3</sup>                  | GBZ 2.1    |
| TWA                             | 100 ppm                                | US ACGIH   |
|                                 | Can be absorbed through skin.          | US ACGIH   |
| STEL                            | 150 ppm                                | US ACGIH   |

**Engineering controls** : Local exhaust or a laboratory hood should be used when handling the materials. Maintain air concentrations below occupational exposure standards.

**Biological occupational exposure limits** : No information available.

**Personal protective equipment**

Respiratory protection : Provide adequate ventilation. No personal respiratory protective equipment normally required. Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.  
Persons performing maintenance or repairs on exhaust system equipment (e.g. ducts) may need to use respirators and protective clothing to prevent exposure to any accumulated residues.

Hand protection : Material: Impervious gloves  
Gloves must be inspected prior to use., Gloves should be discarded and replaced

**PE19Y**

Version 2.0  
Document no. 130000144150

Revision Date 2018/01/29  
Issue Date 2022/11/24

if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be observed., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

- Eye protection** : Wear safety glasses with side shields.
- Skin protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Lightweight protective clothing  
Safety shoes
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Contaminated work clothing should not be allowed out of the workplace. Remove contaminated clothing and protective equipment before entering eating areas. Remove and wash contaminated clothing before re-use.

**Section 9 - Physical and Chemical Properties****Appearance (Physical state, form, colour, etc.)**

- Physical state : liquid  
Form : viscous liquid  
Colour : silver

**Odour** : like fruit

**Odour Threshold** : No information available.

**pH** : No information available.

**Melting point/freezing point**

No information available.

**Boiling point, initial boiling point and boiling range**

No information available.

**Flash point** : 89 °C  
Method: closed cup

**Evaporation rate** : No information available.

**Flammability (solid, gas)** : No information available.

**Upper/lower flammability or explosive limits**

- Upper explosion limit : No information available.  
Lower explosion limit : No information available.

**Vapour pressure** : No information available.

**PE19Y**Version 2.0  
Document no. 130000144150Revision Date 2018/01/29  
Issue Date 2022/11/24**Vapour density** : No information available.**Density**  
Density : 2.27 g/cm<sup>3</sup>**Solubility(ies)**  
Water solubility : (20 °C)  
slightly soluble**Partition coefficient: n-octanol/water** : No information available.**Auto-ignition temperature**  
No information available.**Decomposition temperature** : No information available.**Viscosity**  
Viscosity, kinematic : No information available.**Molecular weight** : No information available.**Section 10 - Stability and Reactivity****Reactivity** : No information available.**Chemical stability** : Stable at normal temperatures and storage conditions.**Possibility of hazardous reactions** : Polymerization will not occur.**Conditions to avoid** : None reasonably foreseeable.**Materials to avoid** : Acids, bases and strong oxidizing agents**Hazardous decomposition products** : No decomposition if stored and applied as directed.

Under fire conditions:

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke)., Metal oxides

**Section 11 - Toxicological Information****Acute toxicity**

Oral

Silver powder : LD50/Rat: > 2,000 mg/kg  
Method: OECD Test Guideline 401  
The substance or mixture has no acute oral toxicity  
(2-Methoxymethylethoxy)propanol : LD50/Rat: 5,180 mg/kg  
2-(2-Ethoxyethoxy)ethyl acetate : LD50/Rat: 11,000 mg/kg

**PE19Y**

Version 2.0  
Document no. 130000144150

Revision Date 2018/01/29  
Issue Date 2022/11/24

|  |   |  |
|--|---|--|
|  |   | The substance or mixture has no acute oral toxicity  |
| <b>Inhalation</b>                        |   |  |
| Silver powder                            | : | LC50/4 h/Rat(dust/mist): > 5.16 mg/l<br>Method: OECD Test Guideline 436  |
| (2-Methoxymethylethoxy)propanol          | : | The substance or mixture has no acute inhalation toxicity<br>Acute toxicity estimate/4 h/Rat(vapour): > 20 mg/l  |
| 2-(2-Ethoxyethoxy)ethyl acetate          | : | The substance or mixture has no acute inhalation toxicity<br>An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.<br>LC50/4 h/Rat(vapour)<br>The substance or mixture has no acute inhalation toxicity<br>An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration. |
| <b>Dermal</b>                            |   |  |
| Silver powder                            | : | LD50/Rat: > 2,000 mg/kg<br>Method: OECD Test Guideline 402<br>The substance or mixture has no acute dermal toxicity<br>Information given is based on data obtained from similar substances.  |
| (2-Methoxymethylethoxy)propanol          | : | LD50/Rabbit: 9,500 mg/kg   |
| 2-(2-Ethoxyethoxy)ethyl acetate          | : | LD50/Rabbit: 15,300 mg/kg<br>The substance or mixture has no acute dermal toxicity   |
| <b>Skin corrosion/irritation</b>         |   |  |
| Silver powder                            | : | Species: Rabbit<br>Result: No skin irritation<br>Classification: No skin irritation<br>Method: OECD Test Guideline 404   |
| (2-Methoxymethylethoxy)propanol          | : | Species: Rabbit<br>Result: No skin irritation<br>Classification: Not classified as irritant  |
| 2-(2-Ethoxyethoxy)ethyl acetate          | : | Species: Rabbit<br>Result: No skin irritation<br>Classification: No skin irritation<br>Method: OECD Test Guideline 404<br>Minimal effects that do not meet the threshold for classification.   |
| <b>Serious eye damage/eye irritation</b> |   |  |
| Silver powder                            | : | Species: Rabbit<br>Result: No eye irritation<br>Classification: No eye irritation<br>Method: OECD Test Guideline 405   |
| (2-Methoxymethylethoxy)propanol          | : | Species: Rabbit<br>Result: slight irritation<br>Classification: Not classified as irritant   |
| 2-(2-Ethoxyethoxy)ethyl acetate          | : | Species: Rabbit<br>Result: Irritation to eyes, reversing within 7 days<br>Classification: Mild eye irritation  |
| <b>Respiratory or skin sensitisation</b> |   |  |
| Silver powder                            | : | Species: Guinea pig<br>Result: Does not cause skin sensitisation.<br>Classification: Does not cause skin sensitisation.<br>Method: OECD Test Guideline 406   |

**PE19Y**

Version 2.0

Revision Date 2018/01/29

Document no. 130000144150

Issue Date 2022/11/24

- (2-Methoxymethylethoxy)propanol : Information given is based on data obtained from similar substances.  
Species: human  
Result: Patch test on human volunteers did not demonstrate sensitisation properties.  
Classification: Not a skin sensitizer.
- 2-(2-Ethoxyethoxy)ethyl acetate : Species: Guinea pig  
Result: Does not cause skin sensitisation.  
Classification: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406
- Germ cell mutagenicity**
- Silver powder : Weight of evidence does not support classification as a germ cell mutagen. Overall weight of evidence indicates that the substance is not mutagenic. Information given is based on data obtained from similar substances.
- (2-Methoxymethylethoxy)propanol : Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Evidence suggests this substance does not cause genetic damage in animals.
- 2-(2-Ethoxyethoxy)ethyl acetate : Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- Carcinogenicity**
- Silver powder : Weight of evidence does not support classification as a carcinogen  
Overall weight of evidence indicates that the substance is not carcinogenic.
- (2-Methoxymethylethoxy)propanol : Not classifiable as a human carcinogen.  
Animal testing did not show any carcinogenic effects.  
Information given is based on data obtained from similar substances.
- Reproductive toxicity**
- Silver powder : Teratogenicity: Animal testing showed no developmental toxicity.  
Information given is based on data obtained from similar substances.
- (2-Methoxymethylethoxy)propanol : Reproductive toxicity: No toxicity to reproduction  
Animal testing showed no reproductive toxicity.  
Information given is based on data obtained from similar substances.  
Teratogenicity: Animal testing showed no developmental toxicity.
- 2-(2-Ethoxyethoxy)ethyl acetate : Reproductive toxicity: No toxicity to reproduction  
Animal testing showed no reproductive toxicity.  
No effects on or via lactation  
Information given is based on data obtained from similar substances.  
Teratogenicity: Animal testing showed no developmental toxicity.  
Information given is based on data obtained from similar substances.
- Specific Target Organ Toxicity**
- Specific target organ toxicity - single exposure
- Silver powder : The substance or mixture is not classified as specific target organ toxicant, single exposure.
- 2-(2-Ethoxyethoxy)ethyl acetate : The substance or mixture is not classified as specific target organ toxicant, single exposure.
- Specific target organ toxicity - repeated exposure

**PE19Y**

Version 2.0  
Document no. 130000144150

Revision Date 2018/01/29  
Issue Date 2022/11/24

Silver powder : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

2-(2-Ethoxyethoxy)ethyl acetate : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Aspiration hazard**

Silver powder : No aspiration toxicity classification

2-(2-Ethoxyethoxy)ethyl acetate : No aspiration toxicity classification

**Other**

Silver powder : Repeated dose toxicity:  
Ingestion/Rat 30 d  
NOAEL: 150 mg/kg  
No toxicologically significant effects were found., Information given is based on data obtained from similar substances.

(2-Methoxymethylethoxy)propanol : Repeated dose toxicity:  
Oral/Rat  
No toxicologically significant effects were found.  
Inhalation/multiple species  
No toxicologically significant effects were found.  
Dermal/Rabbit 90 d  
Skin irritation

2-(2-Ethoxyethoxy)ethyl acetate : Repeated dose toxicity:  
Ingestion/Rat 90 d  
NOAEL: 250 mg/kg  
Method: OECD Test Guideline 408  
No toxicologically significant effects were found., Information given is based on data obtained from similar substances.  
Inhalation/Rat 28 d dust/mist  
NOAEL: 1.1 mg/l  
LOAEL: > 1.1 mg/l  
No toxicologically significant effects were found., Information given is based on data obtained from similar substances.

**Section 12 - Ecological Information****Ecotoxicity effects**

Acute and prolonged toxicity to fish

Silver powder : LC50/96 h/Fish (unspecified species): 0.107 mg/l  
Method: OECD Test Guideline 203  
Information given is based on data obtained from similar substances.

(2-Methoxymethylethoxy)propanol : LC50/96 h/Pimephales promelas (fathead minnow): > 10,000 mg/l

2-(2-Ethoxyethoxy)ethyl acetate : LC50/96 h/Danio rerio (zebra fish): > 100 mg/l  
Method: OECD Test Guideline 203

Toxicity to aquatic plants

Silver powder : EC50/96 h/Pseudokirchneriella subcapitata (green algae): 0.19 mg/l  
Information given is based on data obtained from similar substances.

# SAFETY DATA SHEET



## PE19Y

Version 2.0  
Document no. 130000144150

Revision Date 2018/01/29  
Issue Date 2022/11/24

|  |   |
|--|---|
|  | NOEC/14 d/Algae: 0.0012 mg/l<br>Information given is based on data obtained from similar substances.  |
| (2-Methoxymethylethoxy)propanol                  | : ErC50/72 h/Selenastrum capricornutum (green algae): > 969 mg/l  |
| 2-(2-Ethoxyethoxy)ethyl acetate                  | : EC50/72 h/Algae: 110.2 mg/l<br>Method: OECD Test Guideline 201<br>NOEC/72 h/Pseudokirchneriella subcapitata (green algae): 300 mg/l<br>Method: ISO 8692<br>Information given is based on data obtained from similar substances. |
| <b>Acute toxicity to aquatic invertebrates</b>   |   |
| Silver powder                                    | : EC50/48 h/Ceriodaphnia dubia (water flea): 0.16 mg/l<br>Information given is based on data obtained from similar substances.  |
| (2-Methoxymethylethoxy)propanol                  | : EC50/48 h/Daphnia magna (Water flea): 1,919 mg/l  |
| 2-(2-Ethoxyethoxy)ethyl acetate                  | : LC50/48 h/Daphnia magna (Water flea): 143 mg/l  |
| <b>Chronic toxicity to fish</b>                  |   |
| Silver powder                                    | : NOEC/32 d/Oncorhynchus mykiss (rainbow trout): 0.0012 mg/l<br>Information given is based on data obtained from similar substances.  |
| 2-(2-Ethoxyethoxy)ethyl acetate                  | : NOEC/28 d/Fish (unspecified species): 28.64 mg/l  |
| <b>Chronic toxicity to aquatic Invertebrates</b> |   |
| Silver powder                                    | : NOEC/21 d/Daphnia magna (Water flea): 0.00327 mg/l<br>Information given is based on data obtained from similar substances.  |
| 2-(2-Ethoxyethoxy)ethyl acetate                  | : NOEC/21 d/Daphnia magna (Water flea): 102 mg/l  |
| <b>Persistence and degradability</b>             |   |
| Silver powder                                    | : Result: Not biodegradable   |
| (2-Methoxymethylethoxy)propanol                  | : Readily biodegradable.  |
| 2-(2-Ethoxyethoxy)ethyl acetate                  | : Result: Biodegradable   |
| <b>Bioaccumulation</b>                           |   |
| (2-Methoxymethylethoxy)propanol                  | : Bioaccumulation is unlikely.  |
| 2-(2-Ethoxyethoxy)ethyl acetate                  | : Bioaccumulation is unlikely.  |
| <b>Mobility in soil</b>                          |   |
| No information available.                        |   |
| <b>Other adverse effects</b>                     |   |
| No information available.                        |   |

### Section 13 - Waste Disposal

|                               |   |
|-------------------------------|---|
| <b>Waste disposal methods</b> | : If recycling is not practicable, dispose of in compliance with local regulations. Never place unused product down any indoor or out door drain. Do not reuse empty container. Contaminated/not cleaned containers should be treated/handled like product waste. Dispose of container properly. Refer to applicable Local, State/Provincial, and Federal Regulations, as well as industry Standards. |
| <b>Contaminated packaging</b> | : Dispose of in accordance with local regulations.  |

### Section 14 - Transport Information

**PE19Y**Version 2.0  
Document no. 130000144150Revision Date 2018/01/29  
Issue Date 2022/11/24**China Dangerous Goods Regulation**

UN number : 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Silver)  
Class : 9  
Packing group : III

**IMDG**

UN number : 3082  
UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Silver)  
Transport hazard class : 9  
Packing group : III  
Marine pollutant : yes

**IATA**

UN number : 3082  
UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Silver)  
Transport hazard class : 9  
Packing group : III

Matters needing attention for transportation : Not applicable

**Section 15 - Regulatory Information**

Regulation on the Safety Management of Hazardous Chemicals  
Production Safety Law of the People's Republic of China  
Law of the People's Republic of China on Prevention and Treatment of Occupational Disease  
Environmental Protection Law of the People's Republic of China  
Law of the People's Republic of China on the Prevention and Control of Atmospheric Pollution  
Marine Environment Protection Law of the People's Republic of China  
Fire Protection Law of the People's Republic of China  
Law of the People's Republic of China on the Prevention and Control of Environmental Pollution by Solid Wastes  
Occupational exposure limits for hazardous agents in the workplace Part 1 Chemical hazardous agents (GBZ2.1)  
Occupational exposure limits for hazardous agents in the workplace Part 2 Physical agents (GBZ2.2)  
General rule for classification and hazard communication of chemicals (GB13690)  
Lists of Dangerous Goods (GB12268)  
Dangerous goods classification (GB6944)  
Common dangerous chemical storage rules (GB15603)  
Packaging Symbols of Dangerous Goods (GB190)  
National Hazardous Waste Inventory

**Section 16 - Other Information****References**

SDS Number: 130000144150

**PE19Y**Version 2.0  
Document no. 130000144150Revision Date 2018/01/29  
Issue Date 2022/11/24**Revision Date/Version**

|                           |   |            |
|---------------------------|---|------------|
| Date of first preparation | : | 2018/01/29 |
| Revision Date             | : | 2018/01/29 |
| Version                   | : | 2.0        |

For research use only.

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.