

## **CELSTRAN® R+PP-GF40-04CN15/10 (EIGEN)**

Version 1.0      Revision Date: 2022/01/04      SDS Number: 000000050841      Date of last issue: -  
Date of first issue: 2022/01/04

---

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : CELSTRAN® R+PP-GF40-04CN15/10 (EIGEN)

Product code : 00000000021015389

#### **Manufacturer or supplier's details**

Company : Celanese (Shanghai) International Trading Co., Ltd

Address : 4560 Jinke Road, Zhangjiang, Pudong  
Shanghai, China 201210

Telephone :

Emergency telephone number : CHEMTREC International phone number: +1-703-527 3887,  
+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

#### **Recommended use of the chemical and restrictions on use**

Recommended use : Plastic processing industry

---

### **2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

<b>Appearance</b>	: pellets
<b>Odour</b>	: slight

Not a hazardous substance or mixture.

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS label elements**

Not a hazardous substance or mixture.

#### **Physical and chemical hazards**

Not classified based on available information.

#### **Health hazards**

Not classified based on available information.

#### **Environmental hazards**

Not classified based on available information.

#### **Other hazards which do not result in classification**

None known.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELSTRAN® R+PP-GF40-04CN15/10 (EIGEN)

Version 1.0      Revision Date: 2022/01/04      SDS Number: 000000050841      Date of last issue: -  
Date of first issue: 2022/01/04

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Polypropylene	9003-07-0	>= 50 -< 70
Limestone	1317-65-3	>= 1 -< 10

### 4. FIRST AID MEASURES

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Cool skin rapidly with cold water after contact with molten material.  
Do not peel solidified product off the skin.  
Burns must be treated by a physician.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water  
Foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)
- Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELSTRAN® R+PP-GF40-04CN15/10 (EIGEN)

Version 1.0      Revision Date: 2022/01/04      SDS Number: 000000050841      Date of last issue: -  
Date of first issue: 2022/01/04

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Avoid breathing dust.  
Ensure adequate ventilation.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

#### Handling

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.  
During processing, dust may form explosive mixture in air.

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Minimize dust generation and accumulation.

Avoidance of contact : Not applicable

#### Storage

Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.  
Keep in a dry, cool place.  
Maintain dryness of resin

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polypropylene	9003-07-0	PC-TWA (Total dust)	5 mg/m <sup>3</sup>	CN OEL

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELSTRAN® R+PP-GF40-04CN15/10 (EIGEN)

Version 1.0      Revision Date: 2022/01/04      SDS Number: 000000050841      Date of last issue: -  
Date of first issue: 2022/01/04

Limestone	1317-65-3	PC-TWA (Total dust)	8 mg/m3	CN OEL
		PC-TWA (Respirable dust)	4 mg/m3	CN OEL

**Engineering measures** : Local exhaust

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye/face protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Odour : slight

Flash point : Not applicable

Density : 1.05 - 1.5 g/ml (20 °C)

Solubility(ies)  
Water solubility : insoluble

Auto-ignition temperature : > 390 °C

## 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
Dust may form explosive mixture in air.

Conditions to avoid : No data available

Incompatible materials : Not applicable

## **CELSTRAN® R+PP-GF40-04CN15/10 (EIGEN)**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/01/04	000000050841	Date of first issue: 2022/01/04

---

### **11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Not classified based on available information.

#### **Components:**

##### **Limestone:**

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg  
Assessment: The component/mixture is minimally toxic after single ingestion.

#### **Skin corrosion/irritation**

Not classified based on available information.

#### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

Not classified based on available information.

##### **Respiratory sensitisation**

Not classified based on available information.

##### **Germ cell mutagenicity**

Not classified based on available information.

##### **Carcinogenicity**

Not classified based on available information.

##### **Reproductive toxicity**

Not classified based on available information.

##### **STOT - single exposure**

Not classified based on available information.

##### **STOT - repeated exposure**

Not classified based on available information.

##### **Aspiration toxicity**

Not classified based on available information.

##### **Further information**

#### **Product:**

Remarks : No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELSTRAN® R+PP-GF40-04CN15/10 (EIGEN)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/01/04	000000050841	Date of first issue: 2022/01/04

---

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### Limestone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,000 mg/l  
aquatic invertebrates : Exposure time: 48 h

##### Persistence and degradability

No data available

##### Bioaccumulative potential

No data available

##### Mobility in soil

No data available

##### Other adverse effects

##### Product:

Additional ecological : No data available  
information

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or  
incineration.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste  
handling site for recycling or disposal.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELSTRAN® R+PP-GF40-04CN15/10 (EIGEN)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/01/04	000000050841	Date of first issue: 2022/01/04

### National Regulations

#### GB 6944/12268

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

## 16. OTHER INFORMATION

Date format : yyyy/mm/dd

### Full text of other abbreviations

CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.  
CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELSTRAN® R+PP-GF40-04CN15/10 (EIGEN)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/01/04	000000050841	Date of first issue: 2022/01/04

---

Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN