

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## FORTRON 6150T4 S203A (NJ)

Version: 1.0      Revision Date: 2024/11/29      SDS Number: 300010001578      Date of last issue: -  
Date of first issue: 2024/11/29

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FORTRON 6150T4 S203A (NJ)  
Product code : 000000000021056296

#### Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd  
赛拉尼斯(上海)国际贸易有限公司  
Address : 4560 Jinke Road, Zhangjiang, Pudong  
Shanghai, China 201210  
Telephone : 86-21-38619288  
Emergency telephone : CHEMTREC International phone number: +1-703-527 3887,  
+86 532 8388-9090 (China, 24h)  
E-mail address : HazCom@celanese.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance : pellets  
Odor : slight

Not a hazardous substance or mixture.

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Not classified based on available information.

#### Environmental hazards

Not classified based on available information.

#### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## FORTRON 6150T4 S203A (NJ)

Version 1.0      Revision Date: 2024/11/29      SDS Number: 300010001578      Date of last issue: -  
Date of first issue: 2024/11/29

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
glass, oxide, chemicals	65997-17-3	>= 30 -< 50
Limestone	1317-65-3	>= 1 -< 10

### 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.  
If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
In case of skin contact : Cool skin rapidly with cold water after contact with molten material.  
Do not peel solidified product off the skin.  
Burns must be treated by a physician.  
In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.  
If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Most important symptoms and effects, both acute and delayed : None known.  
Notes to physician : Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water  
Foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)  
Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Hazardous combustion products : Carbon oxides  
Specific extinguishing methods : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protection : Avoid breathing dust.

**FORTRON 6150T4 S203A (NJ)**

Version 1.0	Revision Date: 2024/11/29	SDS Number: 300010001578	Date of last issue: - Date of first issue: 2024/11/29
----------------	------------------------------	-----------------------------	--

- tive equipment and emergency procedures : Ensure adequate ventilation.  
Avoid dust formation.
- Environmental precautions : No special environmental precautions required.  
  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

**7. HANDLING AND STORAGE**

**Handling**

- Advice on protection against fire and explosion : During processing, dust may form explosive mixture in air.  
  
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Minimize dust generation and accumulation.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.
- Avoidance of contact : Not applicable

**Storage**

- Conditions for safe storage : Keep in a dry, cool place.  
Maintain dryness of resin  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glass, oxide, chemicals	65997-17-3	TWA (fibers)	1 fibres per cubic centimeter	ACGIH
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Limestone	1317-65-3	PC-TWA (Total dust)	8 mg/m3	CN OEL
		PC-TWA (Respirable)	4 mg/m3	CN OEL

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## FORTRON 6150T4 S203A (NJ)

Version 1.0      Revision Date: 2024/11/29      SDS Number: 300010001578      Date of last issue: -  
Date of first issue: 2024/11/29

		dust)		
--	--	-------	--	--

**Engineering measures** : Local exhaust

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye/face protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Odor : slight

pH : substance/mixture is non-soluble (in water)

Melting point/ range : For further information, refer to the product technical data sheet.

Flash point : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air during processing, handling or other means.

Density : For further information, refer to the product technical data sheet.

Solubility(ies)

Water solubility : insoluble

Autoignition temperature : For further information, refer to the product technical data sheet.

## 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.

No hazards to be specially mentioned.  
Dust may form explosive mixture in air.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition products : No data available

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified due to lack of data.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## FORTRON 6150T4 S203A (NJ)

Version 1.0      Revision Date: 2024/11/29      SDS Number: 300010001578      Date of last issue: -  
Date of first issue: 2024/11/29

---

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:**

**Limestone:**

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg  
Assessment: The component/mixture is minimally toxic after single ingestion.

**Skin corrosion/irritation**

Not classified due to lack of data.

**Serious eye damage/eye irritation**

Not classified due to lack of data.

**Respiratory or skin sensitization**

**Skin sensitization**

Not classified due to lack of data.

**Respiratory sensitization**

Not classified due to lack of data.

**Germ cell mutagenicity**

Not classified due to lack of data.

**Carcinogenicity**

Not classified due to lack of data.

**Reproductive toxicity**

Not classified due to lack of data.

**STOT-single exposure**

Not classified due to lack of data.

**STOT-repeated exposure**

Not classified due to lack of data.

**Aspiration toxicity**

Not classified due to lack of data.

**Further information**

**Product:**

Remarks : No data available

---

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Components:**

**Limestone:**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## FORTRON 6150T4 S203A (NJ)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/11/29	300010001578	Date of first issue: 2024/11/29

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,000 mg/l  
Exposure time: 48 h

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or incineration.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## FORTRON 6150T4 S203A (NJ)

Version 1.0      Revision Date: 2024/11/29      SDS Number: 300010001578      Date of last issue: -  
Date of first issue: 2024/11/29

---

### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### GB 6944/12268

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Marine pollutant : no

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

#### Regulations on Occupational Labor Protection in the at workplaces where Toxic Substances Are Used

Catalogue of Highly Toxic Chemicals : Not listed

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

#### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

---

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## FORTRON 6150T4 S203A (NJ)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/11/29	300010001578	Date of first issue: 2024/11/29

### 16. OTHER INFORMATION

Revision Date : 2024/11/29  
Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average  
CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## FORTRON 6150T4 S203A (NJ)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/11/29	300010001578	Date of first issue: 2024/11/29

---

CN / EN