

Printing date 25.05.2016

Version number 1

Revision: 16.02.2016

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** OPTODYNE UV-2100**Article number:** UV2100**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

No further relevant information available.

**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION:

Umeda Center Bldg., 4-12, Nakazaki-Nishi 2-chome, Kita-Ku, Osaka, JAPAN

Phone: (+81) 6-6373-4345 Fax: (+81) 6-6373-4281

**Further information obtainable from:** <http://www.daikin.com/>**1.4 Emergency telephone number:**

Japan: +81-6-6349-7521

China: +86-512-5-232-0949, +86-21-34151689

South Korea: +82-2-568-1722

Americas: +1-256-306-5000

Europe: +49-211-179 225-0

**SECTION 2: Hazard identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Carc. 2

H351 Suspected of causing cancer.



Acute Tox. 4

H302 Harmful if swallowed.

Acute Tox. 4

H312 Harmful in contact with skin.

Acute Tox. 4

H332 Harmful if inhaled.

Skin Irrit. 2

H315 Causes skin irritation.

Eye Irrit. 2

H319 Causes serious eye irritation.

Skin Sens. 1

H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

**Hazard description:** Xn Harmful**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008:**

The product is classified and labelled according to the CLP regulation.

**Signal word:** Warning**Preccautionary statements:**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

EUH205 Contains epoxy constituents. May produce an allergic reaction.

Printing date 25.05.2016

Version number 1

Revision: 16.02.2016

**Trade name: OPTODYNE UV-2100****SECTION 3: Composition/information on ingredients****Information on ingredients:**

Blended fluoroepoxy monomers	50-60%
Hexanediol diglycidyl ether	5-15%
Poly(Bisphenol-A-co-epichlorohydrin) Xi R36/38; Xi R43; N R51/53	10-20%
Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
Vinylcyclohexane diepoxide T R23/24/25; Xn R40	10-20%
Carc. Cat. 3 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Carc. 2, H351	
Sb polymerization initiator	< 5%
Non-fluoro epoxy monomer Flam. Liq. 3, H226	< 5%
Others	< 5%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** Do not expose to sunlight or other strong light.**After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Consult a doctor in case of complaints.

Immediately remove any clothing soiled by the product and store in a dark container or wrapping.

**After eye contact:**

Immediately rinse with a lot of water for several minutes. Remove contact lenses if possible. Continue rinsing.

Consult an ophthalmologist in case of complaints.

Rinse opened eye for 15 minutes under running water, periodically lifting upper and lower eyelids. Then consult a doctor.

**After swallowing:**

Call for a doctor immediately.

Rinse mouth with water. Do not induce vomiting.

Consult a doctor in case of complaints.

**4.2 Most important symptoms and effects, both acute and chronic:** Allergic reactions**4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.**5.2 Special hazards arising from the substance or mixture:**

Formation of toxic gases is possible during heating or in case of fire.

**5.3 Advice for firefighters:****Protective equipment:**

Wear self-contained breathing apparatus and protective suit.

Printing date 25.05.2016

Version number 1

Revision: 16.02.2016

**Trade name: OPTODYNE UV-2100**

*Do not inhale explosion gases or combustion gases.*

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures:**

Ensure adequate ventilation before entering the area.

Stay on the windward side.

Keep out unauthorized persons.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).

Avoid contact with eyes and skin.

Do not swallow the product.

### **6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.**

### **6.3 Methods and material for containment and cleaning up:**

For a small amount of leakage: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders) or collect in an empty container that can be sealed tightly.

For a large amount of leakage: Enclose with banks to avoid outflow. Lead the leakage to a safe place and collect.

### **6.4 Reference to other sections:**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Do not handle until all safety precautions have been read and understood.

Never allow exposure to sunlight or strong light until after curing.

Open and handle receptacle with care. Never allow skin contact of any kind.

**Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

### **7.2 Conditions for safe storage, including any incompatibilities:**

**Storage**

Requirements to be met by storerooms and receptacles:

Store in a cool and dry location.

Prevent any seepage into the ground.

Keep containers tightly sealed.

**Information about storage in one common storage facility:**

Store away from oxidising agents.

See section 10 for information on incompatible materials.

### **Further information about storage conditions:**

Protect from heat and direct sunlight.

Store containers in a well ventilated area.

Store locked up.

**7.3 Specific end use(s):** No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

**Additional information about design of technical facilities:** No further data; see item 7.

### **8.1 Control parameters** No further information available.

### **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### **8.2 Exposure controls**

#### **Personal protective equipment**

#### **General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Keep away from tobacco products.

Never allow exposure to sunlight or other strong light until after curing.

Immediately remove all soiled and contaminated clothing and store in a dark container or dark wrapping until disposal to hazardous waste.

Printing date 25.05.2016

Version number 1

Revision: 16.02.2016

**Trade name: OPTODYNE UV-2100****Respiratory protection:**

Use respiratory protective device with filters for organic and acid gas (or airline respirators in some cases) if formation of toxic gases is possible while the product is heated.

Use respiratory protective device with organic gas cartridge.

**Protection of hands:**

Protective gloves

**Material of gloves:** Rubber**Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**

Safety glasses

**Splash-proof goggles****Body protection:**

Protective work clothing

Impervious protective work clothing, face protection, and gloves

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance****Form:** Liquid**Colour:** Light yellow**Odour:** Characteristic**Odour threshold:** Not determined.**pH-value:**

No further information available.

**Melting point/Melting range:**

No further information available.

**Boiling point/Boiling range:**

No further information available.

**Flash point:**

128 °C (COC)

**Flammability (solid, gaseous):**

Not applicable.

**Decomposition temperature:**

No further information available.

**Self-igniting:**

Product is not selfigniting.

**Danger of explosion:**

Product does not present an explosion hazard.

**Explosion limits:****Lower explosive limit:** No further information available.**Upper explosive limit:** No further information available.**Vapour pressure:**

No further information available.

**Density at 20 °C:**1,31 g/cm<sup>3</sup>**Relative density**

Not determined.

**Vapour density**

Not determined.

**Evaporation rate**

Not determined.

**Solubility in / Miscibility with****water:** No further information available.**Partition coefficient (n-octanol/water):** No further information available.**Viscosity:**

Not determined.

**Dynamic:**

Not determined.

**Kinematic:**

Printing date 25.05.2016

Version number 1

Revision: 16.02.2016

**Trade name: OPTODYNE UV-2100****9.2 Other information:** No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.**10.3 Possibility of hazardous reactions:**

May react drastically when exposed to light or heat.

No dangerous reactions known under normal conditions of use.

**10.4 Conditions to avoid:**

Keep away from heat, sparks, flame, high temperature.

Do not allow exposure to sunlight or strong light before curing.

**10.5 Incompatible materials:** Acids, alkali**10.6 Hazardous decomposition products:**

Carbon monoxide and carbon dioxide

Danger of toxic fluorine based pyrolysis products.

Danger of release of SbF<sub>6</sub> before curing**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

Harmful if swallowed, in contact with skin or if inhaled.

**LD/LC50 values relevant for classification:** No further information available.**Primary irritant effect****Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**CMR effects****Carcinogenicity**

Suspected of causing cancer.

**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Chronic study** No further information available.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability:** No further relevant information available.**12.3 Bioaccumulative potential:** No further relevant information available.**12.4 Mobility in soil:** No further relevant information available.**Ecotoxicological effects:** no data**Remark:** Harmful to fish**Additional ecological information:****General notes:** Harmful to aquatic organisms**12.5 Results of PBT and vPvB assessment****PBT:** No further relevant information available.**vPvB:** No further relevant information available.**12.6 Other adverse effects:** No further relevant information available.

Printing date 25.05.2016

Version number 1

Revision: 16.02.2016

**Trade name: OPTODYNE UV-2100****SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation:**

Dispose of used containers (tubes) and any uncured or un-neutralized contamination to permitted hazardous waste. Disposal must be made according to official regulations.

**Uncleaned packaging**

**Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information****14.1 UN-Number:**

**ADR, ADN, IMDG, IATA** Not applicable

**14.2 UN proper shipping name:**

**ADR, ADN, IMDG, IATA** Not applicable

**14.3 Transport hazard class(es):**

**ADR, ADN, IMDG, IATA**

**Class:** Not applicable

**14.4 Packing group:**

**ADR, IMDG, IATA** Not applicable

**14.5 Environmental hazards:**

**Marine pollutant:** No

**14.6 Special precautions for user:** Not applicable.

**14.7 Transport in bulk according to Annex II of**

**MARPOL73/78 and the IBC Code:** Not applicable.

**Transport/Additional information:** Avoid direct sunlight. Make sure of no damage, corrosion, leaks on the receptacles.

Take necessary measures for preventing cargo shift.

**UN "Model Regulation":** Not applicable

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS07

GHS08

**Signal word** Warning**Hazard-determining components of labelling:**

Vinylcyclohexane diepoxide

Poly(Bisphenol-A-co-epichlorohydrin)

**Hazard statements**

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Printing date 25.05.2016

Version number 1

Revision: 16.02.2016

**Trade name: OPTODYNE UV-2100**

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see on this label).  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations** No further information available.

### **SECTION 16: Other information**

*The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance.*

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**Department issuing SDS: EHS Department**

**Contact:** <http://www.daikin.com/>

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Carc. 2: Carcinogenicity, Hazard Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3