

Printing date 07.12.2015

Version number 1

Revision: 27.10.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** OPTODYNE UV-3100**Article number:** UV3100**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

No further relevant information available.

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION:

Umeda Center Bldg., 4-12, Nakazaki-Nishi 2-chome, Kita-Ku, Osaka, JAPAN

Phone: (+81) 6-6373-4345 Fax: (+81) 6-6373-4281

Further information obtainable from: <http://www.daikin.com/>**1.4 Emergency telephone number:**

Japan: +81-6-6349-7521

China: +86-512-5-232-0949, +86-21-34151689

South Korea: +82-2-568-1722

Americas: +1-256-306-5000

Europe: +49-211-179 225-0

SECTION 2: Hazard identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Carc. 2 H351 Suspected of causing cancer.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008:**

The product is classified and labelled according to the CLP regulation.

Signal word: Warning**Precautionary statements:**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see on this label).

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 3: Composition/information on ingredients**Information on ingredients:**

Blended fluoroepoxy monomers

65-75%

Printing date 07.12.2015

Version number 1

Revision: 27.10.2015

Trade name: OPTODYNE UV-3100

Non-fluoro epoxy monomer	<5%
Flam. Liq. 3, H226	
Vinylcyclohexane diepoxide	10-20%
TR23/24/25; Xn R40	
Carc. Cat. 3	
Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
Carc. 2, H351	
Hexanediol diglycidyl ether	5-15%
Sb polymerization initiator	<5%
Others	<5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Do not expose to sunlight or other strong light.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:**

Immediately remove any clothing soiled by the product and store in a dark container or wrapping.

Immediately wash with water and soap and rinse thoroughly.

Consult a doctor in case of complaints.

After eye contact:

Rinse opened eye for 15 minutes under running water, periodically lifting upper and lower eyelids. Then consult a doctor.

After swallowing:

Call for a doctor immediately.

Rinse mouth with water. Do not induce vomiting.

Consult a doctor in case of complaints.

4.2 Most important symptoms and effects, both acute and chronic: No further relevant information available.**4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Fire-extinguishing powder

Foam

CO2

5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters:**Protective equipment:**

Wear self-contained breathing apparatus and protective suit.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation before entering the area.

Stay on the windward side.

Keep out unauthorized persons.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).

Avoid contact with eyes and skin.

Do not swallow the product.

6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

Printing date 07.12.2015

Version number 1

Revision: 27.10.2015

Trade name: OPTODYNE UV-3100**6.3 Methods and material for containment and cleaning up:**

For a small amount of leakage: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders) or collect in an empty container that can be sealed tightly.

Dispose contaminated material as hazardous waste according to section 13.

6.4 Reference to other sections:

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Do not handle until all safety precautions have been read and understood.

Never allow exposure to sunlight or strong light until after curing.

Open and handle receptacle with care. Never allow skin contact of any kind.

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities:**Storage**

Requirements to be met by storerooms and receptacles:

Store in a cool and dry location.

Keep containers tightly sealed.

Information about storage in one common storage facility:

Store away from oxidising agents.

See section 10 for information on incompatible materials.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store containers in a well ventilated area.

Store locked up.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters No further information available.**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls**Personal protective equipment****General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing and store in a dark container or dark wrapping until disposal to hazardous waste.

Never allow exposure to sunlight or other strong light until after curing.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Keep away from tobacco products.

Respiratory protection:

Use respiratory protective device with filters for organic and acid gas (or airline respirators in some cases) if formation of toxic gases is possible while the product is heated.

Use respiratory protective device with organic gas cartridge.

Protection of hands:

Protective gloves

Material of gloves: Rubber

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Printing date 07.12.2015

Version number 1

Revision: 27.10.2015

Trade name: OPTODYNE UV-3100**Eye protection:** Splash-proof goggles**Body protection:** Impervious protective work clothing, face protection, and gloves**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance****Form:** Fluid**Colour:** Light yellow**Odour:** Characteristic**pH-value:**

No further information available.

Melting point/Melting range:

No further information available.

Boiling point/Boiling range:

No further information available.

Flash point:

127 °C (COC)

Explosion limits:**Lower explosive limit:** No further information available.**Upper explosive limit:** No further information available.**Vapour pressure:**

No further information available.

Density:1.33 g/cm³**Solubility in / Miscibility with****water:** No further information available.**Partition coefficient (n-octanol/water):** No further information available.**9.2 Other information:** No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.**10.3 Possibility of hazardous reactions:** May react drastically when exposed to acids, alkali, heat, light.**10.4 Conditions to avoid:**

Do not allow exposure to sunlight or strong light before curing.

Keep away from heat, sparks, flame, high temperature.

10.5 Incompatible materials: Acids, alkali**10.6 Hazardous decomposition products:**Danger of release of SbF₆ before curing

Carbon monoxide and carbon dioxide

Danger of toxic fluorine based pyrolysis products.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

no data

Harmful if swallowed, in contact with skin or if inhaled.

LD/LC50 values relevant for classification: No further information available.**Primary irritant effect**

Skin corrosion/irritation No further information available.

Serious eye damage/irritation No further information available.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.**CMR effects**

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity Based on available data, the classification criteria are not met.

Printing date 07.12.2015

Version number 1

Revision: 27.10.2015

Trade name: OPTODYNE UV-3100**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Chronic study** No further information available.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.**12.2 Persistence and degradability:** No further relevant information available.**12.3 Bioaccumulative potential:** No further relevant information available.**12.4 Mobility in soil:** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: No further relevant information available.**vPvB:** No further relevant information available.**12.6 Other adverse effects:** No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation:

Dispose of used containers (tubes) and any uncured or un-neutralized contamination to permitted hazardous waste.
Disposal must be made according to official regulations.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number:

ADR, ADN, IMDG, IATA Not applicable

14.2 UN proper shipping name:

ADR, ADN, IMDG, IATA Not applicable

14.3 Transport hazard class(es):

ADR, ADN, IMDG, IATA**Class:** Not applicable

14.4 Packing group:

ADR, IMDG, IATA Not applicable

14.5 Environmental hazards:

Marine pollutant: No**14.6 Special precautions for user:** Not applicable.

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

Transport/Additional information:

Avoid direct sunlight. Make sure of no damage, corrosion, leaks on the receptacles.

Take necessary measures for preventing cargo shift.

UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Printing date 07.12.2015

Version number 1

Revision: 27.10.2015

Trade name: OPTODYNE UV-3100**Hazard pictograms**

GHS07 GHS08

Signal word Warning**Hazard-determining components of labelling:**

Vinylcyclohexane diepoxide

Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H351 Suspected of causing cancer.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see on this label).

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations No further information available.**Other regulations, limitations and prohibitive regulations: 1****SECTION 16: Other information**

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: EHS Department**Contact:** <http://www.daikin.com/>**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

Carc. 2: Carcinogenicity, Hazard Category 2