



## BAYBLEND FR3008 R65

Version 1.2

Revision Date 23.08.2022

Print Date 24.08.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

## BAYBLEND FR3008 R65

**Material number:** 00051778

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use:**

Production of moulded plastic articles

#### 1.3 Details of the supplier of the safety data sheet

Covestro Deutschland AG  
COVDEAG-CEO-GI-GQ-GPS&RA-GPS&I  
51365 Leverkusen

Tel.: +49 214 6009 8134  
Email: ProductSafetyEMLA@covestro.com

#### 1.4 Emergency telephone number

+1-703-527-3887 (Chemtrec)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

No classification in accordance with the Regulation (EC) No. 1272/2008.

#### 2.2 Label elements

No labeling necessary according to the Regulation (EC) No. 1272/2008.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

**Type of product:** Mixture

#### 3.2 Mixtures

Polymer blend based on polycarbonate / acrylonitrile-butadiene-styrene copolymer  
flame-retarded

No dangerous ingredients according to REACH-Regulation (EC) No. 1907/2006.

#### Candidate List of Substances of Very High Concern for Authorisation

This product contains no substances of very high concern in concentrations where an information obligation applies (REACH Regulation (EC) No. 1907/2006, Article 59).

**SECTION 4: First aid measures****4.1 Description of first aid measures**

**In case of skin contact:** CONTACT WITH THE HOT MELT: Cool immediately with plenty of water. Do not remove product crusts which may have formed neither forcibly nor by applying any solvents to the skin involved. To obtain treatment for possible burns, and appropriate skin care, seek medical advice immediately.

The following information refers to the handling of the product at room temperature. In case of skin contact wash affected areas thoroughly with soap and plenty of water.

**4.2 Most important symptoms and effects, both acute and delayed**

**Notes to physician:** No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Therapeutic measures:** No information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

**Suitable extinguishing media:** sprayed water jet, extinguishing powder, Carbon dioxide (CO<sub>2</sub>), Foam, Dry chemical

**5.2 Special hazards arising from the substance or mixture**

Burning releases carbon monoxide, carbon dioxide, oxides of nitrogen and traces of hydrogen cyanide. In the event of fire and/or explosion do not breathe fumes.

**5.3 Advice for fire-fighters**

Firemen must wear self-contained breathing apparatus.

Do not allow contaminated extinguishing water to enter the soil, ground-water or surface waters.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Granules - slip hazard!

**6.2 Environment related measures**

Do not flush into surface water or sanitary sewer system.

**6.3 Methods and material for containment and cleaning up**

Use mechanical handling equipment. Avoid dust formation.

**6.4 Reference to other sections**

For further disposal measures see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Under recommended processing conditions small amounts of residues of monomers and residual solvent may be emitted. Provided good ventilation and/or local exhaust systems are used, the Workplace Exposure Limit(s) stated in section 8 should not be exceeded.

In case of mechanical processing, dust must be removed by effective exhaust ventilation.

Keep away from foodstuffs, drinks and tobacco. Wash hands before breaks and at end of work and use skin-protecting ointment. Change contaminated clothing.

## 7.2 Conditions for safe storage, including any incompatibilities

No special storage conditions required.

Storage class (TRGS 510) : 11: Combustible Solids

## 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

The regulations for the substances listed below must be observed when processing this product, particularly if processing takes place at elevated temperatures. In our experience the provision of effective fresh-air and exhaust ventilation equipment at the points where vapors may be generated will ensure compliance with the tolerance limits quoted below.

Substance	CAS-No.	Basis	Type	Value	Ceiling Limit Value	Remarks
acrylonitrile	107-13-1	TRGS 910	ACP CONC	0,12 ppm 0,26 mg/m <sup>3</sup>		
acrylonitrile	107-13-1	TRGS 910				Dermal absorption possible
acrylonitrile	107-13-1	TRGS 910	TOL CONC	1,2 ppm 2,6 mg/m <sup>3</sup>		
acrylonitrile	107-13-1	TRGS 910	UF		8	Factor by which the average shift value (SMW) can be exceeded four times per shift during a maximum. period of 15 minutes each.
styrene	100-42-5	TRGS 900				Listed.
styrene	100-42-5	TRGS 900		20 ppm 86 mg/m <sup>3</sup>	2	Y
styrene	100-42-5	TRGS 900	STEL CL			Category II: substances with a resorptive effect.
ethylbenzene	100-41-4	EU ELV	TWA	100 ppm 442 mg/m <sup>3</sup>		Indicative
ethylbenzene	100-41-4	EU ELV	STEL	200 ppm 884 mg/m <sup>3</sup>		Indicative
ethylbenzene	100-41-4	EU ELV				Dermal absorption possible
ethylbenzene	100-41-4	TRGS 900				Listed.
ethylbenzene	100-41-4	TRGS 900				Dermal absorption possible
ethylbenzene	100-41-4	TRGS 900		20 ppm 88 mg/m <sup>3</sup>	2	Y
ethylbenzene	100-41-4	TRGS 900	STEL CL			Category II: substances with a resorptive effect.
phenol; carbolic acid; monohydroxybenzene; phenylalcohol	108-95-2	EU ELV	TWA	2 ppm 8 mg/m <sup>3</sup>		Indicative

phenol; carbolic acid; monohydroxybenzene; phenylalcohol	108-95-2	EU ELV				Dermal absorption possible
phenol; carbolic acid; monohydroxybenzene; phenylalcohol	108-95-2	EU ELV	STEL	4 ppm 16 mg/m3		Indicative
phenol; carbolic acid; monohydroxybenzene; phenylalcohol	108-95-2	TRGS 900				Listed.
phenol; carbolic acid; monohydroxybenzene; phenylalcohol	108-95-2	TRGS 900				Dermal absorption possible
phenol; carbolic acid; monohydroxybenzene; phenylalcohol	108-95-2	TRGS 900		2 ppm 8 mg/m3	2	
phenol; carbolic acid; monohydroxybenzene; phenylalcohol	108-95-2	TRGS 900	STEL CL			Category II: substances with a resorptive effect.
4-tert-butylphenol	98-54-4	TRGS 900				Listed.
4-tert-butylphenol	98-54-4	TRGS 900		0,08 ppm 0,5 mg/m3	2	
4-tert-butylphenol	98-54-4	TRGS 900				Dermal absorption possible
4-tert-butylphenol	98-54-4	TRGS 900	STEL CL			Category II: substances with a resorptive effect.
chlorobenzene	108-90-7	TRGS 900				Listed.
chlorobenzene	108-90-7	TRGS 900		5 ppm 23 mg/m3	2	Y
chlorobenzene	108-90-7	EU ELV	TWA	5 ppm 23 mg/m3		Indicative
chlorobenzene	108-90-7	EU ELV	STEL	15 ppm 70 mg/m3		Indicative
chlorobenzene	108-90-7	TRGS 900	STEL CL			Category II: substances with a resorptive effect.
bisphenol A; 4,4'-isopropylidenediphenol	80-05-7	TRGS 900				Listed.
bisphenol A; 4,4'-isopropylidenediphenol	80-05-7	TRGS 900	STEL CL			Category I: substances for which the localized effect has an assigned OEL or for substances with a sensitizing effect in respiratory passages.
bisphenol A; 4,4'-isopropylidenediphenol	80-05-7	TRGS 900		5 mg/m3	1	Y
bisphenol A; 4,4'-isopropylidenediphenol	80-05-7	EU ELV	TWA	2 mg/m3		Indicative
General limiting value of dust		TRGS 900		10 mg/m3	2	inhalable fraction
General limiting value of dust		TRGS 900		3 mg/m3	2	alveolar fraction
General limiting value of dust		TRGS 900	STEL CL			Category II: substances with a resorptive effect.

## 8.2 Exposure controls

### Respiratory protection

In case of dust formation use respiratory equipment with filter type particle filter P1 according to EN 143.

### Hand protection

Suitable materials for safety gloves; EN 374:

Polyvinyl chloride - PVC (>= 0.5 mm)

Contaminated and/or damaged gloves must be changed.

### Eye protection

Wear eye/face protection.

**Skin and body protection**

Wear suitable protective clothing.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Physical state:	solid at 20 °C at 1.013 hPa	DIN 53479
Appearance:	granular	
Colour:	different according to colouration	
Odour:	odourless	
Odour Threshold:	not established	
pH:	not applicable	
Softening point:	100 - 200 °C	
Boiling point/boiling range:	not established	
Flash point:	not established	
Evaporation rate:	not established	
Flammability:	not established	
Burning number:	not established	
Upper/lower flammability or explosive limits:	not applicable	
Vapour pressure:	not applicable	
Relative vapour density:	not established	
Density:	ca. 1,1 - 1,2 g/cm <sup>3</sup>	
Bulk density:	600 - 700 kg/m <sup>3</sup>	
Miscibility with water:	not established	
Water solubility:	practically insoluble	
Surface tension:	not established	
Partition coefficient (n-octanol/water):	not established	
Auto-ignition temperature:	> 390 °C	
Ignition temperature:	> 390 °C	
Decomposition temperature:	>= 380 °C	
Heat of combustion:	not established	
Viscosity, dynamic:	not applicable	
Viscosity, kinematic:	not established	
Particle characteristics		
Particle size:	not established	

**9.2 Other information**

The indicated values do not necessarily correspond to the product specification. Please refer to the product information sheet or the technical information sheet for specification data.

Explosive properties:	not established
Dust explosion class:	not established
Oxidising properties:	not established

**SECTION 10: Stability and reactivity****10.1 Reactivity**

This information is not available.

**10.2 Chemical stability**

Fumes evolved by overheating during improperly processing or by burning may be injurious to health.

**10.3 Possibility of hazardous reactions**

If overheated, the melt may undergo exothermal decomposition in the air (increase in temperature, generation of smoke or fumes).

**10.4 Conditions to avoid**

This information is not available.

**10.5 Incompatible materials**

This information is not available.

**10.6 Hazardous decomposition products**

Caused by smouldering and incomplete combustion toxic fumes mainly consisting of CO and CO<sub>2</sub> may be developed.

Under recommended processing conditions small amounts of emissions may occur.

The regulations for the substances listed below must be observed when processing this product, particularly if processing takes place at elevated temperatures.

acrylonitrile

Index-No. 608-003-00-4

CAS-No.: 107-13-1

Classification (1272/2008/CE): Flam. Liq. 2 H225 Acute Tox. 3 Oral H301 Acute Tox. 3 Inhalative H331 Acute Tox. 3 Dermal H311 Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317 Carc. 1B H350 Repr. 2 H361d STOT SE 3 H335 Aquatic Chronic 2 H411

styrene

Index-No. 601-026-00-0

CAS-No.: 100-42-5

Classification (1272/2008/CE): Flam. Liq. 3 H226 Acute Tox. 4 Inhalative H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Repr. 2 H361d STOT SE 3 H335 STOT RE 1 Inhalative H372 Asp. Tox. 1 H304 Aquatic Chronic 3 H412

1,3-butadiene; buta-1,3-diene

Index-No. 601-013-00-X

CAS-No.: 106-99-0

Classification (1272/2008/CE): Flam. Gas 1 H220 Press. Gas Muta. 1B H340 Carc. 1A H350

4-vinylcyclohexene

EC-No.: 202-848-9

CAS-No.: 100-40-3

Classification (1272/2008/CE): Carc. 2 H351 Flam. Liq. 2 H225 Skin Irrit. 2 H315 Asp. Tox. 1 H304 Repr. 2 H361 Aquatic Chronic 3 H412

ethylbenzene

EC-No.: 202-849-4

CAS-No.: 100-41-4

Classification (1272/2008/CE): Flam. Liq. 2 H225 Asp. Tox. 1 H304 Acute Tox. 4 Inhalative H332 STOT RE 2 Inhalative H373 Aquatic Chronic 3 H412

phenol; carbolic acid; monohydroxybenzene; phenylalcohol

Index-No. 604-001-00-2

CAS-No.: 108-95-2

Classification (1272/2008/CE): Acute Tox. 3 Oral H301 Acute Tox. 3 Inhalative H331 Acute Tox. 3 Dermal H311 Skin Corr. 1B H314 Eye Dam. 1 H318 Muta. 2 H341 STOT RE 2 H373 Aquatic Chronic 2 H411

4-tert-butylphenol

Index-No. 604-090-00-8

CAS-No.: 98-54-4

Classification (1272/2008/CE): Skin Irrit. 2 H315 Eye Dam. 1 H318 Repr. 2 H361f Aquatic Chronic 1 H410

chlorobenzene

Index-No. 602-033-00-1

CAS-No.: 108-90-7

Classification (1272/2008/CE): Flam. Liq. 3 H226 Acute Tox. 4 Inhalative H332 Skin Irrit. 2 H315 Aquatic Chronic 2 H411

bisphenol A; 4,4'-isopropylidenediphenol

CAS-No.: 80-05-7

Classification (1272/2008/CE): Repr. 1B H360F STOT SE 3 Inhalative H335 Eye Dam. 1 H318 Skin Sens. 1 H317 Aquatic Chronic 2 H411

triphenylphosphate

EC-No.: 204-112-2

CAS-No.: 115-86-6

Classification (1272/2008/CE): Aquatic Acute 1 H400 Aquatic Chronic 1 H410

## **SECTION 11: Toxicological information**

Toxicological studies on the product are not yet available.

### **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

#### **Acute toxicity, oral**

No data available.

#### **Acute toxicity, dermal**

No data available.

#### **Acute toxicity, inhalation**

No data available.

#### **Primary skin irritation**

No data available.

#### **Primary mucosae irritation**

No data available.

#### **Sensitisation**

No data available.

#### **Subacute, subchronic and prolonged toxicity**

No data available.

#### **Carcinogenicity**

No data available.

#### **Reproductive toxicity/Fertility**

No data available.

#### **Reproductive toxicity/Developmental Toxicity/Teratogenicity**

No data available.

#### **Genotoxicity in vitro**

No data available.

#### **Genotoxicity in vivo**

No data available.

#### **STOT evaluation – one-time exposure**

No data available.

#### **STOT evaluation – repeated exposure**

No data available.

#### **Aspiration toxicity**

No data available.

## 11.2 Information on other hazards

### Other information

According to our experience and information the product has no harmful effects on health if properly handled.

## SECTION 12: Ecological information

Ecotoxicological studies of the product are not available.

Do not allow to escape into waterways, wastewater or soil.

### 12.1 Toxicity

No data available.

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Endocrine disrupting properties

No data available.

### 12.7 Other adverse effects

The product is practically insoluble in water. In view of its consistency and insolubility in water, no ecological problems are to be expected if the product is properly handled. The product is not readily biodegradable.

## SECTION 13: Disposal considerations

Dispose in accordance with applicable international, national and local laws, ordinances and statutes.

For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

### 13.1 Waste treatment methods

After containers have been emptied as thoroughly as possible (e.g. by pouring, scraping or draining until "drip-dry"), they can be sent to an appropriate collection point set up within the framework of the existing take-back scheme of the chemical industry. Containers must be recycled in compliance with national legislation and environmental regulations.

The product is suitable for mechanical recycling. After appropriate treatment it can be remelted and reprocessed into new moulded articles. Mechanical recycling is only possible if the material has been selectively retrieved and carefully segregated according to type.

No disposal into waste water.

## SECTION 14: Transport information

### ADR/RID

14.1 UN number or ID number	:	Not dangerous goods
14.2 UN proper shipping name	:	Not dangerous goods
14.3 Transport hazard class(es)	:	Not dangerous goods
14.4 Packing group	:	Not dangerous goods
14.5 Environmental hazards	:	Not dangerous goods

**ADN**

14.1 UN number or ID number	:	Not dangerous goods
14.2 UN proper shipping name	:	Not dangerous goods
14.3 Transport hazard class(es)	:	Not dangerous goods
14.4 Packing group	:	Not dangerous goods
14.5 Environmental hazards	:	Not dangerous goods

Dangerous goods classification for inland waterways tanker by request only.

**IATA**

14.1 UN number or ID number	:	Not dangerous goods
14.2 UN proper shipping name	:	Not dangerous goods
14.3 Transport hazard class(es)	:	Not dangerous goods
14.4 Packing group	:	Not dangerous goods
14.5 Environmental hazards	:	Not dangerous goods

**IMDG**

14.1 UN number or ID number	:	Not dangerous goods
14.2 UN proper shipping name	:	Not dangerous goods
14.3 Transport hazard class(es)	:	Not dangerous goods
14.4 Packing group	:	Not dangerous goods
14.5 Marine pollutant	:	Not dangerous goods

**14.6 Special precautions for user**

See section 6 - 8.

Additional information : Not dangerous cargo. Keep dry.

**14.7 Maritime transport in bulk according to IMO instruments**

Product is not transported by us in bulk.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Water contaminating class (Germany)**

nw not water endangering

Identification number according to AwSV: 766

**15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been conducted for this substance / mixture resp. its components.

**SECTION 16: Other information**

**Full text of the hazard statements of the CLP classification (1272/2008/CE) referred to under sections 2, 3 and 10.**

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H360F	May damage fertility.
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

The safety data sheet is also valid for corresponding BBS... types.

**Abbreviations and acronyms**

ADN	Accord européen relatif au transport international des marchandises Dangereuses par voie de Navigation intérieure
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
ANSI	American National Standards Institute
ASTM	American Society of Testing and Materials (US)
ATE	Acute Toxic Estimate
AwSv	Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen
BCF	Bioconcentration Factor
CAS	Chemical Abstract Service
CLP	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
CMR	Cancerogenic Mutagenic Reprotoxic
DIN	Deutsches Institut für Normung
DNEL	Derived No-Effect Level
EC...	Effect Concentration ... %
EWC	European Waste Catalogue
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LOAEL	Lowest Observable Adverse Effect Level
LC...	Lethal Concentration, ...%
LD...	Lethal Dose, ...%
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEL	No Observed Adverse Effect Level
NOEL/NOEC	No Observed Effect Level/Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire de marchandises Dangereuses
STOT	Specific Target Organ Toxicity
TRGS	Technische Regeln für Gefahrstoffe
vPvB	very Persistent, very Bioaccumulative
WGK	Wassergefährdungsklasse

**Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.