

0331652329

SGS

Test Report

REPORT NO. : LPCI/0993/05
CTS REF. : CTS/05/00603/Toray
DATE REPORTED : MARCH 09, 2005
PAGE : 1 of 2

Toray Plastics (Malaysia) Sdn. Bhd.
2628, MK. 1, SPT., Lorong Perusahaan 4, Prai Free Industrial Zone,
13600 Prai, Penang.

The following merchandise was (were) submitted and identified by the client as:

Sample Description : Toyolac NH82-X01 Natural
Sample Received : 2005/02/28
Testing Date : 2005/02/28 TO 2005/03/09

Test Result : Please see the next page

Analyst : Azlina, Hasimah

SGS LABORATORY SERVICES (M) SDN. BHD.



CHONG KIEN LEN
B.Sc.(HONS) AMIC
MANAGER

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company.

SGS Laboratory Services (M) Sdn. Bhd.
(Company No. 02017-M)

Wisma SGS Lot 603 Labuh Raja Lumu Kawasan Perindustrian PKNS Pandamaran 42000 Port Klang, Malay
T +6 (03) 3165 2320 F +6 (03) 3165 2329 www.sgs.com

Member of SGS Group



Test Report

REPORT NO. : LPCI/0993/05
CTS REF. : CTS/05/00603/Toray
DATE REPORTED : MARCH 09, 2005
PAGE : 2 of 3

Company : Toray Plastics (Malaysia) Sdn. Bhd.
2628, MK. 1, SPT., Lorong Perusahaan 4, Prai Free Industrial Zone,
13600 Prai, Penang.

Test Result

Sample Description : Toyolac NH82-X01 Natural

Test Item (s) :	Unit	Method	MDL	Result
Chromium VI (Cr6+)	ppm	As per EPA 3060 A / 7196 A	2	N.D.
Cadmium (Cd)	ppm	ICP-OES after as per EN 1122, method B:2001 or other acid digestion.	2	N.D.
Lead (Pb)	ppm	ICP-OES after as per US EPA 3050B or other acid digestion.	2	N.D.
Mercury (Hg)	ppm	ICP-OES after as per US EPA 3052 or other acid digestion.	2	N.D.

NOTE: (1) N.D. = Not detected (<MDL)
(2) ppm = mg/kg
(3) MDL= Method Detection Limit

Analyst : Azlina

SGS LABORATORY SERVICES (M) SDN. BHD.


CHONG KIEN LEN
B.Sc.(HONS) AMIC
MANAGER

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issue defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company.



Test Report

REPORT NO. : LPCI/0993/05
CTS REF. : CTS/05/00603/Toray
DATE REPORTED : MARCH 09, 2005
PAGE : 3 of 3

Company : Toray Plastics (Malaysia) Sdn. Bhd.
2628, MK. 1, SPT., Lorong Perusahaan 4, Prai Free Industrial Zone,
13600 Prai, Penang.


Test Result

Sample Description : Toyolac NH82-X01 Natural

Test Item (s) :	Unit	Method	MDL	Result
PBBs (Polybrominated Biphenyls)				
Monobromo Biphenyl	%	EPA 3540B/3550B	0.0005	N.D.
Dibromo Biphenyl	%	EPA 3540B/3550B	0.0005	N.D.
Tribromo Biphenyl	%	EPA 3540B/3550B	0.0005	N.D.
Tetrabromo Biphenyl	%	EPA 3540B/3550B	0.0005	N.D.
Pentabromo Biphenyl	%	EPA 3540B/3550B	0.0005	N.D.
Hexabromo Biphenyl	%	EPA 3540B/3550B	0.0005	N.D.
Heptabromo Biphenyl	%	EPA 3540B/3550B	0.0005	N.D.
Octabromo Biphenyl	%	EPA 3540B/3550B	0.0005	N.D.
Nonabromo Biphenyl	%	EPA 3540B/3550B	0.0005	N.D.
Decabromo Biphenyl	%	EPA 3540B/3550B	0.0005	N.D.
PBDEs (Polybrominated Diphenyl ethers)				
Monobromo Diphenyl Ether	%	EPA 3540B/3550B	0.0005	N.D.
Dibromo Diphenyl Ether	%	EPA 3540B/3550B	0.0005	N.D.
Tribromo Diphenyl Ether	%	EPA 3540B/3550B	0.0005	N.D.
Tetrabromo Diphenyl Ether	%	EPA 3540B/3550B	0.0005	N.D.
Pentabromo Diphenyl Ether	%	EPA 3540B/3550B	0.0005	N.D.
Hexabromo Diphenyl Ether	%	EPA 3540B/3550B	0.0005	N.D.
Heptabromo Diphenyl Ether	%	EPA 3540B/3550B	0.0005	N.D.
Octabromo Diphenyl Ether	%	EPA 3540B/3550B	0.0005	N.D.
Nonabromo Diphenyl Ether	%	EPA 3540B/3550B	0.0005	N.D.
Decabromo Diphenyl Ether	%	EPA 3540B/3550B	0.0005	N.D.

NOTE: (1) N.D. = Not detected (<MDL)
(2) ppm = mg/kg
(3) MDL = Method Detection Limit

Analyst : Hasimah
SGS LABORATORY SERVICES (M) SDN. BHD.


CHONG KIEN LEN
B.Sc.(HONS) AMIC
MANAGER

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issue defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the company.