

Product Handling Information Sheet

SustaPEEK MG yellow YL

1. Company

Name/Address **Röchling Industrial Lahnstein SE & Co. KG**
 Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0
 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein

2. Product details

Product/Article Engineering semi-finished product
 Abbreviated terms PEEK
 Material Characterisation Thermoplastic
 Main Components

- polyetheretherketone

 Components Subject to labelling none
 Classification according to REACh Article
 Notes -

3. Product characteristics

Form/State

- solid
- firm

 Color yellow
 Odour

- odourless

 Density 1,35
 Melting range 341
 Glass transition temperature -
 Thermal decomposition >500°C
 Flash point -



3. Product characteristics

Ignition temperature	>575°C
Notes	-

4. Danger warnings

Special Risks For Mankind And The Environment	none
Notes	-

5. Handling and Storage

Handling	<ul style="list-style-type: none"> • Product can be worked with conventional machines and tools. • Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.
Storage	<ul style="list-style-type: none"> • horizontally • dry • protected against climatic influences
Safety measures	
Shelf Life	-
Notes	-

6. Transport

Transport	<ul style="list-style-type: none"> • Non dangerous goods according to the transport regulations.
Finished Product Packing	-
Notes	-

7. Fire – fighting measures

Suitable extinguishing agents	<ul style="list-style-type: none"> • water • foam • dry extinguishing media • CO₂
-------------------------------	--



7. Fire – fighting measures

Potential combustion products	<ul style="list-style-type: none"> • carbon monoxide
Necessary protection equipment	<ul style="list-style-type: none"> • Complete protection equipment for fire-brigade. • Use self-contained air respirators.
Notes	-

8. Removal

Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as “not dangerous”.
Waste Removal	Can be recycled and/or has to be conveyed to a suitable dump or a suitable combustion plant.
EC Waste Code	<ul style="list-style-type: none"> • 12 01 05 plastics shavings and turnings • 07 02 13 waste plastic
Notes	-

9. Marking and Guidelines

Marking in accordance with EEC Guideline	not subject to labelling
Notes	-

10. Information about REACH

Information about REACH	According to EC directive 1907/2006/EC (REACH), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACH), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACH we are manufacturing articles and, therefore, not required to issue safety sheets.[]
-------------------------	---

11. Other Information

Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recipient of our products on his own authority.
-------------------	---

