

1711

Version 8.0

Issue Date 11/23/2022 Ref. 13000001738

Revision Date 06/06/2025

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name 1711

Product Use For industrial use only., Paste for electronic industry

Restrictions on use Do not use product for anything outside of the above specified uses.

Celanese Sales U.S. Ltd. Manufacturer/Supplier

222 West Las Colinas Boulevard Suite 900N

Irving, TX 75039

Product Information +1 972-443-4000

Transport Emergency HazCom@celanese.com

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category

Germ cell mutagenicity Category 2 Carcinogenicity Category 2 Reproductive toxicity Category 1A Specific target organ toxicity -Category 1

single exposure

Specific target organ toxicity -Category 1

repeated exposure

Specific target organ toxicity -

Category 2

repeated exposure



Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

Label content

Pictogram :



Signal word : Danger

Hazardous warnings : Suspected of causing genetic defects.

Suspected of causing cancer.

May damage fertility or the unborn child.

Causes damage to organs. (Respiratory system)

Causes damage to organs through prolonged or repeated exposure. (Blood) May cause damage to organs through prolonged or repeated exposure.

(Nervous System, testicles)

Hazardous prevention

measures

: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF exposed: Call a POISON CENTER or doctor/ physician.

Store locked up.

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 70 - 80 %



Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Terpineol	8000-41-7	5 - 10 %
Dicopper oxide	1317-39-1	0.1 - 1 %

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Glass or Ceramic ingredient(s)	70 - 80 %
Lead, Manganese.	

SECTION 4. FIRST AID MEASURES

General advice : No applicable data available.

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not

breathing, give artificial respiration. Get medical attention.

Skin contact : Wash off with soap and water. Get medical attention if irritation develops and

persists. Wash contaminated clothing before re-use.

Eye contact : Immediately flush eyes for at least 15 minutes. Get medical attention.

Ingestion : If swallowed Rinse mouth with water. Call a physician or poison control centre

immediately. DO NOT induce vomiting unless directed to do so by a physician

or poison control center.

Most important

symptoms/effects, acute

and delayed

Protection of first-aiders Notes to physician : No applicable data available.

No applicable data available.No applicable data available.

SECTION 5. FIREFIGHTING MEASURES



Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment.

Water spray, Dry chemical, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: No applicable data available.

Specific hazards : Hazardous decomposition products formed under fire conditions. (see also

section 10) Avoid breathing decomposition products.

Special protective equipment

for firefighters

: Exposure to decomposition products may be a hazard to health. Wear self-

contained breathing apparatus for firefighting if necessary.

Further information : Evacuate personnel to safe areas. Stop spill/release if it can be done with

minimal risk. Do not allow run-off from fire fighting to enter drains or water

courses.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear

suitable protective equipment.

Environmental precautions : Prevent further leakage or spillage if safe to do so. Prevent product from

entering drains. Clean contaminated floors and objects thoroughly while

observing environmental regulations.

Spill Cleanup : Contain spill. Soak up with inert absorbent material. Collect and contain

contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated

surface thoroughly.

Accidental Release Measures : Dispose of in accordance with local regulations.



1711

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Avoid inhalation, ingestion and contact with skin and eyes. Do not use in

areas without adequate ventilation. Keep container closed when not in use. Take care to avoid waste and spillage when weighing, loading and mixing the

product.

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Contaminated work clothing should not

be allowed out of the workplace. Remove contaminated clothing and protective equipment before entering eating areas. Remove and wash

contaminated clothing before re-use.

Handling (Physical Aspects) : Avoid formation of dust and aerosols. Keep away from heat and sources of

ignition.

Dust explosion class

Storage

No applicable data available.

: Store in original container. Keep containers tightly closed in a dry, cool and

well-ventilated place. Keep away from sources of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Keep container closed when not in use. Do

not reuse empty container. Stable under normal conditions.

Storage period : No applicable data available.

Storage temperature : No applicable data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Local exhaust or a laboratory hood should be used when handling the

materials. Maintain air concentrations below occupational exposure

standards.

Personal protective equipment

Respiratory protection : Provide adequate ventilation. No personal respiratory protective equipment

normally required. Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge. When workers are facing concentrations above the exposure limit

they must use appropriate certified respirators. Consult the respirator



Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer. Persons performing maintenance or repairs on exhaust system equipment (e.g. ducts) may need to use respirators and protective clothing to prevent exposure to any accumulated residues.

Hand protection : Material: Impervious gloves

Additional protection: Gloves must be inspected prior to use., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be observed., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger

of cuts, abrasion, and the contact time.

Eye protection : Wear safety glasses with side shields.

Skin and body protection : Choose body protection in relation to its type, to the concentration and

amount of dangerous substances, and to the specific work-place.

Lightweight protective clothing

Safety shoes

Exposure Guidelines
Exposure Limit Values

Terpineol			
No applicable data available.			

Dicopper oxide				
TLV	(ACGIH)	0.2 mg/m3	TWA	
TLV	(ACGIH)	1 mg/m3	TWA	

Lead			
Permissible	(OSHA)	0.05 mg/m3	TWA
exposure limit:			
TLV	(ACGIH)	0.05 mg/m3	TWA



1711

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

Manganese			
Permissible	(OSHA)	5 mg/m3	TLV-C
exposure limit:			
TLV	(ACGIH)	0.02 mg/m3	TWA
TLV	(ACGIH)	0.1 mg/m3	TWA

Biological Exposure Indices

Lead			
BEI	(ACGIH)	200 μg/l	Lead/Blood
	,		Sampling time: Not critical.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid

Form : viscous liquid

Color : black

Odor : pine

Odor threshold : No applicable data available.

pH : No applicable data available.

Melting point/range : No applicable data available.

Boiling point/boiling range : No applicable data available.

Flash point : 94 °C

Method: closed cup

Evaporation rate : No applicable data available.

Flammability (solid, gas) : No applicable data available.



1711

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Density : 2.35 g/cm3

Specific gravity (Relative

density)

: No applicable data available.

Water solubility : at 20 °C (68 °F)

slightly soluble

Solubility(ies) : No applicable data available.

Partition coefficient: n-

octanol/water

: No applicable data available.

Auto-ignition temperature : No applicable data available.

Decomposition temperature : No applicable data available.

Viscosity, kinematic : > 20.5 mm2/s at 40 °C (104 °F)

estimated

Viscosity, dynamic : > 100 Pa.s at 25 °C (77 °F)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No applicable data available.

Chemical stability : Stable at normal temperatures and storage conditions.

Polymerization will not occur.

Possibility of hazardous

reactions

Conditions to avoid : None reasonably foreseeable.

Incompatible materials : Acids, bases and strong oxidizing agents



1711

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

Hazardous decomposition

products

: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Terpineol

Inhalation : no data available

Inhalation

Dermal LD50 : > 2,000 mg/kg, Rabbit

Oral LD50 : > 2,000 mg/kg, Rat

Skin irritation : Skin irritation, Rabbit

Eye irritation : Eye irritation, animals (unspecified species)

Skin sensitization : Did not cause sensitisation on laboratory animals., Guinea pig

Repeated dose toxicity : Oral

Rat

-

No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.

Overall weight of evidence indicates that the substance is not

carcinogenic.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects

Evidence suggests this substance does not cause genetic damage in

animals.

Reproductive toxicity : Animal testing showed effects on reproduction at levels equal to or

above those causing parental toxicity.

Dicopper oxide

Inhalation 4 h LC50 : 3.34 mg/l, Rat

Dermal LD50 : > 2,000 mg/kg, Rat

Oral LD50 : 1,340 mg/kg , Rat



1711

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

Skin irritation : Slight or no skin irritation, Rabbit

Minimal effects that do not meet the threshold for classification.

Eye irritation : Irreversible effects on the eye, Rabbit

Skin sensitization : Does not cause skin sensitisation., Guinea pig

Lead

Inhalation 4 h LC50 : > 5.05 mg/l, Rat

Information given is based on data obtained from similar substances.

Dermal LD50 : > 2,000 mg/kg, Rat

Information given is based on data obtained from similar substances.

Oral LD50 : > 5,000 mg/kg, Rat

Information given is based on data obtained from similar substances.

Skin irritation : No skin irritation, Rabbit

Information given is based on data obtained from similar substances.

Eye irritation : No eye irritation, Rabbit

Information given is based on data obtained from similar substances.

Skin sensitization : Does not cause skin sensitisation., Guinea pig

Information given is based on data obtained from similar substances.

Repeated dose toxicity : Oral

Rat

rtat

LOAEL: 200,

Target Organs: Blood

The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

altered blood chemistry, Information given is based on data obtained

from similar substances.

Carcinogenicity : Suspected human carcinogens

An increased incidence of tumours was observed in laboratory

animals.

Information given is based on data obtained from similar substances.

Mutagenicity : In vitro tests showed mutagenic effects



1711

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

Genetic damage in cultured mammalian cells was observed in some

laboratory tests but not in others.

Reproductive toxicity : Known human reproductive toxicant

Reduced fertility

Information given is based on data obtained from similar substances.

Teratogenicity : Delayed foetal development (variations)

Information given is based on data obtained from similar substances.

Manganese

Oral LD50 : 9,000 mg/kg , Rat

Repeated dose toxicity

human

-

Central nervous system effects

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

Material IARC NTP OSHA

Lead 2B X

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Terpineol

96 h LC50 : Danio rerio (zebra fish) 62 - 80 mg/l OECD Test Guideline 203

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 68 mg/l OECD Test

Guideline 201

72 h EbC50 : Pseudokirchneriella subcapitata (green algae) 17 mg/l OECD Test

Guideline 201



1711

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

48 h LC50 : Daphnia magna (Water flea) 73 mg/l OECD Test Guideline 202

Dicopper oxide

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 0.008 mg/l

Information given is based on data obtained from similar substances.

72 h EC50 : Scenedesmus capricornutum (fresh water algae) 0.022 mg/l

Information given is based on data obtained from similar substances.

14 d NOEC : Algae 0.011 mg/l

Information given is based on data obtained from similar substances.

48 h EC50 : Daphnia magna (Water flea) 0.0266 mg/l

Information given is based on data obtained from similar substances.

92 d : NOEC Oncorhynchus mykiss (rainbow trout) 0.0017 mg/l

Information given is based on data obtained from similar substances.

21 d : NOEC Daphnia magna (Water flea) 0.0076 mg/l

Information given is based on data obtained from similar substances.

Manganese

LC50 : Pimephales promelas (fathead minnow) 30.6 mg/l

LC50 : Daphnia magna (Water flea) 19.2 mg/l

no data available

Environmental Fate

Terpineol

Biodegradability : 80 % OECD Test Guideline 301

Readily biodegradable.

Bioaccumulation : Bioconcentration factor (BCF) : 24.13

Bioaccumulation is unlikely.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods -

Product

: If recycling is not practicable, dispose of in compliance with local regulations.

Never place unused product down any indoor or out door drain.



1711

Version 8.0

IMDG

Issue Date 11/23/2022 Ref. 13000001738

Revision Date 06/06/2025

Waste disposal methods -: Do not reuse empty container.

Contaminated/not cleaned containers should be treated/handled like product Container

Dispose of container properly.

Refer to applicable Local, State/Provincial, and Federal Regulations, as well

as industry Standards.

Contaminated packaging : No applicable data available.

SECTION 14. TRANSPORT INFORMATION

IATA_C UN number : 3082

> Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

> > (Ceramic, Dicopper oxide)

Class Packing group : 111 Labelling No. : 9MI UN number : 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Ceramic, Dicopper oxide)

Class : 9 Packing group : 111 Labelling No. : 9

Not regulated as a hazardous material by DOT.

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

SECTION 15. REGULATORY INFORMATION

TSCA : On the inventory, or in compliance with the inventory

SARA 311/312 Hazard : Germ cell mutagenicity

Carcinogenicity classification



1711

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001738

Revision Date : 06/06/2025

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 Regulated

Chemical(s)

: The following components are subject to reporting levels established by

SARA Title III, Section 313: Lead, Diethylene glycol dibutyl ether, Manganese

California Prop. 65 : This product can expose you to substances including Lead, which is known to

the State of California to cause cancer and birth defects or other reproductive

harm. For more information go to www.P65Warnings.ca.gov

SECTION 16. OTHER INFORMATION

Issue Date : 11/23/2022 Revision Date : 06/06/2025

Contact person

Wilmington, DE 19803, USA

Product Information: +1 972-443-4000 E-mail address: HazCom@celanese.com

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.