

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : 1713  
Product Use : For industrial use only., Paste for electronic industry

Restrictions on use : Do not use product for anything outside of the above specified uses.  
Manufacturer/Supplier : Celanese Sales U.S. Ltd.  
222 West Las Colinas Boulevard Suite 900N  
Irving, TX 75039

Product Information : +1 972-443-4000  
Transport Emergency : HazCom@celanese.com

**SECTION 2. HAZARDS IDENTIFICATION****Product hazard category**

|                                                    |             |
|----------------------------------------------------|-------------|
| Skin irritation                                    | Category 2  |
| Serious eye damage/eye irritation                  | Category 2A |
| Germ cell mutagenicity                             | Category 2  |
| Carcinogenicity                                    | Category 2  |
| Reproductive toxicity                              | Category 1A |
| Specific target organ toxicity - single exposure   | Category 1  |
| Specific target organ toxicity - repeated exposure | Category 1  |
| Specific target organ toxicity - repeated exposure | Category 2  |

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

**Label content**

Pictogram :



Signal word : Danger

Hazardous warnings : Causes skin irritation.  
Causes serious eye irritation.  
Suspected of causing genetic defects.  
Suspected of causing cancer.  
May damage fertility or the unborn child.  
Causes damage to organs. (Respiratory system)  
Causes damage to organs through prolonged or repeated exposure. (Blood)  
May cause damage to organs through prolonged or repeated exposure.  
(Nervous System, testicles)

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

**Hazardous prevention measures** : Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
Wash skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
IF ON SKIN: Wash with plenty of soap and water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed: Call a POISON CENTER or doctor/ physician.  
If skin irritation occurs: Get medical advice/ attention.  
If eye irritation persists: Get medical advice/ attention.  
Take off contaminated clothing and wash before reuse.  
Store locked up.  
Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 70 - 80 %

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component | CAS-No.   | Concentration |
|-----------|-----------|---------------|
| Terpineol | 8000-41-7 | 10 - 20 %     |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

|                                                    |  |           |
|----------------------------------------------------|--|-----------|
| Glass or Ceramic ingredient(s)<br>Lead, Manganese. |  | 10 - 20 % |
|----------------------------------------------------|--|-----------|

**SECTION 4. FIRST AID MEASURES**

**General advice** : No applicable data available.

**1713**

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001741  
Revision Date : 06/05/2025

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

Skin contact : Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.

Eye contact : Immediately flush eyes for at least 15 minutes. Get medical attention.

Ingestion : If swallowed Rinse mouth with water. Call a physician or poison control centre immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

Most important symptoms/effects, acute and delayed : No applicable data available.

Protection of first-aiders : No applicable data available.

Notes to physician : No applicable data available.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water spray, Dry chemical, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : No applicable data available.

Specific hazards : Hazardous decomposition products formed under fire conditions. (see also section 10) Avoid breathing decomposition products.

Special protective equipment for firefighters : Exposure to decomposition products may be a hazard to health. Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal risk. Do not allow run-off from fire fighting to enter drains or water courses.

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

- Safeguards (Personnel) : Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear suitable protective equipment.
- Environmental precautions : Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Clean contaminated floors and objects thoroughly while observing environmental regulations.
- Spill Cleanup : Contain spill. Soak up with inert absorbent material. Collect and contain contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated surface thoroughly.
- Accidental Release Measures : Dispose of in accordance with local regulations.

**SECTION 7. HANDLING AND STORAGE**

- Handling (Personnel) : Avoid inhalation, ingestion and contact with skin and eyes. Do not use in areas without adequate ventilation. Keep container closed when not in use. Take care to avoid waste and spillage when weighing, loading and mixing the product.  
Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Contaminated work clothing should not be allowed out of the workplace. Remove contaminated clothing and protective equipment before entering eating areas. Remove and wash contaminated clothing before re-use.
- Handling (Physical Aspects) : Avoid formation of dust and aerosols. Keep away from heat and sources of ignition.
- Dust explosion class : No applicable data available.
- Storage : Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from sources of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become

**1713**

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001741  
Revision Date : 06/05/2025

contaminated with this material. Keep container closed when not in use. Do not reuse empty container.  
Stable under normal conditions.

Storage period : No applicable data available.

Storage temperature : No applicable data available.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering controls : Local exhaust or a laboratory hood should be used when handling the materials. Maintain air concentrations below occupational exposure standards.

Personal protective equipment  
Respiratory protection : Provide adequate ventilation. No personal respiratory protective equipment normally required. Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer. Persons performing maintenance or repairs on exhaust system equipment (e.g. ducts) may need to use respirators and protective clothing to prevent exposure to any accumulated residues.

Hand protection : Material: Impervious gloves  
Additional protection: Gloves must be inspected prior to use., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be observed., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection : Wear safety glasses with side shields.

Skin and body protection : Choose body protection in relation to its type, to the concentration and

**1713**

Version 8.0

Issue Date : 11/23/2022  
 Revision Date : 06/05/2025

Ref. 130000001741

amount of dangerous substances, and to the specific work-place.  
 Lightweight protective clothing  
 Safety shoes

Exposure Guidelines  
 Exposure Limit Values

|                               |  |  |  |
|-------------------------------|--|--|--|
| <b>Terpineol</b>              |  |  |  |
| No applicable data available. |  |  |  |

|                                  |         |            |                                                                                                   |
|----------------------------------|---------|------------|---------------------------------------------------------------------------------------------------|
| <b>Lead</b>                      |         |            |                                                                                                   |
| REL                              | (NIOSH) | 0.05 mg/m3 | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek<br>Lead |
| TLV                              | (ACGIH) | 0.05 mg/m3 | TWA<br>Lead                                                                                       |
| PEL (Permissible Exposure Limit) | (OSHA)  | 0.05 mg/m3 | 8 hr. TWA<br>Lead                                                                                 |
|                                  |         |            |                                                                                                   |

|                                  |         |           |                                                                                                                 |
|----------------------------------|---------|-----------|-----------------------------------------------------------------------------------------------------------------|
| <b>Manganese</b>                 |         |           |                                                                                                                 |
| REL                              | (NIOSH) | 1 mg/m3   | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek<br>Fumes<br>Manganese |
| REL                              | (NIOSH) | 3 mg/m3   | STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday<br>Fumes<br>Manganese    |
| PEL (Permissible Exposure Limit) | (OSHA)  | 5 mg/m3   | C<br>Fumes                                                                                                      |
| PEL (Permissible Exposure Limit) | (OSHA)  | 1 mg/m3   | TWA<br>Fumes<br>Manganese                                                                                       |
| PEL (Permissible Exposure Limit) | (OSHA)  | 3 mg/m3   | STEL<br>Fumes<br>Manganese                                                                                      |
| TLV                              | (ACGIH) | 0.1 mg/m3 | TWA<br>Inhalable fraction<br>Manganese                                                                          |

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

|     |         |            |                                         |
|-----|---------|------------|-----------------------------------------|
| TLV | (ACGIH) | 0.02 mg/m3 | TWA<br>Respirable fraction<br>Manganese |
|-----|---------|------------|-----------------------------------------|

## Biological Exposure Indices

|             |         |          |                               |
|-------------|---------|----------|-------------------------------|
| <b>Lead</b> |         |          |                               |
| BEI         | (ACGIH) | 200 µg/l | Lead/In blood<br>Not critical |

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

## Appearance

Physical state : liquid  
Form : paste, viscous liquid  
Color : black

Odor : pine

Odor threshold : No applicable data available.

pH : No applicable data available.

Melting point/range : No applicable data available.

Boiling point/boiling range : No applicable data available.

Flash point : 94 °C  
Method: Setaflash closed cup - SCC

Evaporation rate : No applicable data available.

Flammability (solid, gas) : No applicable data available.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

**1713**

Version 8.0

Issue Date : 11/23/2022 Ref. 130000001741  
Revision Date : 06/05/2025

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Density : 2.1 g/cm<sup>3</sup>

Specific gravity (Relative density) : No applicable data available.

Water solubility : at 20 °C (68 °F)  
slightly soluble

Solubility(ies) : No applicable data available.

Partition coefficient: n-octanol/water : No applicable data available.

Auto-ignition temperature : No applicable data available.

Decomposition temperature : No applicable data available.

Viscosity, kinematic : > 20.5 mm<sup>2</sup>/s at 40 °C (104 °F)  
estimated

Viscosity, dynamic : > 100 Pa.s at 25 °C (77 °F)

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No applicable data available.

Chemical stability : Stable at normal temperatures and storage conditions.

Possibility of hazardous reactions : Polymerization will not occur.

Conditions to avoid : None reasonably foreseeable.

Incompatible materials : Acids, bases and strong oxidizing agents

Hazardous decomposition products : No decomposition if stored and applied as directed.  
Under fire conditions:  
Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

**SECTION 11. TOXICOLOGICAL INFORMATION****Terpineol**

|                        |   |                                                                                                                                                             |
|------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation             | : | no data available                                                                                                                                           |
| Inhalation             | : |                                                                                                                                                             |
| Dermal LD50            | : | > 2,000 mg/kg , Rabbit                                                                                                                                      |
| Oral LD50              | : | > 2,000 mg/kg , Rat                                                                                                                                         |
| Skin irritation        | : | Skin irritation, Rabbit                                                                                                                                     |
| Eye irritation         | : | Eye irritation, animals (unspecified species)                                                                                                               |
| Skin sensitization     | : | Did not cause sensitisation on laboratory animals., Guinea pig                                                                                              |
| Repeated dose toxicity | : | Oral<br>Rat<br>-<br>No toxicologically significant effects were found.                                                                                      |
| Carcinogenicity        | : | Not classifiable as a human carcinogen.<br>Overall weight of evidence indicates that the substance is not carcinogenic.                                     |
| Mutagenicity           | : | Tests on bacterial or mammalian cell cultures did not show mutagenic effects.<br>Evidence suggests this substance does not cause genetic damage in animals. |
| Reproductive toxicity  | : | Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.                                                  |

**Lead**

|                     |   |                                                                                             |
|---------------------|---|---------------------------------------------------------------------------------------------|
| Inhalation 4 h LC50 | : | > 5.05 mg/l , Rat<br>Information given is based on data obtained from similar substances.   |
| Dermal LD50         | : | > 2,000 mg/kg , Rat<br>Information given is based on data obtained from similar substances. |
| Oral LD50           | : | > 5,000 mg/kg , Rat                                                                         |

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

Information given is based on data obtained from similar substances.

Skin irritation : No skin irritation, Rabbit  
Information given is based on data obtained from similar substances.

Eye irritation : No eye irritation, Rabbit  
Information given is based on data obtained from similar substances.

Skin sensitization : Does not cause skin sensitisation., Guinea pig  
Information given is based on data obtained from similar substances.

Repeated dose toxicity : Oral  
Rat  
-  
LOAEL: 200,  
Target Organs: Blood  
The substance or mixture is classified as specific target organ  
toxicant, repeated exposure, category 1.  
altered blood chemistry, Information given is based on data obtained  
from similar substances.

Carcinogenicity : Suspected human carcinogens  
An increased incidence of tumours was observed in laboratory  
animals.  
Information given is based on data obtained from similar substances.

Mutagenicity : In vitro tests showed mutagenic effects  
Genetic damage in cultured mammalian cells was observed in some  
laboratory tests but not in others.

Reproductive toxicity : Known human reproductive toxicant  
Reduced fertility  
Information given is based on data obtained from similar substances.

Teratogenicity : Delayed foetal development (variations)  
Information given is based on data obtained from similar substances.

Manganese

Oral LD50 : 9,000 mg/kg , Rat

Repeated dose toxicity :  
human  
-

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

Central nervous system effects

**Carcinogenicity**

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

| Material | IARC | NTP | OSHA |
|----------|------|-----|------|
| Lead     | 2B   | X   | X    |

**SECTION 12. ECOLOGICAL INFORMATION****Aquatic Toxicity****Terpineol**

|            |                                                                                 |
|------------|---------------------------------------------------------------------------------|
| 96 h LC50  | : Danio rerio (zebra fish) 62 - 80 mg/l OECD Test Guideline 203                 |
| 72 h ErC50 | : Pseudokirchneriella subcapitata (green algae) 68 mg/l OECD Test Guideline 201 |
| 72 h EbC50 | : Pseudokirchneriella subcapitata (green algae) 17 mg/l OECD Test Guideline 201 |
| 48 h LC50  | : Daphnia magna (Water flea) 73 mg/l OECD Test Guideline 202                    |

**Manganese**

|      |                                                             |
|------|-------------------------------------------------------------|
| LC50 | : Pimephales promelas (fathead minnow) 30.6 mg/l            |
| LC50 | : Daphnia magna (Water flea) 19.2 mg/l<br>no data available |

**Environmental Fate****Terpineol**

|                  |                                                                         |
|------------------|-------------------------------------------------------------------------|
| Biodegradability | : 80 % OECD Test Guideline 301<br>Readily biodegradable.                |
| Bioaccumulation  | : Bioconcentration factor (BCF) : 24.13<br>Bioaccumulation is unlikely. |

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

**SECTION 13. DISPOSAL CONSIDERATIONS**

- Waste disposal methods - Product : If recycling is not practicable, dispose of in compliance with local regulations. Never place unused product down any indoor or out door drain.
- Waste disposal methods - Container : Do not reuse empty container. Contaminated/not cleaned containers should be treated/handled like product waste. Dispose of container properly. Refer to applicable Local, State/Provincial, and Federal Regulations, as well as industry Standards.
- Contaminated packaging : No applicable data available.

**SECTION 14. TRANSPORT INFORMATION**

|        |                      |                                                                              |
|--------|----------------------|------------------------------------------------------------------------------|
| IATA_C | UN number            | : 3082                                                                       |
|        | Proper shipping name | : Environmentally hazardous substance, liquid, n.o.s. (Ceramic, Glass frits) |
|        | Class                | : 9                                                                          |
|        | Packing group        | : III                                                                        |
| IMDG   | Labelling No.        | : 9                                                                          |
|        | UN number            | : 3082                                                                       |
|        | Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ceramic, Glass frits) |
|        | Class                | : 9                                                                          |
|        | Packing group        | : III                                                                        |
|        | Labelling No.        | : 9                                                                          |

Not regulated as a hazardous material by DOT.

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

**SECTION 15. REGULATORY INFORMATION**

TSCA : On the inventory, or in compliance with the inventory

SARA 311/312 Hazard classification : Skin corrosion or irritation  
Serious eye damage or eye irritation  
Germ cell mutagenicity  
Carcinogenicity  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)

SARA 313 Regulated Chemical(s) : The following components are subject to reporting levels established by SARA Title III, Section 313: Diethylene glycol dibutyl ether, Manganese

California Prop. 65 : This product can expose you to Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**SECTION 16. OTHER INFORMATION**

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Contact person :

Wilmington, DE 19803, USA  
Product Information: +1 972-443-4000 E-mail address: [HazCom@celanese.com](mailto:HazCom@celanese.com)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

**1713**

Version 8.0

Issue Date : 11/23/2022  
Revision Date : 06/05/2025

Ref. 130000001741

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.