

# 3610 MICROMAX™ THINNER COMP

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04-12-2024

 8.0
 07-22-2025
 300000000151
 Date of first issue: 01-29-2024

#### **SECTION 1. IDENTIFICATION**

Product name : 3610 MICROMAX™ THINNER COMP

Product code : 00000000027045696

Manufacturer or supplier's details

Company name of supplier : Celanese Ltd. Irving Texas

Address : 222 West Las Colinas Boulevard Suite 900N

Irving TX 75039

Telephone : '+1 972-443-4000

Emergency telephone num: DOMESTIC NORTH AMERICA: 800-424-9300

er INTERNATIONAL, CALL +1 703-527-3887 (collect calls ac-

cepted)

Recommended use of the chemical and restrictions on use

Recommended use : For industrial use only.

Electrical/electronic industries

Solvent

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4

Other hazards

None known.

**GHS** label elements

Signal word : Warning

Hazard statements : H227 Combustible liquid.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection/ hearing protection.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance



# 3610 MICROMAX™ THINNER COMP

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04-12-2024

 8.0
 07-22-2025
 300000000151
 Date of first issue: 01-29-2024

## Components

Chemical name	CAS-No.	Concentration (% w/w)
(2-Methoxymethylethoxy)propanol	34590-94-8	>= 80 - <= 100

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : If inhaled, remove to fresh air.

If breathing is difficult, give oxygen.
If not breathing, give artificial respiration.

Get medical attention.

In case of skin contact : Wash off with plenty of water.

Wash contaminated clothing before re-use.

Get medical attention if irritation develops and persists. Immediately flush eyes for at least 15 minutes. Get medical

attention.

If swallowed : Do NOT induce vomiting.

Call a physician or poison control centre immediately.

Most important symptoms and effects, both acute and

In case of eye contact

delayed

None known.

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Dry sand Dry chemical

Alcohol-resistant foam

Specific hazards during fire-

fighting

Hazardous decomposition products formed under fire condi-

tions.

(see also section 10)

Avoid breathing decomposition products.

Further information : Evacuate personnel to safe areas.

Stop spill/release if it can be done with minimal risk.

Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective equipment :

for firefighters

Exposure to decomposition products may be a hazard to

health.

Wear self-contained breathing apparatus for firefighting if nec-



# 3610 MICROMAX™ THINNER COMP

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04-12-2024

 8.0
 07-22-2025
 300000000151
 Date of first issue: 01-29-2024

essary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec-:

tive equipment and emer-

gency procedures

Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation.

Wear suitable protective equipment.

Dispose of in accordance with local regulations.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

Clean contaminated floors and objects thoroughly while ob-

serving environmental regulations.

Methods and materials for

containment and cleaning up

Contain spill.

Soak up with inert absorbent material.

Collect and contain contaminated absorbent and dike material

for disposal.

Keep in suitable, closed containers for disposal.

Ventilate the area.

Clean contaminated surface thoroughly.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Keep away from heat and sources of ignition.

Avoid formation of aerosol.

Advice on safe handling : Avoid breathing vapours or mist.

Keep away from heat and flame.

Do not use in areas without adequate ventilation.

Conditions for safe storage : Store at room temperature in the original container.

Keep away from sources of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material.

Keep container closed when not in use.

Do not reuse empty container.

Further information on stor-

age stability

Stable under normal conditions.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
(2- Methoxymethyleth- oxy)propanol	34590-94-8	TWA	100 ppm 600 mg/m3	NIOSH REL
		ST	150 ppm 900 mg/m3	NIOSH REL
		TWA	100 ppm 600 mg/m3	OSHA Z-1



# 3610 MICROMAX™ THINNER COMP

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04-12-2024

 8.0
 07-22-2025
 300000000151
 Date of first issue: 01-29-2024

TWA	100 ppm 600 mg/m3	OSHA P0
STEL	150 ppm 900 mg/m3	OSHA P0
TWA	50 ppm	ACGIH

**Engineering measures** : Local exhaust or a laboratory hood should be used when

handling the materials.

Maintain air concentrations below occupational exposure

standards.

Personal protective equipment

Respiratory protection : Provide adequate ventilation.

No personal respiratory protective equipment normally re-

quired.

Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with

dust/mist cartridge.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

Hand protection

Material : Solvent-resistant gloves

Remarks : Gloves must be inspected prior to use. Gloves should be

discarded and replaced if there is any indication of degradation or chemical breakthrough. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection : Wear safety glasses with side shields.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Lightweight protective clothing

Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with skin, eyes and clothing.

Contaminated work clothing should not be allowed out of the

workplace.

Remove contaminated clothing and protective equipment

before entering eating areas.

Remove and wash contaminated clothing before re-use.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid



# 3610 MICROMAX™ THINNER COMP

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04-12-2024

 8.0
 07-22-2025
 300000000151
 Date of first issue: 01-29-2024

Colour : colourless

Odour : ether-like

Freezing point : -117.0 °F / -82.8 °C

Boiling point/boiling range : 374 °F / 190 °C (1,013 hPa)

Flash point : 174 °F / 79 °C

Method: closed cup

Upper explosion limit / Upper

flammability limit

Upper flammability limit

14 %(V)

Lower explosion limit / Lower

flammability limit

Lower flammability limit

1.1 %(V)

Vapour pressure : 0.55 hPa (77 °F / 25 °C)

Relative vapour density : 5.11 (68 °F / 20 °C)

(Air = 1.0)

Density : 0.951 g/cm³ (68 °F / 20 °C)

Solubility(ies)

Water solubility : miscible (68 °F / 20 °C)

## **SECTION 10. STABILITY AND REACTIVITY**

Possibility of hazardous reac- :

tions

Polymerization will not occur.

Stable at normal temperatures and storage conditions.

Conditions to avoid Incompatible materials

Hazardous decomposition

products

Heat, flames and sparks. Acids

Carbon oxides

Aldehydes Ketones Organic acids

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

Based on available data, the classification criteria are not met.

## **Components:**

# (2-Methoxymethylethoxy)propanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity



# 3610 MICROMAX™ THINNER COMP

Version Revision Date: SDS Number: Date of last issue: 04-12-2024 8.0 07-22-2025 300000000151 Date of first issue: 01-29-2024

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum

achievable concentration.

Acute dermal toxicity : LD50 (Rabbit): 9,510 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Skin effects

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Components:

# (2-Methoxymethylethoxy)propanol:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

#### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

## Components:

# (2-Methoxymethylethoxy)propanol:

Species : Human

Result : Slight or no eye irritation

Assessment : No eye irritation

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

#### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Not classified due to lack of data.

## **Components:**

## (2-Methoxymethylethoxy)propanol:

Species : Human

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

## Germ cell mutagenicity

Based on available data, the classification criteria are not met.



# 3610 MICROMAX™ THINNER COMP

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04-12-2024

 8.0
 07-22-2025
 300000000151
 Date of first issue: 01-29-2024

#### **Components:**

## (2-Methoxymethylethoxy)propanol:

Germ cell mutagenicity -

Assessment

: Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Animal testing did not show any mutagenic

effects.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Components:

#### (2-Methoxymethylethoxy)propanol:

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects., Information given is based on data obtained from similar sub-

stances.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Based on available data, the classification criteria are not met.

#### **Components:**

# (2-Methoxymethylethoxy)propanol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction, Animal testing showed no reproductive toxicity., No effects on or via lactation, Information given is based on data obtained from similar substances. Animal testing showed no developmental toxicity.

#### STOT - single exposure

Based on available data, the classification criteria are not met.

#### **Components:**

#### (2-Methoxymethylethoxy)propanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

## **Components:**

#### (2-Methoxymethylethoxy)propanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.



# 3610 MICROMAX™ THINNER COMP

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04-12-2024

 8.0
 07-22-2025
 300000000151
 Date of first issue: 01-29-2024

#### Repeated dose toxicity

#### Components:

## (2-Methoxymethylethoxy)propanol:

Species : Rat

NOAEL : 1,000 mg/kg
Application Route : Ingestion
Exposure time : 28 d

Remarks : No toxicologically significant effects were found.

Species : Rat
Application Route : Inhalation
Test atmosphere : vapour
Exposure time : 90 d

Method : OECD Test Guideline 413

Remarks : No toxicologically significant effects were found.

Species : Rabbit

NOAEL : 2,850 mg/kg

Application Route : Skin contact

Exposure time : 90 d

Method : OECD Test Guideline 411

Remarks : No toxicologically significant effects were found.

#### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

#### **Components:**

#### (2-Methoxymethylethoxy)propanol:

No aspiration toxicity classification

#### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

## **Components:**

#### (2-Methoxymethylethoxy)propanol:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Aquatic toxicity is unlikely due to low solubility.

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 969

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 969

mg/l



# 3610 MICROMAX™ THINNER COMP

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04-12-2024

 8.0
 07-22-2025
 300000000151
 Date of first issue: 01-29-2024

Exposure time: 96 h

Method: OECD Test Guideline 201

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

**Components:** 

(2-Methoxymethylethoxy)propanol:

Biodegradability : Result: Biodegradable

Method: OECD Test Guideline 301 Remarks: Readily biodegradable.

**Bioaccumulative potential** 

**Components:** 

(2-Methoxymethylethoxy)propanol:

Partition coefficient: n- : log Pow: 0.004 (77 °F / 25 °C)

octanol/water pH: 7.5 - 7.7

Mobility in soil
No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

Disposal methods

Waste from residues : If recycling is not practicable, dispose of in compliance with

local regulations.

Do not reuse empty container. Never place unused product

down any indoor or out door drain.

Contaminated/not cleaned containers should be treated/handled like product waste.Dispose of container properly.Refer to applicable Local, State/Provincial, and Federal

Regulations, as well as industry Standards.

**SECTION 14. TRANSPORT INFORMATION** 

**International Regulations** 

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 



# 3610 MICROMAX™ THINNER COMP

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04-12-2024

 8.0
 07-22-2025
 300000000151
 Date of first issue: 01-29-2024

Not regulated as a dangerous good

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

**National Regulations** 

**49 CFR** 

Not regulated as a dangerous good

Special precautions for user

Remarks : Regulated by DOT/49CFR as Combustible Liquid when trans-

ported in a bulk package (>=119 gallons(450 litres))., Not reg-

ulated by DOT in non-bulk package.

#### **SECTION 15. REGULATORY INFORMATION**

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## California Prop. 65

This product does not contain any substances requiring a warning under the Safe Drinking Water and Toxic Enforcement Act.

#### **TSCA list**

In compliance with TSCA-active Inventory requirements for commercial purposes.

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## **SECTION 16. OTHER INFORMATION**

# Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA P0 / TWA : 8-hour time weighted average OSHA P0 / STEL : Short-term exposure limit



# 3610 MICROMAX™ THINNER COMP

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04-12-2024

 8.0
 07-22-2025
 300000000151
 Date of first issue: 01-29-2024

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07-22-2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

12 / 12
12 / 12