

4553 MICROMAX™ THINNER

Version	Revision Date:	SDS Number:	Date of last issue: 04-12-2024
8.0	05-21-2025	300000000175	Date of first issue: 01-29-2024

SECTION 1. IDENTIFICATION

Product name : 4553 MICROMAX™ THINNER

Product code : 000000000027045718

Manufacturer or supplier's details

Company name of supplier	: Celanese Ltd. Irving Texas
Address	: 222 West Las Colinas Boulevard Suite 900N Irving TX 75039
Telephone	: '+1 972-443-4000
Emergency telephone number	: DOMESTIC NORTH AMERICA: 800-424-9300 INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

Recommended use of the chemical and restrictions on use


Recommended use	: For industrial use only. Electrical/electronic industries Solvent
-----------------	---

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Flammable liquids	: Category 4
Skin irritation	: Category 2
Eye irritation	: Category 2A

Other hazards

None known.

GHS label elementsHazard pictograms : 

Signal word : Warning

Hazard statements	: H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation.
-------------------	---

Precautionary statements	: Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
--------------------------	--

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

4553 MICROMAX™ THINNER

Version	Revision Date:	SDS Number:	Date of last issue: 04-12-2024
8.0	05-21-2025	300000000175	Date of first issue: 01-29-2024

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Terpineol	8000-41-7	>= 50 - < 60
Bis(2-butoxyethyl) ether	112-73-2	>= 50 - < 60

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

If inhaled	: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
In case of skin contact	: Wash off with plenty of water. Wash contaminated clothing before re-use. Get medical attention if irritation develops and persists.
In case of eye contact	: Immediately flush eyes for at least 15 minutes. Get medical attention.
If swallowed	: Do NOT induce vomiting. Call a physician or poison control centre immediately.
Most important symptoms and effects, both acute and	: Causes skin irritation. Causes serious eye irritation.

4553 MICROMAX™ THINNER

Version	Revision Date:	SDS Number:	Date of last issue: 04-12-2024
8.0	05-21-2025	300000000175	Date of first issue: 01-29-2024

delayed

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Water spray
Dry chemical
Carbon dioxide (CO₂)
- Specific hazards during fire-fighting : Vapours may form explosive mixtures with air.
As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
- Further information : Evacuate personnel to safe areas.
Stop spill/release if it can be done with minimal risk.
Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for firefighters : Exposure to decomposition products may be a hazard to health.
Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid contact with skin, eyes and clothing.
Ensure adequate ventilation.
Wear suitable protective equipment.
Dispose of in accordance with local regulations.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
Clean contaminated floors and objects thoroughly while observing environmental regulations.
- Methods and materials for containment and cleaning up : Contain spill.
Soak up with inert absorbent material.
Collect and contain contaminated absorbent and dike material for disposal.
Keep in suitable, closed containers for disposal.
Ventilate the area.
Clean contaminated surface thoroughly.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Avoid formation of aerosol.
- Advice on safe handling : Avoid breathing vapours or mist.
Keep away from heat and flame.
Do not use in areas without adequate ventilation.

4553 MICROMAX™ THINNER

Version	Revision Date:	SDS Number:	Date of last issue:
8.0	05-21-2025	300000000175	04-12-2024
			Date of first issue: 01-29-2024

Conditions for safe storage : Store at room temperature in the original container.
Keep away from sources of ignition - No smoking.
Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material.
Keep container closed when not in use.
Do not reuse empty container.

Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Engineering measures : Local exhaust or a laboratory hood should be used when handling the materials.
Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection : Provide adequate ventilation.
No personal respiratory protective equipment normally required.
Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

Eye protection : Wear safety glasses with side shields.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Lightweight protective clothing
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Avoid contact with skin, eyes and clothing.
Contaminated work clothing should not be allowed out of the workplace.
Remove contaminated clothing and protective equipment before entering eating areas.
Remove and wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : pine

pH : No data available Substance/mixture is non-polar/aprotic.

4553 MICROMAX™ THINNER

Version	Revision Date:	SDS Number:	Date of last issue: 04-12-2024
8.0	05-21-2025	300000000175	Date of first issue: 01-29-2024

substance/mixture is non-polar/aprotic

Flash point : 199 °F / 93 °C

Method: closed cup

Density : 0.89 g/cm³ (68 °F / 20 °C)

Solubility(ies)
Water solubility : partly miscible (68 °F / 20 °C)

Viscosity
Viscosity, dynamic : No data available

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions : Polymerization will not occur.
Stable at normal temperatures and storage conditions.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Acids

Hazardous decomposition products : No decomposition if stored and applied as directed.

Under fire conditions:
Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified due to lack of data.

Components:**Terpineol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:**Terpineol:**

Species : Rabbit

Assessment : Irritating to skin.

Method : OECD Test Guideline 404

Result : Skin irritation

4553 MICROMAX™ THINNER

Version	Revision Date:	SDS Number:	Date of last issue: 04-12-2024
8.0	05-21-2025	300000000175	Date of first issue: 01-29-2024

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Terpineol:**

Species	:	animals (unspecified species)
Result	:	Eye irritation
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

Components:**Terpineol:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:**Terpineol:**

Germ cell mutagenicity - Assessment	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Evidence suggests this substance does not cause genetic damage in animals.
-------------------------------------	---	---

Carcinogenicity

Not classified due to lack of data.

Components:**Terpineol:**

Carcinogenicity - Assessment	:	Not classifiable as a human carcinogen., Overall weight of evidence indicates that the substance is not carcinogenic.
------------------------------	---	---

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
-------------	---

OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
-------------	--

NTP	No component of this product present at levels greater than or equal to 0.1% is
------------	---

4553 MICROMAX™ THINNER

Version	Revision Date:	SDS Number:	Date of last issue: 04-12-2024
8.0	05-21-2025	300000000175	Date of first issue: 01-29-2024

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:**Terpineol:**

Reproductive toxicity - Assessment : Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.

STOT - single exposure

Not classified due to lack of data.

Components:**Terpineol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Not classified due to lack of data.

Components:**Terpineol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****Terpineol:**

Species : Rat
Application Route : Oral
Remarks : No toxicologically significant effects were found.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Terpineol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 62 - 80 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 73 mg/l
Exposure time: 48 h

4553 MICROMAX™ THINNER

Version	Revision Date:	SDS Number:	Date of last issue: 04-12-2024
8.0	05-21-2025	300000000175	Date of first issue: 01-29-2024

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 68 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EbC50 (Pseudokirchneriella subcapitata (green algae)): 17 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Persistence and degradability**Components:****Terpineol:**

Biodegradability : Biodegradation: 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301
Remarks: Readily biodegradable.

Bioaccumulative potential**Components:****Terpineol:**

Bioaccumulation : Bioconcentration factor (BCF): 24.13
Remarks: Bioaccumulation is unlikely.

Mobility in soil

No data available

Other adverse effects**Product:**

Additional ecological information : No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : If recycling is not practicable, dispose of in compliance with local regulations.
Do not reuse empty container. Never place unused product down any indoor or out door drain.
Contaminated/not cleaned containers should be treated/handled like product waste. Dispose of container properly. Refer to applicable Local, State/Provincial, and Federal Regulations, as well as industry Standards.

SECTION 14. TRANSPORT INFORMATION**International Regulations**

4553 MICROMAX™ THINNER

Version	Revision Date:	SDS Number:	Date of last issue: 04-12-2024
8.0	05-21-2025	300000000175	Date of first issue: 01-29-2024

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as a dangerous good

Special precautions for user

Remarks : Regulated by DOT/49CFR as Combustible Liquid when transported in a bulk package (≥ 119 gallons(450 litres))., Not regulated by DOT in non-bulk package.

SECTION 15. REGULATORY INFORMATION**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any substances requiring a warning under the Safe Drinking Water and Toxic Enforcement Act.

TSCA list

In compliance with TSCA-active Inventory requirements for commercial purposes.

The following substance(s) is/are subject to a Significant New Use Rule:

Bis(2-butoxyethyl) ether	112-73-2	See 40 CFR § 721.10229; Final Rule
		See 40 CFR § 721.10229; Proposed Rule

The following substance(s) is/are subject to TSCA 12(b) export notification requirements:

Bis(2-butoxyethyl) ether	112-73-2
--------------------------	----------

4553 MICROMAX™ THINNER

Version	Revision Date:	SDS Number:	Date of last issue: 04-12-2024
8.0	05-21-2025	300000000175	Date of first issue: 01-29-2024

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Celanese®, registered C-ball design and all other trademarks identified herein with ®, TM, SM, unless otherwise noted, are trademark

Revision Date : 05-21-2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

