

9252 MICROMAX™ THINNER COMP

Version	Revision Date:	SDS Number:	Date of last issue: 09-25-2024
12.0	07-22-2025	300000000374	Date of first issue: 01-29-2024

SECTION 1. IDENTIFICATION

Product name : 9252 MICROMAX™ THINNER COMP

Product code : 000000000027046435

Manufacturer or supplier's details

Company name of supplier	: Celanese Ltd. Irving Texas
Address	: 222 West Las Colinas Boulevard Suite 900N Irving TX 75039
Telephone	: '+1 972-443-4000
Emergency telephone number	: DOMESTIC NORTH AMERICA: 800-424-9300 INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

Recommended use of the chemical and restrictions on use

Recommended use	: For industrial use only. Electrical/electronic industries Solvent
-----------------	---

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Flammable liquids	: Category 4
Skin irritation	: Category 2
Eye irritation	: Category 2A
Specific target organ toxicity - single exposure	: Category 3 (Central nervous system)

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements	: H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
-------------------	--

Precautionary statements	: Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing mist or vapours. P264 Wash skin thoroughly after handling.
--------------------------	---

9252 MICROMAX™ THINNER COMP

Version	Revision Date:	SDS Number:	Date of last issue: 09-25-2024
12.0	07-22-2025	300000000374	Date of first issue: 01-29-2024

P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/
face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air
and keep comfortable for breathing. Call a POISON CENTER/
doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water
for several minutes. Remove contact lenses, if present and easy
to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-
tion.

P337 + P313 If eye irritation persists: Get medical advice/ atten-
tion.

P362 + P364 Take off contaminated clothing and wash it before
reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-
hol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container
tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-
posal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-(2-Butoxyethoxy)ethanol	112-34-5	>= 60 - < 80
Terpineol	8000-41-7	>= 10 - < 30

The specific chemical identity and/or exact percentage (concentration) of composition has been with-
held as a trade secret.

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
If breathing is difficult, give oxygen.

9252 MICROMAX™ THINNER COMP

Version 12.0	Revision Date: 07-22-2025	SDS Number: 300000000374	Date of last issue: 09-25-2024 Date of first issue: 01-29-2024
-----------------	------------------------------	-----------------------------	---

In case of skin contact	: If not breathing, give artificial respiration. Get medical attention. Wash off with plenty of water. Wash contaminated clothing before re-use.
In case of eye contact	: Get medical attention if irritation develops and persists. Immediately flush eyes for at least 15 minutes. Get medical attention.
If swallowed	: Do NOT induce vomiting. Call a physician or poison control centre immediately.
Most important symptoms and effects, both acute and delayed	: Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry sand Dry chemical Alcohol-resistant foam
Specific hazards during fire-fighting	: Hazardous decomposition products formed under fire conditions. (see also section 10) Avoid breathing decomposition products.
Further information	: Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal risk. Do not allow run-off from fire fighting to enter drains or water courses.
Special protective equipment for firefighters	: Exposure to decomposition products may be a hazard to health. Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear suitable protective equipment. Dispose of in accordance with local regulations.
Environmental precautions	: Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Clean contaminated floors and objects thoroughly while observing environmental regulations.
Methods and materials for containment and cleaning up	: Contain spill. Soak up with inert absorbent material. Collect and contain contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal.

9252 MICROMAX™ THINNER COMP

Version	Revision Date:	SDS Number:	Date of last issue:
12.0	07-22-2025	300000000374	09-25-2024
			Date of first issue: 01-29-2024

Ventilate the area.
Clean contaminated surface thoroughly.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Avoid formation of aerosol.

Advice on safe handling : Avoid breathing vapours or mist. Keep away from heat and flame. Do not use in areas without adequate ventilation.

Conditions for safe storage : Store at room temperature in the original container. Keep away from sources of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Keep container closed when not in use. Do not reuse empty container.

Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-(2-Butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH

Engineering measures : Local exhaust or a laboratory hood should be used when handling the materials. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection : Provide adequate ventilation. No personal respiratory protective equipment normally required. Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

Hand protection
Material : Solvent-resistant gloves

Remarks : Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

9252 MICROMAX™ THINNER COMP

Version	Revision Date:	SDS Number:	Date of last issue: 09-25-2024
12.0	07-22-2025	300000000374	Date of first issue: 01-29-2024

er. The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection : Wear safety glasses with side shields.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Lightweight protective clothing
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Avoid contact with skin, eyes and clothing.
Contaminated work clothing should not be allowed out of the workplace.
Remove contaminated clothing and protective equipment before entering eating areas.
Remove and wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : pine

Flash point : 199 °F / 93 °C
Method: Setaflash closed cup - SCC

Density : 0.95 g/cm³ (68 °F / 20 °C)

Solubility(ies)
Water solubility : partly miscible (68 °F / 20 °C)

Viscosity
Viscosity, dynamic : No data available

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions : Polymerization will not occur.
Stable at normal temperatures and storage conditions.

Conditions to avoid : None reasonably foreseeable.

Incompatible materials : Acids

Hazardous decomposition products : No decomposition if stored and applied as directed.

Under fire conditions:
Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

9252 MICROMAX™ THINNER COMP

Version	Revision Date:	SDS Number:	Date of last issue: 09-25-2024
12.0	07-22-2025	300000000374	Date of first issue: 01-29-2024

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: 3,213 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 3,685 mg/kg
Method: Calculation method

Components:**2-(2-Butoxyethoxy)ethanol:**

Acute oral toxicity : LD50 (Mouse): 2,410 mg/kg
Method: OECD Test Guideline 401
Target Organs: Central nervous system
Remarks: narcosis

Acute inhalation toxicity : Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity : LD50 (Rabbit): 2,764 mg/kg
Method: OECD Test Guideline 402

Terpineol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:**2-(2-Butoxyethoxy)ethanol:**

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : No skin irritation

Terpineol:

Species : Rabbit
Assessment : Irritating to skin.
Method : OECD Test Guideline 404

9252 MICROMAX™ THINNER COMP

Version	Revision Date:	SDS Number:	Date of last issue: 09-25-2024
12.0	07-22-2025	300000000374	Date of first issue: 01-29-2024

Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**2-(2-Butoxyethoxy)ethanol:**

Species	: Rabbit
Result	: Eye irritation
Assessment	: Irritating to eyes.
Method	: OECD Test Guideline 405

Terpineol:

Species	: animals (unspecified species)
Result	: Eye irritation
Assessment	: Irritating to eyes.
Method	: OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:**2-(2-Butoxyethoxy)ethanol:**

Species	: Mouse
Assessment	: Does not cause respiratory sensitisation.
Result	: Does not cause respiratory sensitisation.

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

Terpineol:

Test Type	: Maximisation Type
Species	: Guinea pig
Assessment	: Not a skin sensitizer.
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:**2-(2-Butoxyethoxy)ethanol:**

Germ cell mutagenicity -	: Tests on bacterial or mammalian cell cultures did not show
--------------------------	--

9252 MICROMAX™ THINNER COMP

Version 12.0	Revision Date: 07-22-2025	SDS Number: 300000000374	Date of last issue: 09-25-2024 Date of first issue: 01-29-2024
-----------------	------------------------------	-----------------------------	---

Assessment mutagenic effects., Animal testing did not show any mutagenic effects.

Terpineol:

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Evidence suggests this substance does not cause genetic damage in animals.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:**2-(2-Butoxyethoxy)ethanol:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Terpineol:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen., Overall weight of evidence indicates that the substance is not carcinogenic.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:**2-(2-Butoxyethoxy)ethanol:**

Reproductive toxicity - Assessment : No toxicity to reproduction, Animal testing showed no reproductive toxicity.
Animal testing showed no developmental toxicity.

Terpineol:

Reproductive toxicity - Assessment : Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.

STOT - single exposure

May cause drowsiness or dizziness.

Components:**2-(2-Butoxyethoxy)ethanol:**

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

9252 MICROMAX™ THINNER COMP

Version	Revision Date:	SDS Number:	Date of last issue: 09-25-2024
12.0	07-22-2025	300000000374	Date of first issue: 01-29-2024

Terpineol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:**2-(2-Butoxyethoxy)ethanol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Terpineol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****2-(2-Butoxyethoxy)ethanol:**

Species : Rat
Application Route : Dermal
Remarks : Skin irritation

Species : Rat
Application Route : Oral
Remarks : Spleen effects
Organ weight changes
Liver effects
kidney effects

Species : Rat
Application Route : Inhalation
Remarks : Liver effects
lung effects

Terpineol:

Species : Rat
Application Route : Oral
Remarks : No toxicologically significant effects were found.

Aspiration toxicity

Not classified due to lack of data.

Components:**2-(2-Butoxyethoxy)ethanol:**

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

9252 MICROMAX™ THINNER COMP

Version	Revision Date:	SDS Number:	Date of last issue: 09-25-2024
12.0	07-22-2025	300000000374	Date of first issue: 01-29-2024

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****2-(2-Butoxyethoxy)ethanol:**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201

Terpineol:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 62 - 80 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 73 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 68 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EbC50 (Pseudokirchneriella subcapitata (green algae)): 17 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Persistence and degradability**Components:****2-(2-Butoxyethoxy)ethanol:**

Biodegradability	:	Biodegradation: 85 % Exposure time: 28 d Method: OECD Test Guideline 301C Remarks: Readily biodegradable.
------------------	---	--

Terpineol:

Biodegradability	:	Biodegradation: 80 %
------------------	---	----------------------

9252 MICROMAX™ THINNER COMP

Version 12.0	Revision Date: 07-22-2025	SDS Number: 300000000374	Date of last issue: 09-25-2024 Date of first issue: 01-29-2024
-----------------	------------------------------	-----------------------------	---

Exposure time: 28 d
Method: OECD Test Guideline 301
Remarks: Readily biodegradable.

Bioaccumulative potential**Components:****2-(2-Butoxyethoxy)ethanol:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1 (68 °F / 20 °C)
pH: 7

Terpineol:

Bioaccumulation : Bioconcentration factor (BCF): 24.13
Remarks: Bioaccumulation is unlikely.

Mobility in soil

No data available

Other adverse effects**Product:**

Additional ecological information : No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : If recycling is not practicable, dispose of in compliance with local regulations.
Do not reuse empty container. Never place unused product down any indoor or out door drain.
Contaminated/not cleaned containers should be treated/handled like product waste. Dispose of container properly. Refer to applicable Local, State/Provincial, and Federal Regulations, as well as industry Standards.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

9252 MICROMAX™ THINNER COMP

Version 12.0	Revision Date: 07-22-2025	SDS Number: 300000000374	Date of last issue: 09-25-2024 Date of first issue: 01-29-2024
-----------------	------------------------------	-----------------------------	---

National Regulations**49 CFR**

Not regulated as a dangerous good

Special precautions for user

Remarks : Regulated by DOT/49CFR as Combustible Liquid when transported in a bulk package (≥ 119 gallons(450 litres))., Not regulated by DOT in non-bulk package.

SECTION 15. REGULATORY INFORMATION**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Skin corrosion or irritation
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

2-(2- 112-34-5
Butoxyeth-
oxy)ethanol

California Prop. 65

This product does not contain any substances requiring a warning under the Safe Drinking Water and Toxic Enforcement Act.

TSCA list

In compliance with TSCA-active Inventory requirements for commercial purposes.

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Har-

9252 MICROMAX™ THINNER COMP

Version	Revision Date:	SDS Number:	Date of last issue: 09-25-2024
12.0	07-22-2025	300000000374	Date of first issue: 01-29-2024

monized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Celanese®, registered C-ball design and all other trademarks identified herein with ®, TM, SM, unless otherwise noted, are trademark

Revision Date : 07-22-2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

