BQ252 MICROMAX™ CARBON PASTE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2024/10/24	300010001732	Date of first issue: 2024/10/24

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BQ252 MICROMAX™ CARBON PASTE
Product code : 000000000021056593

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

Address : 4560 Jinke Road, Zhangjiang, Pudong
Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone : CHEMTREC International phone number: +1-703-527 3887,
+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : For industrial use only.
Paste for electronic industry

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : viscous liquid
Color : black
Odor : aromatic

May be harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation.

GHS Classification

Acute toxicity (Oral) : Category 5

Serious eye damage/eye irritation : Category 2A

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H303 May be harmful if swallowed.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary Statements :

Prevention:

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER/ doctor if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

May be harmful if swallowed. Causes serious eye irritation. May cause an allergic skin reaction.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl alcohol	100-51-6	60 -70
Graphite	7782-42-5	10 -20
Carbon black	1333-86-4	10 -20

4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.

		If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
In case of skin contact	:	Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
In case of eye contact	:	Immediately flush eyes for at least 15 minutes. Get medical attention.
If swallowed	:	If swallowed Rinse mouth with water. Call a physician or poison control center immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Most important symptoms and effects, both acute and delayed	:	May be harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry sand Dry chemical Alcohol-resistant foam
Specific hazards during fire fighting	:	Hazardous decomposition products formed under fire conditions. (see also section 10) Avoid breathing decomposition products.
Specific extinguishing methods	:	Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal risk. Do not allow run-off from fire fighting to enter drains or water courses.
Special protective equipment for fire-fighters	:	Exposure to decomposition products may be a hazard to health. Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear suitable protective equipment.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Clean contaminated floors and objects thoroughly while observing environmental regulations.
Methods and materials for	:	Contain spill.

containment and cleaning up		Soak up with inert absorbent material. Collect and contain contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated surface thoroughly.
Prevention of secondary hazards	:	Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion	:	Avoid formation of dust and aerosols. Keep away from heat and sources of ignition.
Advice on safe handling	:	Avoid inhalation, ingestion and contact with skin and eyes. Do not use in areas without adequate ventilation. Keep container closed when not in use. Take care to avoid waste and spillage when weighing, loading and mixing the product.
Avoidance of contact	:	Acids

Storage

Conditions for safe storage	:	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from sources of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Keep container closed when not in use. Do not reuse empty container.
Further information on storage stability	:	Stable under normal conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Graphite	7782-42-5	PC-TWA (Total dust)	4 mg/m3	CN OEL
		PC-TWA (Respirable dust)	2 mg/m3	CN OEL
		TWA (Respirable particulate matter)	2 mg/m3	ACGIH
Carbon black	1333-86-4	PC-TWA (Total dust)	4 mg/m3	CN OEL
	Further information: G2B - Possibly carcinogenic to humans			
		TWA (Inhal-	3 mg/m3	ACGIH

		able particu-late matter)		

Engineering measures : Local exhaust or a laboratory hood should be used when handling the materials.
Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection : Provide adequate ventilation.
No personal respiratory protective equipment normally required.
Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.
Persons performing maintenance or repairs on exhaust system equipment (e.g. ducts) may need to use respirators and protective clothing to prevent exposure to any accumulated residues.

Eye/face protection : Wear safety glasses with side shields.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Lightweight protective clothing
Safety shoes

Hand protection

Material : Impervious gloves

Remarks : Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Avoid contact with skin, eyes and clothing.
Contaminated work clothing should not be allowed out of the workplace.
Remove contaminated clothing and protective equipment before entering eating areas.
Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	viscous liquid
Color	:	black
Odor	:	aromatic
Flash point	:	101 °C
Density	:	1.20 g/cm³ (20 °C)
Solubility(ies)		
Water solubility	:	partly miscible

10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	Polymerization will not occur. Stable at normal temperatures and storage conditions.
Conditions to avoid	:	None reasonably foreseeable.
Incompatible materials	:	Acids
Hazardous decomposition products	:	No decomposition if stored and applied as directed. Under fire conditions: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

11. TOXICOLOGICAL INFORMATION

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 2,619 mg/kg Method: Calculation method

Components:

Benzyl alcohol:

Acute oral toxicity	:	LD50 (Rat): 1,620 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Graphite:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat): > 2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.
Acute dermal toxicity	:	Assessment: No data available

Carbon black:

Acute oral toxicity	:	LD50 (Rat): > 8,000 mg/kg Method: OECD Test Guideline 401

Skin corrosion/irritation

Not classified due to lack of data.

Components:

Benzyl alcohol:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Graphite:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Carbon black:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Benzyl alcohol:

Species	:	Rabbit

Result	:	Irritation to eyes, reversing after 7 to 21 days.
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405

Graphite:

Species	:	Rabbit
Result	:	Slight or no eye irritation
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

Carbon black:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Components:

Benzyl alcohol:

Species	:	Human
Assessment	:	The product is a skin sensitizer, sub-category 1B.
Result	:	Probability or evidence of low to moderate skin sensitization rate in humans

Graphite:

Species	:	Mouse
Assessment	:	Does not cause skin sensitization.
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.

Carbon black:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

Species	:	Mouse
Assessment	:	Does not cause respiratory sensitization.
Result	:	Does not cause respiratory sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Benzyl alcohol:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects., Did not cause genetic damage in cultured bacterial cells., Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others.

Graphite:

Germ cell mutagenicity - Assessment	:	In vitro tests did not show mutagenic effects, Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carbon black:

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects., Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

Components:

Benzyl alcohol:

Carcinogenicity - Assessment	:	Not classifiable as a human carcinogen., Animal testing did not show any carcinogenic effects.

Carbon black:

Carcinogenicity - Assessment	:	Not classifiable as a human carcinogen., Overall weight of evidence indicates that the substance is not carcinogenic.

Reproductive toxicity

Not classified due to lack of data.

Components:

Benzyl alcohol:

Reproductive toxicity - Assessment	:	No toxicity to reproduction, Animal testing showed no reproductive toxicity. Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Graphite:

Reproductive toxicity - Assessment	:	No toxicity to reproduction, Animal testing showed no reproductive toxicity. Animal testing showed no developmental toxicity.

Carbon black:

Reproductive toxicity - As-	:	No toxicity to reproduction, Animal testing showed no repro-

sessment

ductive toxicity., Information given is based on data obtained from similar substances.
Animal testing showed no developmental toxicity., Information given is based on data obtained from similar substances.

STOT-single exposure

Not classified due to lack of data.

Components:

Benzyl alcohol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Graphite:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified due to lack of data.

Components:

Benzyl alcohol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Graphite:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Carbon black:

Routes of exposure : Inhalation
Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Benzyl alcohol:

Species : Rat
NOAEL : 1.072 mg/l
LOAEL : > 1.072 mg/l
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 28 d
Method : OECD Test Guideline 412
Remarks : No toxicologically significant effects were found.

Species : Rat
NOAEL : 400 mg/kg

Application Route	:	Ingestion
Exposure time	:	721 d
Remarks	:	No toxicologically significant effects were found.

Graphite:

Species	:	Rat
NOAEL	:	0.008 mg/l
Application Route	:	Inhalation
Test atmosphere	:	dust/mist
Exposure time	:	28 d
Method	:	OECD Test Guideline 412
Remarks	:	No toxicologically significant effects were found.

Species	:	Rat
NOAEL	:	813 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Method	:	OECD Test Guideline 422
Remarks	:	No toxicologically significant effects were found.

Carbon black:

Species	:	multiple species
NOAEL	:	> 0.05 mg/l
Application Route	:	Inhalation
Test atmosphere	:	dust/mist
Exposure time	:	13 Weeks
Remarks	:	No toxicologically significant effects were found.

Aspiration toxicity

Not classified due to lack of data.

Components:

Benzyl alcohol:

No aspiration toxicity classification

Graphite:

No aspiration toxicity classification

Carbon black:

No aspiration toxicity classification

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzyl alcohol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h
Method: US EPA Test Guideline OPP 72-1

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Graphite:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No acute toxicity effects at concentrations up to the limit of aqueous solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No acute toxicity effects at concentrations up to the limit of aqueous solubility

Toxicity to algae/aquatic plants : EC50 (algae): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (algae): >= 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Carbon black:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): > 10,000 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability : Result: Biodegradable
Method: OECD Test Guideline 301C

Graphite:

Biodegradability : Result: Not biodegradable
Remarks: Not applicable

Carbon black:

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

Components:

Graphite:

Bioaccumulation : Remarks: Not applicable

Carbon black:

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If recycling is not practicable, dispose of in compliance with local regulations.
Do not reuse empty container.Never place unused product down any indoor or out door drain.
Contaminated/not cleaned containers should be treated/handled like product waste.Dispose of container properly.Refer to applicable Local, State/Provincial, and Federal Regulations, as well as industry Standards.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable

Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Marine pollutant	:	no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	Not applicable
Catalogue of Hazardous Chemicals	:	Not listed
Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	:	Not listed
Hazardous Chemicals for Priority Management under SAWS	:	Neither banned nor restricted
Hazardous Chemicals for Priority Management under SAWS	:	Not listed

Regulations on Occupational Labor Protection in the at workplaces where Toxic Substances Are Used

Catalogue of Highly Toxic Chemicals	:	Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export	:	Neither banned nor restricted

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export	:	Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals	:	Not listed

16. OTHER INFORMATION

Revision Date	:	2024/10/24
Date format	:	yyyy/mm/dd

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CN OEL	:	Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA	:	8-hour, time-weighted average
CN OEL / PC-TWA	:	Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN