according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/02/12 300010001874 Date of first issue: 2025/02/12

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Santoprene® TPV NP0B BLK1 (NP)

Product code : 00000000021056670

Chemical nature : Thermoplastic elastomer

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

赛拉尼斯(上海)国际贸易有限公司

Address : 4560 Jinke Road, Zhangjiang, Pudong

Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone number: CHEMTREC International phone number: +1-703-527 3887,

+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : pellets
Odour : slight

Not a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/02/12 300010001874 Date of first issue: 2025/02/12

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Distillates (petroleum), hydrotreated heavy	64742-54-7	>= 30 -< 50	
paraffinic (< 3% DMSO extract)			
Polypropylene	9003-07-0	>= 10 -< 20	
Polypropylene	9003-07-0	>= 1 -< 10	
Polypropylene	9003-07-0	>= 1 -< 10	

4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If inhalation of melt processing fumes occurs, remove to fresh

aır.

Move to fresh air in case of accidental inhalation of vapors or

decomposition products.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Cool skin rapidly with cold water after contact with molten

material.

Do not peel solidified product off the skin. Burns must be treated by a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

None known.

Notes to physician : Treat symptomatically

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water

Foam

Dry chemical

Carbon dioxide (CO2)

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Hazardous combustion prod-

ucts

Flammable hydrocarbon-like

Formaldehyde

Hazardous decomposition products due to incomplete com-

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/02/12 300010001874 Date of first issue: 2025/02/12

bustion

Carbon oxides

Fumes

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Standard procedure for chemical fires.

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Ensure adequate ventilation.

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Environmental precautions : Should not be released into the environment.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

Prevention of secondary

hazards

Material can create slippery conditions.

7. HANDLING AND STORAGE

Handling

Advice on protection against

fire and explosion

During processing, dust may form explosive mixture in air.

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Advice on safe handling : Provide adequate ventilation.

Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapors.

Avoid breathing fume.

For personal protection see section 8.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Minimize dust generation and accumulation.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Avoidance of contact : acetal homopolymers and acetal copolymers

Halogenated compounds Strong oxidizing agents

Storage

Conditions for safe storage : Maintain dryness of resin

Electrical installations / working materials must comply with

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/02/12 300010001874 Date of first issue: 2025/02/12

the technological safety standards.

Handle with care.

Keep in a dry, cool place.

Materials to avoid : No materials to be especially mentioned.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract)	64742-54-7	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
Polypropylene	9003-07-0	PC-TWA (Total dust)	5 mg/m3	CN OEL

Engineering measures : Local exhaust

Maintain air concentrations below occupational exposure

standards.

Ensure adequate ventilation.

Personal protective equipment

Respiratory protection : In the case of vapor formation use a respirator with an ap-

proved filter.

Use respiratory protective equipment when using this product

at elevated temperatures (see section 8).

Use respirator when performing operations involving potential

exposure to vapor of the product.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Eye/face protection Skin and body protection

Hand protection

Remarks

Safety glasses Protective suit

: The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Odour : slight

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/ range : For further information, refer to the product technical data

sheet.

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Date of last issue: -Version Revision Date: SDS Number:

2025/02/12 300010001874 Date of first issue: 2025/02/12 1.0

Boiling point/boiling range Not applicable

Flash point Not applicable

Flammability (solid, gas) May form combustible dust concentrations in air during pro-

cessing, handling or other means.

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure Not applicable

Density For further information, refer to the product technical data

sheet.

Solubility(ies)

Water solubility insoluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature For further information, refer to the product technical data

sheet.

Not applicable Decomposition temperature

Viscosity

Viscosity, dynamic Not applicable

Viscosity, kinematic Not applicable

10. STABILITY AND REACTIVITY

Reactivity No decomposition if stored and applied as directed.

Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

Hazardous polymerization does not occur. Stable under recommended storage conditions.

No hazards to be specially mentioned. Dust may form explosive mixture in air.

Conditions to avoid No data available

Incompatible materials acetal homopolymers and acetal copolymers

> Halogenated compounds Strong oxidizing agents

Hazardous decomposition

products

Carbon monoxide

Thermal decomposition can lead to release of irritating gases

and vapors.

Exposure to decomposition products may be a hazard to

health.

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/02/12 300010001874 Date of first issue: 2025/02/12

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Acute oral toxicity : LD50 (Rat): > 15,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 5.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Species : Rabbit

Assessment : No skin irritation

Result : Slight or no skin irritation

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Information given is based on data obtained from similar sub-

stances.

Serious eye damage/eye irritation

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Species : Rabbit

Result : Slight or no eye irritation

Assessment : No eye irritation

Method : OECD Test Guideline 405

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Information given is based on data obtained from similar sub-

stances.

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/02/12 300010001874 Date of first issue: 2025/02/12

Respiratory or skin sensitisation

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Species : Guinea pig

Assessment : Does not cause skin sensitization.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

Remarks : Information given is based on data obtained from similar sub-

stances.

Carcinogenicity

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects., Information given is based on data obtained from similar sub-

stances.

Classified based on DMSO extract content < 3% (Regulation

(EC) 1272/2008, Annex VI, Part 3, Note L)

Remarks: Not classified

Reproductive toxicity

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Reproductive toxicity - As-

sessment

No toxicity to reproduction, Animal testing showed no reproductive toxicity., Information given is based on data obtained

from similar substances.

Animal testing showed no developmental toxicity., Information given is based on data obtained from similar substances.

STOT - single exposure

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/02/12 300010001874 Date of first issue: 2025/02/12

Repeated dose toxicity

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Species : Rat

NOAEL : 2,000 mg/kg
Application Route : Skin contact
Test atmosphere : dust/mist
Exposure time : 90 d

Remarks : No toxicologically significant effects were found.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): Exposure

time: 96 h

Method: OECD Test Guideline 203

Remarks: Aquatic toxicity is unlikely due to low solubility.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Aquatic toxicity is unlikely due to low solubility. Information given is based on data obtained from similar sub-

stances.

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): Expo-

sure time: 72 h

Remarks: Aquatic toxicity is unlikely due to low solubility. Information given is based on data obtained from similar sub-

stances.

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)):

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Due to its physical properties, there is no potential

for adverse effects.

Information given is based on data obtained from similar sub-

stances.

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Date of last issue: -Version Revision Date: SDS Number:

2025/02/12 300010001874 Date of first issue: 2025/02/12 1.0

Persistence and degradability

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (< 3% DMSO extract):

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or incinera-

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Not applicable Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable

Environmentally hazardous

IATA-DGR

UN/ID No. Not applicable Proper shipping name Not applicable Class Not applicable Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Packing instruction (cargo Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

IMDG-Code

UN number Not applicable

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Version Revision Date: SDS Number: Date of last issue: -

300010001874 Date of first issue: 2025/02/12 1.0 2025/02/12

Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Not applicable Packing group Labels Not applicable EmS Code Not applicable

Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number Not applicable Not applicable Proper shipping name Class Not applicable Not applicable Subsidiary risk Packing group Not applicable Labels Not applicable

Marine pollutant no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

Measures on the Environmental Administration of New Chemical Substances Registration

Registration/Notification number B3A32121HGZ70D

B3A32121HGZ70D

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/02/12 300010001874 Date of first issue: 2025/02/12

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

16. OTHER INFORMATION

Revision Date : 2025/02/12 Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

according to GB/T 16483 and GB/T 17519



Santoprene® TPV NP0B BLK1 (NP)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/02/12 300010001874 Date of first issue: 2025/02/12

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN