

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4118 HC NATURAL 500KG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/01/03	000000050501	Date of first issue: 2022/01/03

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : GUR® 4118 HC NATURAL 500KG

Product code : 000000000021051354

#### Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

Address : 4560 Jinke Road, Zhangjiang, Pudong  
Shanghai, China 201210

Telephone :

Emergency telephone number : CHEMTREC International phone number: +1-703-527 3887,  
+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	: pellets
Odour	: slight

Not a hazardous substance or mixture.

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Not classified based on available information.

#### Environmental hazards

Not classified based on available information.

#### Other hazards which do not result in classification

None known.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4118 HC NATURAL 500KG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/01/03	000000050501	Date of first issue: 2022/01/03

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
ethylene	74-85-1	$\geq 90$ - $\leq 100$
n-hexane	110-54-3	$\geq 1$ - $< 2.5$

### 4. FIRST AID MEASURES

General advice	: Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Cool skin rapidly with cold water after contact with molten material. Do not peel solidified product off the skin. Burns must be treated by a physician.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: None known.
Notes to physician	: Treat symptomatically.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water Foam Dry chemical Carbon dioxide (CO <sub>2</sub> )
Specific hazards during firefighting	: Do not use a solid water stream as it may scatter and spread fire.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4118 HC NATURAL 500KG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/01/03	000000050501	Date of first issue: 2022/01/03

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Avoid breathing dust.  
Ensure adequate ventilation.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

#### Handling

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.  
During processing, dust may form explosive mixture in air.

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Minimize dust generation and accumulation.

Avoidance of contact : Not applicable

#### Storage

Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.  
Keep in a dry, cool place.  
Maintain dryness of resin

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethylene	74-85-1	TWA	200 ppm	ACGIH
n-hexane	110-54-3	PC-TWA	100 mg/m3	CN OEL

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4118 HC NATURAL 500KG

Version 1.0      Revision Date: 2022/01/03      SDS Number: 000000050501      Date of last issue: -  
Date of first issue: 2022/01/03

	Further information: Skin			
		PC-STEL	180 mg/m3	CN OEL
	Further information: Skin			
		TWA	50 ppm	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
n-hexane	110-54-3	2,5-hexanedione	Urine	After shift	4 mg/l	CN BEI
		2,5-hexanedione	Urine	After shift	35 micromol per litre	CN BEI
		2,5-Hexanedione	Urine	End of shift	0.5 mg/l	ACGIH BEI

**Engineering measures** : Local exhaust

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye/face protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Odour : slight

Flash point : Not applicable

Density : not determined

Solubility(ies)  
Water solubility : insoluble

Auto-ignition temperature : not determined

## 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4118 HC NATURAL 500KG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/01/03	000000050501	Date of first issue: 2022/01/03

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
Dust may form explosive mixture in air.

Conditions to avoid : No data available

Incompatible materials : Not applicable

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

##### Skin sensitisation

Not classified based on available information.

##### Respiratory sensitisation

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### Further information

#### Product:

Remarks : No data available

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4118 HC NATURAL 500KG

Version 1.0	Revision Date: 2022/01/03	SDS Number: 000000050501	Date of last issue: - Date of first issue: 2022/01/03
----------------	------------------------------	-----------------------------	--

---

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	: Where possible recycling is preferred to disposal or incineration. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

Not regulated as a dangerous good

### Special precautions for user

Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4118 HC NATURAL 500KG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/01/03	000000050501	Date of first issue: 2022/01/03

### 15. REGULATORY INFORMATION

#### National regulatory information

Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

### 16. OTHER INFORMATION

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
CN BEI	: China. Biological Occupational Exposure Indices
CN OEL	: Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
ACGIH / TWA	: 8-hour, time-weighted average
CN OEL / PC-TWA	: Permissible concentration - time weighted average
CN OEL / PC-STEL	: Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4118 HC NATURAL 500KG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/01/03	000000050501	Date of first issue: 2022/01/03

---

Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN