

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Celvolit E 190HS

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/30
1.2	2025/01/02	000000033775	Date of first issue: 2019/04/30

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Celvolit E 190HS  
Product code : 000000000021050829  
Chemical nature : Water-borne polymer emulsion.

#### Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd  
赛拉尼斯(上海)国际贸易有限公司  
Address : 4560 Jinke Road, Zhangjiang, Pudong  
Shanghai, China 201210  
Telephone : 86-21-38619288  
Emergency telephone number : CHEMTREC International phone number: +1-703-527 3887,  
+86 532 8388-9090 (China, 24h)  
E-mail address : HazCom@celanese.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Industrial use

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	: liquid
Colour	: white
Odour	: sweet

Not a hazardous substance or mixture.

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Not classified based on available information.

#### Environmental hazards

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Celvolit E 190HS

Version 1.2      Revision Date: 2025/01/02      SDS Number: 000000033775      Date of last issue: 2019/04/30  
Date of first issue: 2019/04/30

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	$\geq 0.0025$ - $< 0.025$

### 4. FIRST AID MEASURES

General advice : Remove contaminated, soaked clothing immediately and dispose of safely  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)  
Water spray

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Celvolit E 190HS

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/30
1.2	2025/01/02	000000033775	Date of first issue: 2019/04/30

Do not use a solid water stream as it may scatter and spread fire.

Specific extinguishing methods : The product itself does not burn.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid contact with the skin and the eyes.

Environmental precautions : Do not allow material to contaminate ground water system.  
Do not flush into surface water or sanitary sewer system.  
  
Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

#### Handling

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid inhalation of vapor or mist.  
Container may be opened only under exhaust ventilation hood.

For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

Avoidance of contact : Water-reactive substances

#### Storage

Conditions for safe storage : Protect from frost

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Celvolit E 190HS

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/30
1.2	2025/01/02	000000033775	Date of first issue: 2019/04/30

Agitate before use  
Keep at temperatures between 5°C and 35°C (40°F and 95°F)  
To maintain product quality, do not store in heat or direct sunlight.  
Keep tightly closed in a dry and cool place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye/face protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : Take off all contaminated clothing immediately.  
Wash hands before breaks and at the end of workday.  
General industrial hygiene practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : white

Odour : sweet

pH : For further information, refer to the product technical data sheet.

Melting point/ range : ca. 0 °C  
(1,013 hPa)

Boiling point/boiling range : ca. 100 °C  
(1,013 hPa)

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Celvolit E 190HS

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/30
1.2	2025/01/02	000000033775	Date of first issue: 2019/04/30

Flash point	:	boils before flash
Flammability (solid, gas)	:	The product is not flammable.
Vapour pressure	:	24 hPa (20 °C)
Density	:	0.97 - 1.07 g/cm <sup>3</sup> (25 °C) Method: ISO 2811-3
Solubility(ies)	:	
Water solubility	:	miscible
Viscosity	:	
Viscosity, dynamic	:	For further information, refer to the product technical data sheet.

### 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	Protect from frost.
Incompatible materials	:	Water-reactive substances
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Components:

**mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):**

Acute inhalation toxicity	:	LC50 (Rat): > 0.5 - 2 mg/l Exposure time: 4 h Test atmosphere: vapor
---------------------------	---	--

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Not classified due to lack of data.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Celvolit E 190HS

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/30
1.2	2025/01/02	000000033775	Date of first issue: 2019/04/30

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified due to lack of data.

#### Respiratory sensitisation

Not classified due to lack of data.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### Reproductive toxicity

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

### Further information

#### Product:

Remarks : No data available

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

**mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.16 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0052  
plants  
mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Celvolit E 190HS

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/30
1.2	2025/01/02	000000033775	Date of first issue: 2019/04/30

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Celvolit E 190HS

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/30
1.2	2025/01/02	000000033775	Date of first issue: 2019/04/30

Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

### IMDG-Code

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Marine pollutant	: no

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : applicable

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Celvolit E 190HS

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/30
1.2	2025/01/02	000000033775	Date of first issue: 2019/04/30

and Export

### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

## 16. OTHER INFORMATION

Revision Date : 2025/01/02

Date format : yyyy/mm/dd

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Celvolit E 190HS

Version	Revision Date:	SDS Number:	Date of last issue: 2019/04/30
1.2	2025/01/02	000000033775	Date of first issue: 2019/04/30

---

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN