

DUR-O-SET® E-352

Version	Revision Date:	SDS Number:	Date of last issue: 03-13-2025
1.3	05-21-2025	000000033876	Date of first issue: 06-03-2019

SECTION 1. IDENTIFICATION

Product name : DUR-O-SET® E-352

Product code : 000000000021041260

Manufacturer or supplier's details

Company name of supplier : Celanese Ltd. Irving Texas

Address : 222 West Las Colinas Boulevard Suite 900N
Irving TX 75039

Telephone : '+1 972-443-4000

Emergency telephone number : DOMESTIC NORTH AMERICA: 800-424-9300
INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

Recommended use of the chemical and restrictions on use

Recommended use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

Other hazards

None known.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Water-borne polymer emulsion.

Components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice : Pay attention to own protection
Remove contaminated, soaked clothing immediately and dispose of safely
Do not leave the victim unattended.
In the case of accident or if you feel unwell, seek medical advice immediately.

DUR-O-SET® E-352

Version	Revision Date:	SDS Number:	Date of last issue: 03-13-2025
1.3	05-21-2025	000000033876	Date of first issue: 06-03-2019

If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water. If symptoms persist, call a physician.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	None known.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire.
--------------------------------------	---	--

Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products	:	Carbon oxides
-------------------------------	---	---------------

Further information	:	The product itself does not burn.
---------------------	---	-----------------------------------

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
---	---	--

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid contact with the skin and the eyes. Material can create slippery conditions.
---	---	---

DUR-O-SET® E-352

Version	Revision Date:	SDS Number:	Date of last issue: 03-13-2025
1.3	05-21-2025	000000033876	Date of first issue: 06-03-2019

- Environmental precautions : Do not allow material to contaminate ground water system.
Do not flush into surface water or sanitary sewer system.
- Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.
Clean contaminated surface thoroughly.
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : The product is not flammable.
- Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.
Use only with adequate ventilation.
Do not breathe vapours or spray mist.
Avoid inhalation, ingestion and contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
Handle in accordance with good industrial hygiene and safety practice.
- Conditions for safe storage : Keep tightly closed in a dry and cool place.
Protect from frost
To maintain product quality, do not store in heat or direct sunlight.
Agitate before use
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : none
- Materials to avoid : No materials to be especially mentioned.
- Recommended storage temperature : 41 - 95 °F / 5 - 35 °C
- Further information on storage stability : No decomposition if stored and applied as directed.
-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

DUR-O-SET® E-352

Version	Revision Date:	SDS Number:	Date of last issue: 03-13-2025
1.3	05-21-2025	000000033876	Date of first issue: 06-03-2019

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Protective gloves

Eye protection : Safety goggles
In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Skin and body protection : Protective suit

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : white

Odour : sweet

pH : 5.0 - 6.0
Concentration: 50 %

Melting point/ range : 32 °F / 0 °C

Boiling point/boiling range : 212 °F / 100 °C

Flash point : Not applicable

Flammability (solid, gas) : The product is not flammable.

Solubility(ies)
Water solubility : miscible

Viscosity
Viscosity, dynamic : < 1,000 mPa.s

SECTION 10. STABILITY AND REACTIVITY

DUR-O-SET® E-352

Version	Revision Date:	SDS Number:	Date of last issue: 03-13-2025
1.3	05-21-2025	000000033876	Date of first issue: 06-03-2019

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	Protect from frost, heat and sunlight. No data available
Incompatible materials	:	Water-reactive substances Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified due to lack of data.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks : Severe eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

SAFETY DATA SHEET



DUR-O-SET® E-352

Version	Revision Date:	SDS Number:	Date of last issue: 03-13-2025
1.3	05-21-2025	000000033876	Date of first issue: 06-03-2019

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I
Substances
Remarks: This product neither contains, nor was
manufactured with a Class I or Class II ODS as defined by the
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +
B).

Additional ecological information : An environmental hazard cannot be excluded in the event of
unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of
unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

The product should not be allowed to enter drains, water

DUR-O-SET® E-352

Version	Revision Date:	SDS Number:	Date of last issue: 03-13-2025
1.3	05-21-2025	000000033876	Date of first issue: 06-03-2019

courses or the soil.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

DUR-O-SET® E-352

Version	Revision Date:	SDS Number:	Date of last issue: 03-13-2025
1.3	05-21-2025	000000033876	Date of first issue: 06-03-2019

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

phosphoric acid	7664-38-2	>= 0 - < 0.1 %
-----------------	-----------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

phosphoric acid	7664-38-2	>= 0 - < 0.1 %
-----------------	-----------	----------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

SAFETY DATA SHEET



DUR-O-SET® E-352

Version	Revision Date:	SDS Number:	Date of last issue: 03-13-2025
1.3	05-21-2025	000000033876	Date of first issue: 06-03-2019

Revision Date : 05-21-2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

