

**ELOTEX FL1210**

Version 2.0      Revision Date: 09-12-2023      SDS Number: 000000048936      Date of last issue: 07-14-2023  
Date of first issue: 07-05-2022

---

**SECTION 1. IDENTIFICATION**

Product name : ELOTEX FL1210  
Product code : 000000000027021018

**Manufacturer or supplier's details**

Company name of supplier : Celanese Sales U.S. Ltd.  
Address : 222 West Las Colinas Boulevard Suite 900N  
Irving TX TX 75039  
Telephone : '+1 972-443-4000  
E-mail address of person responsible for the SDS : HazCom@celanese.com  
Emergency telephone number : DOMESTIC NORTH AMERICA: 800-424-9300  
INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

**Recommended use of the chemical and restrictions on use**

Recommended use : Industrial use

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Combustible dust

**GHS label elements**

Signal word : Warning  
Hazard statements : May form combustible dust concentrations in air.

**Other hazards**

Risk of dust explosion.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture  
Chemical nature : Dispersion powder

**Components**

| Chemical name | CAS-No.    | Concentration (% w/w) |
|---------------|------------|-----------------------|
| dolomite      | 16389-88-1 | $\geq 10 - < 20$      |
| formic acid   | 64-18-6    | $\geq 0.1 - < 1$      |

Actual concentration is withheld as a trade secret

---

**SECTION 4. FIRST AID MEASURES**

General advice : Do not leave the victim unattended.  
If inhaled : Remove to fresh air.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.

---

## ELOTEX FL1210

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

|                                                             |                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of skin contact                                     | : If symptoms persist, call a physician.<br>Remove contaminated clothing and shoes.<br>Wash off immediately with plenty of water.                                                                                                                                                                         |
| In case of eye contact                                      | : Rinse with plenty of water.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>Remove contact lenses.<br>Protect unharmed eye.<br>If eye irritation persists, consult a specialist.                                                                             |
| If swallowed                                                | : Clean mouth with water and drink afterwards plenty of water.<br>Never give anything by mouth to an unconscious person.<br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : None known.                                                                                                                                                                                                                                                                                             |
| Notes to physician                                          | : Treat symptomatically.                                                                                                                                                                                                                                                                                  |

**SECTION 5. FIREFIGHTING MEASURES**

|                                               |                                                                                                                                                           |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Water mist<br>Foam<br>Carbon dioxide (CO <sub>2</sub> )                                                                                                 |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                   |
| Specific hazards during fire-fighting         | : Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges. |
| Hazardous combustion products                 | : No hazardous combustion products are known                                                                                                              |
| Further information                           | : Standard procedure for chemical fires.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.       |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.<br><br>Wear self-contained breathing apparatus for firefighting if necessary.            |

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

|                                                                     |                                                                                                                                                                   |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Avoid dust formation.                                                                                                                                           |
| Environmental precautions                                           | : Try to prevent the material from entering drains or water courses.<br><br>If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for                                           | : Shovel or sweep up.                                                                                                                                             |

**ELOTEX FL1210**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

containment and cleaning up      Keep in suitable, closed containers for disposal.

Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion : No sparking tools should be used.  
Take measures to prevent the build up of electrostatic charge.

Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid creating dust.  
Keep away from fire, sparks and heated surfaces.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

Conditions for safe storage : Keep in a dry place.  
Store at room temperature in the original container.  
Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.  
Keep in a dry place.  
No decomposition if stored and applied as directed.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

| Components  | CAS-No.    | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis     |
|-------------|------------|----------------------------------|------------------------------------------------|-----------|
| dolomite    | 16389-88-1 | TWA (Respirable)                 | 5 mg/m <sup>3</sup><br>(Calcium carbonate)     | NIOSH REL |
|             |            | TWA (total)                      | 10 mg/m <sup>3</sup><br>(Calcium carbonate)    | NIOSH REL |
| formic acid | 64-18-6    | TWA                              | 5 ppm                                          | ACGIH     |
|             |            | STEL                             | 10 ppm                                         | ACGIH     |
|             |            | TWA                              | 5 ppm<br>9 mg/m <sup>3</sup>                   | NIOSH REL |
|             |            | TWA                              | 5 ppm<br>9 mg/m <sup>3</sup>                   | OSHA Z-1  |
|             |            | TWA                              | 5 ppm<br>9 mg/m <sup>3</sup>                   | OSHA P0   |

## ELOTEX FL1210

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

**Personal protective equipment**

|                              |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Respiratory protection       | : | General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection. |
| Hand protection<br>Directive | : | Protective gloves complying with EN 374.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Eye protection               | : | Safety glasses                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Skin and body protection     | : | Protective suit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Hygiene measures             | : | General industrial hygiene practice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|                                                  |   |                                                                                                     |
|--------------------------------------------------|---|-----------------------------------------------------------------------------------------------------|
| Appearance                                       | : | powder                                                                                              |
| Colour                                           | : | white                                                                                               |
| Odour                                            | : | slight                                                                                              |
| pH                                               | : | 5.50 - 7.50<br>Concentration: 10.0 %<br>(as a dispersion)                                           |
| Melting point/range                              | : | Not applicable                                                                                      |
| Boiling point/boiling range                      | : | Not applicable                                                                                      |
| Flash point                                      | : | Not applicable                                                                                      |
| Flammability (solid, gas)                        | : | The product is not flammable., Combustible Solids, May form combustible dust concentrations in air. |
| Upper explosion limit / Upper flammability limit | : | Not applicable                                                                                      |
| Lower explosion limit / Lower flammability limit | : | 15.000 mg/m3                                                                                        |
| Vapour pressure                                  | : | Not applicable                                                                                      |
| Relative vapour density                          | : | Not applicable                                                                                      |
| Relative density                                 | : | Not applicable                                                                                      |
| Bulk density                                     | : | 430 - 600 kg/m3                                                                                     |
| Solubility(ies)<br>Water solubility              | : | dispersible                                                                                         |

**ELOTEX FL1210**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

---

|                                        |   |                                                                                                                                                                     |
|----------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Partition coefficient: n-octanol/water | : | Not applicable                                                                                                                                                      |
| Auto-ignition temperature              | : | > 392 °F / 200 °C<br>Method: DIN EN 50281-2-1                                                                                                                       |
| Viscosity                              | : |                                                                                                                                                                     |
| Viscosity, dynamic                     | : | Not applicable                                                                                                                                                      |
| Viscosity, kinematic                   | : | Not applicable                                                                                                                                                      |
| Oxidizing properties                   | : | The substance or mixture is not classified as oxidizing.                                                                                                            |
| Dust explosion class                   | : | St1                                                                                                                                                                 |
| Particle size                          | : | ca. 60 - 120 µm<br>Method: ISO 13320<br>Physical state, agglomerates<br><br>< 1 µm<br>Method: OECD Test Guideline 110<br>nano particles, Physical state, aggregates |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |                                                                                                                                  |
|------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : | No decomposition if stored and applied as directed.                                                                              |
| Chemical stability                 | : | No decomposition if stored and applied as directed.                                                                              |
| Possibility of hazardous reactions | : | Stable under recommended storage conditions.<br>No hazards to be specially mentioned.<br>Dust may form explosive mixture in air. |
| Conditions to avoid                | : | No data available                                                                                                                |
| Incompatible materials             | : | None known.<br>Not applicable                                                                                                    |

**Hazardous decomposition products**

|                       |   |                   |
|-----------------------|---|-------------------|
| Thermal decomposition | : | No data available |
|-----------------------|---|-------------------|

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified due to lack of data.

**Product:**

|                           |   |                                                                                                                    |
|---------------------------|---|--------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | Acute toxicity estimate: > 5,000 mg/kg<br>Method: Calculation method                                               |
| Acute inhalation toxicity | : | Acute toxicity estimate: > 200 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapour<br>Method: Calculation method |
| Acute dermal toxicity     | : | Acute toxicity estimate: > 5,000 mg/kg                                                                             |

## ELOTEX FL1210

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

---

Method: Calculation method

**Components:****dolomite:**

Acute oral toxicity : LD50 (Rat): &gt; 5,000 mg/kg

**formic acid:**

Acute oral toxicity : LD50 (Rat): 730 - 1,830 mg/kg

Acute inhalation toxicity : LC50: 7.4 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour**Skin corrosion/irritation**

Not classified due to lack of data.

**Components:****formic acid:**Species : Rabbit  
Result : Corrosive**Serious eye damage/eye irritation**

Not classified due to lack of data.

**Components:****formic acid:**Species : Rabbit  
Result : Corrosive**Respiratory or skin sensitisation****Skin sensitisation**

Not classified due to lack of data.

**Respiratory sensitisation**

Not classified due to lack of data.

**Components:****formic acid:**

Result : positive

**Germ cell mutagenicity**

Not classified due to lack of data.

**Components:****formic acid:**

Genotoxicity in vivo : Result: negative

**ELOTEX FL1210**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

---

**Carcinogenicity**

Not classified due to lack of data.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified due to lack of data.

**Components:****formic acid:**

Effects on fertility : Species: Rat  
Application Route: Inhalation  
Dose: at a dose level of 128 ppm  
Duration of Single Treatment: 90 d  
Result: No effect on testis or epididymal weights or sperm motility or density.

**STOT - single exposure**

Not classified due to lack of data.

**STOT - repeated exposure**

Not classified due to lack of data.

**Aspiration toxicity**

Not classified due to lack of data.

**Further information****Product:**

Remarks : No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****dolomite:**

Toxicity to fish : LC50 (Fish): > 1,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : (Daphnia (water flea)): > 5,000 mg/l  
aquatic invertebrates Exposure time: 48 h

**formic acid:**

Toxicity to fish : LC0 (Carassius auratus (goldfish)): 46 mg/l  
Exposure time: 96 h

## ELOTEX FL1210

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

---

|                                                     |   |                                                                                                      |
|-----------------------------------------------------|---|------------------------------------------------------------------------------------------------------|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 151 mg/l<br>Exposure time: 48 h                                   |
| Toxicity to algae/aquatic plants                    | : | EC50 (Selenastrum capricornutum (green algae)): 25 mg/l<br>Exposure time: 96 h                       |
| Toxicity to fish (Chronic toxicity)                 | : | LC50 (Leuciscus idus (Golden orfe)): 122 mg/l<br>Exposure time: 48 h<br>Test Type: static conditions |
| Toxicity to microorganisms                          | : | EC50 (Pseudomonas putida): 46.7 mg/l<br>Exposure time: 17 h                                          |

**Persistence and degradability****Product:**

|                  |   |                                    |
|------------------|---|------------------------------------|
| Biodegradability | : | Result: Not readily biodegradable. |
|------------------|---|------------------------------------|

|         |   |                            |
|---------|---|----------------------------|
| BOD/COD | : | Remarks: No data available |
|---------|---|----------------------------|

**Components:****formic acid:**

|                  |   |                                                                               |
|------------------|---|-------------------------------------------------------------------------------|
| Biodegradability | : | Inoculum: activated sludge<br>Biodegradation: 40 - 70 %<br>Exposure time: 1 d |
|------------------|---|-------------------------------------------------------------------------------|

**Bioaccumulative potential****Product:**

|                 |   |                                       |
|-----------------|---|---------------------------------------|
| Bioaccumulation | : | Remarks: Bioaccumulation is unlikely. |
|-----------------|---|---------------------------------------|

**Components:****formic acid:**

|                 |   |                                    |
|-----------------|---|------------------------------------|
| Bioaccumulation | : | Bioconcentration factor (BCF): 3.2 |
|-----------------|---|------------------------------------|

**Mobility in soil**

No data available

**Other adverse effects****Product:**

|                           |   |                                                                                                                                                                                                                                                                                                                |
|---------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ozone-Depletion Potential | : | Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances<br>Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |
|---------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                   |   |                   |
|-----------------------------------|---|-------------------|
| Additional ecological information | : | No data available |
|-----------------------------------|---|-------------------|



**ELOTEX FL1210**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

|                        |   |                                                                                                                                                                                                                                   |
|------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues    | : | Do not dispose of waste into sewer.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Dispose of in accordance with local regulations.                                                        |
| Contaminated packaging | : | Empty remaining contents.<br>Empty containers should be taken to local recyclers for disposal.<br>Dispose of as unused product.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal. |

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

| Components    | CAS-No.  | Component RQ (lbs) | Calculated product RQ (lbs) |
|---------------|----------|--------------------|-----------------------------|
| methanol      | 67-56-1  | 100                | 100 (F003)                  |
| butan-1-ol    | 71-36-3  | 100                | 100 (F003)                  |
| ethyl acetate | 141-78-6 | 100                | 100 (F003)                  |
| acetone       | 67-64-1  | 100                | 100 (F003)                  |

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Combustible dust

## ELOTEX FL1210

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

|                                      |           |                |
|--------------------------------------|-----------|----------------|
| formic acid                          | 64-18-6   | >= 0.1 - < 1 % |
| vinyl acetate                        | 108-05-4  | >= 0 - < 0.1 % |
| sulphuric acid                       | 7664-93-9 | >= 0 - < 0.1 % |
| Acetaldehyde                         | 75-07-0   | >= 0 - < 0.1 % |
| formaldehyde                         | 50-00-0   | >= 0 - < 0.1 % |
| Sulfuric acid, ammonium              | 7783-85-9 | >= 0 - < 0.1 % |
| iron(2+) salt (2:2:1), hexahydrate   |           |                |
| iron (II) sulfate (1:1) heptahydrate | 7782-63-0 | >= 0 - < 0.1 % |

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

|                                      |           |                |
|--------------------------------------|-----------|----------------|
| formic acid                          | 64-18-6   | >= 0.1 - < 1 % |
| vinyl acetate                        | 108-05-4  | >= 0 - < 0.1 % |
| sulphuric acid                       | 7664-93-9 | >= 0 - < 0.1 % |
| Acetaldehyde                         | 75-07-0   | >= 0 - < 0.1 % |
| formaldehyde                         | 50-00-0   | >= 0 - < 0.1 % |
| Sulfuric acid, ammonium              | 7783-85-9 | >= 0 - < 0.1 % |
| iron(2+) salt (2:2:1), hexahydrate   |           |                |
| iron (II) sulfate (1:1) heptahydrate | 7782-63-0 | >= 0 - < 0.1 % |

**California Prop. 65**

WARNING: This product can expose you to chemicals including Acetaldehyde, sulphuric acid, ethanol, formaldehyde, which is/are known to the State of California to cause cancer, and methanol, ethanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


## ELOTEX FL1210

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

## SECTION 16. OTHER INFORMATION

## Further information

## NFPA 704:



## HMIS® IV:

|                 |   |   |
|-----------------|---|---|
| HEALTH          | / | 0 |
| FLAMMABILITY    |   | 1 |
| PHYSICAL HAZARD |   | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

## Full text of other abbreviations

|                 |                                                                                             |
|-----------------|---------------------------------------------------------------------------------------------|
| ACGIH           | : USA. ACGIH Threshold Limit Values (TLV)                                                   |
| NIOSH REL       | : USA. NIOSH Recommended Exposure Limits                                                    |
| OSHA P0         | : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)                        |
| OSHA Z-1        | : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants          |
| ACGIH / TWA     | : 8-hour, time-weighted average                                                             |
| ACGIH / STEL    | : Short-term exposure limit                                                                 |
| NIOSH REL / TWA | : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| OSHA P0 / TWA   | : 8-hour time weighted average                                                              |
| OSHA Z-1 / TWA  | : 8-hour time weighted average                                                              |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International

## ELOTEX FL1210

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 07-14-2023  |
| 2.0     | 09-12-2023     | 000000048936 | Date of first issue: 07-05-2022 |

---

Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09-12-2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN