according to GB/T 16483 and GB/T 17519



ELOTEX FX2350 (CN)

Version Revision Date: SDS Number: Date of last issue: 2024/08/06 1.8 2024/09/25 000000049152 Date of first issue: 2020/12/14

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ELOTEX FX2350 (CN)
Product code : 00000000027021001

Chemical nature : Dispersion powder

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

Address : 4560 Jinke Road, Zhangjiang, Pudong

Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone : CHEMTREC International phone number: +1-703-527 3887,

+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : For industrial use only.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: powderColor: whiteOdor: slightNot a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

Risk of dust explosion.

according to GB/T 16483 and GB/T 17519



ELOTEX FX2350 (CN)

Revision Date: Date of last issue: 2024/08/06 Version SDS Number: 2024/09/25 000000049152 Date of first issue: 2020/12/14 1.8

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
dolomite	16389-88-1	>= 10 -< 20	

4. FIRST AID MEASURES

General advice Do not leave the victim unattended.

If inhaled Remove to fresh air.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician. Remove contaminated clothing and shoes. In case of skin contact

Wash off immediately with plenty of water.

Rinse with plenty of water. In case of eye contact

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water mist

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Risks of ignition followed by flame propagation or secondary

explosions shall be prevented by avoiding accumulation of

dust, e.g. on floors and ledges.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

according to GB/T 16483 and GB/T 17519



ELOTEX FX2350 (CN)

SDS Number: Date of last issue: 2024/08/06 Version Revision Date: 2024/09/25 000000049152 Date of first issue: 2020/12/14 1.8

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if nec-

essary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Avoid dust formation.

tive equipment and emer-

gency procedures

Environmental precautions Try to prevent the material from entering drains or water

courses.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Shovel or sweep up.

Keep in suitable, closed containers for disposal.

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

7. HANDLING AND STORAGE

Handling

Advice on protection against :

fire and explosion

No sparking tools should be used.

Take measures to prevent the build up of electrostatic charge.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling Avoid creating dust.

Keep away from fire, sparks and heated surfaces.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Avoidance of contact None known.

Not applicable

Storage

Conditions for safe storage Keep in a dry place.

> Store at room temperature in the original container. Keep container tightly closed in a dry and well-ventilated

according to GB/T 16483 and GB/T 17519



ELOTEX FX2350 (CN)

Version Revision Date: SDS Number: Date of last issue: 2024/08/06 1.8 2024/09/25 000000049152 Date of first issue: 2020/12/14

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

Keep in a dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dolomite	16389-88-1	PC-TWA (Total dust)	8 mg/m3	CN OEL
		PC-TWA (Respirable dust)	4 mg/m3	CN OEL

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type
Eye/face protection : Safety glasses
Skin and body protection : Protective suit

Hand protection

Directive : Protective gloves complying with EN 374.

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white

Odor : slight

pH : 7.0 - 9.0

Concentration: 10.0

Melting point/ range : Not applicable

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard, May form combustible

dust concentrations in air during processing, handling or other

means.

according to GB/T 16483 and GB/T 17519



ELOTEX FX2350 (CN)

Version Revision Date: SDS Number: Date of last issue: 2024/08/06 1.8 2024/09/25 000000049152 Date of first issue: 2020/12/14

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

15,000 mg/m3

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : Not applicable

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : > 200 °C

Method: DIN EN 50281-2-1

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Dust explosion class : St1

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed. Possibility of hazardous reac- : Stable under recommended storage conditions.

tions

No hazards to be specially mentioned.

Dust may form explosive mixture in air.

Conditions to avoid : No data available Incompatible materials : None known.

Not applicable

Hazardous decomposition products

Thermal decomposition : No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

according to GB/T 16483 and GB/T 17519



ELOTEX FX2350 (CN)

Version Revision Date: SDS Number: Date of last issue: 2024/08/06 1.8 2024/09/25 000000049152 Date of first issue: 2020/12/14

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

dolomite:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

according to GB/T 16483 and GB/T 17519



ELOTEX FX2350 (CN)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/08/06

 1.8
 2024/09/25
 000000049152
 Date of first issue: 2020/12/14

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

dolomite:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia): > 5,000 mg/l

Exposure time: 48 h

Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

BOD/COD : Remarks: No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Dispose of in accordance with local regulations.

The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to local recyclers for dis-

posal.

Dispose of as unused product.

according to GB/T 16483 and GB/T 17519



ELOTEX FX2350 (CN)

Revision Date: SDS Number: Date of last issue: 2024/08/06 Version 2024/09/25 000000049152 Date of first issue: 2020/12/14 1.8

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Not applicable Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable

Environmentally hazardous no

IATA-DGR

UN/ID No. Not applicable Not applicable Proper shipping name Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Not applicable Labels Not applicable

Packing instruction (cargo

aircraft)

Packing instruction (passen-Not applicable

ger aircraft)

IMDG-Code

UN number Not applicable Not applicable Proper shipping name Class Not applicable Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels EmS Code Not applicable

Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

Not applicable UN number Not applicable Proper shipping name Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Not applicable Labels

Marine pollutant no

Special precautions for user

Not applicable

according to GB/T 16483 and GB/T 17519



ELOTEX FX2350 (CN)

Version Revision Date: SDS Number: Date of last issue: 2024/08/06 1.8 2024/09/25 000000049152 Date of first issue: 2020/12/14

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under : Not applicable

SAWS

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not applicable

and Export

16. OTHER INFORMATION

Revision Date : 2024/09/25 Date format : yyyy/mm/dd

Full text of other abbreviations

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua-

according to GB/T 16483 and GB/T 17519



ELOTEX FX2350 (CN)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/08/06

 1.8
 2024/09/25
 000000049152
 Date of first issue: 2020/12/14

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN