

ELOTEX HD2000 (CN)

Version 1.8 Revision Date: 2024/11/13 SDS Number: 000000048986 Date of last issue: 2024/08/06
Date of first issue: 2020/10/15

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ELOTEX HD2000 (CN)
Product code : 000000000027021194

Chemical nature : Dispersion powder

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd
Address : 4560 Jinke Road, Zhangjiang, Pudong
Shanghai, China 201210
Telephone : 86-21-38619288
Emergency telephone : CHEMTREC International phone number: +1-703-527 3887,
+86 532 8388-9090 (China, 24h)
E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Industrial use

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: powder
Color	: white
Odor	: slight

Causes mild skin irritation.

GHS Classification

Skin corrosion/irritation : Category 3

GHS label elements

Hazard pictograms : None

Signal Word : Warning

Hazard Statements : H316 Causes mild skin irritation.

Precautionary Statements : **Response:**
P332 + P313 If skin irritation occurs: Get medical advice/
attention.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ELOTEX HD2000 (CN)

Version 1.8 Revision Date: 2024/11/13 SDS Number: 000000048986 Date of last issue: 2024/08/06
Date of first issue: 2020/10/15

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes mild skin irritation.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

Risk of dust explosion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
dolomite	16389-88-1	≥ 10 -< 20
triethoxyoctylsilane	2943-75-1	≥ 1 -< 10
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	≥ 0.0025 -< 0.025

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing and shoes.
Wash off immediately with plenty of water.

If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Rinse with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.

Flush eyes with water as a precaution.
If eye irritation persists, consult a specialist.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ELOTEX HD2000 (CN)

Version 1.8	Revision Date: 2024/11/13	SDS Number: 000000048986	Date of last issue: 2024/08/06 Date of first issue: 2020/10/15
----------------	------------------------------	-----------------------------	---

If swallowed : Clean mouth with water and drink afterwards plenty of water.
Never give anything by mouth to an unconscious person.

Keep respiratory tract clear.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes mild skin irritation.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water mist
Foam
Carbon dioxide (CO₂)

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.

Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

ELOTEX HD2000 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/06
1.8	2024/11/13	000000048986	Date of first issue: 2020/10/15

Environmental precautions : Try to prevent the material from entering drains or water courses.

Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Shovel or sweep up.
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion : No sparking tools should be used.
Take measures to prevent the build up of electrostatic charge.

Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid creating dust.
Keep away from fire, sparks and heated surfaces.

Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Avoidance of contact : None known.
Not applicable

Storage

Conditions for safe storage : Keep in a dry place.
Store at room temperature in the original container.
Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

Keep in a dry place.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ELOTEX HD2000 (CN)

Version 1.8 Revision Date: 2024/11/13 SDS Number: 000000048986 Date of last issue: 2024/08/06
Date of first issue: 2020/10/15

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dolomite	16389-88-1	PC-TWA (Total dust)	8 mg/m ³	CN OEL
		PC-TWA (Respirable dust)	4 mg/m ³	CN OEL

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection
Directive : Protective gloves complying with EN 374.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white

Odor : slight

pH : 6 - 8
Concentration: 10 %
(as a dispersion)

ELOTEX HD2000 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/06
1.8	2024/11/13	000000048986	Date of first issue: 2020/10/15

Melting point/ range	:	Not applicable
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard, May form combustible dust concentrations in air during processing, handling or other means.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	15,000 mg/m ³
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	Not applicable
Bulk density	:	500 - 650 kg/m ³
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	> 200 °C Method: DIN EN 50281-2-1
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Dust explosion class	:	St1

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ELOTEX HD2000 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/06
1.8	2024/11/13	000000048986	Date of first issue: 2020/10/15

Dust may form explosive mixture in air.
No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : None known.

Not applicable

Hazardous decomposition products

Thermal decomposition : No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

dolomite:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

triethoxyoctylsilane:

Acute oral toxicity : LD50 (Rat): > 5,100 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): 6,730 mg/kg
Method: OECD Test Guideline 402

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute inhalation toxicity : LC50 (Rat): > 0.5 - 2 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Skin corrosion/irritation

Causes mild skin irritation.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

triethoxyoctylsilane:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : irritating
Remarks : Information taken from reference works and the literature.

Remarks : May cause skin irritation in susceptible persons.

ELOTEX HD2000 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/06
1.8	2024/11/13	000000048986	Date of first issue: 2020/10/15

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : Product dust may be irritating to eyes, skin and respiratory system.

Components:

triethoxyoctylsilane:

Remarks : Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

Components:

triethoxyoctylsilane:

Remarks : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ELOTEX HD2000 (CN)

Version 1.8 Revision Date: 2024/11/13 SDS Number: 000000048986 Date of last issue: 2024/08/06
Date of first issue: 2020/10/15

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

dolomite:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : (Daphnia): > 5,000 mg/l
aquatic invertebrates Exposure time: 48 h

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.16 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0052
plants mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic : 100
toxicity)

M-Factor (Chronic aquatic : 100
toxicity)

Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

BOD/COD : Remarks: No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

No data available

ELOTEX HD2000 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/06
1.8	2024/11/13	000000048986	Date of first issue: 2020/10/15

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Dispose of in accordance with local regulations.

The product should not be allowed to enter drains, water courses or the soil.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Empty containers should be taken to local recyclers for disposal.
Dispose of as unused product.

Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ELOTEX HD2000 (CN)

Version 1.8 Revision Date: 2024/11/13 SDS Number: 000000048986 Date of last issue: 2024/08/06
Date of first issue: 2020/10/15

Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Marine pollutant : no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not applicable

16. OTHER INFORMATION

Revision Date : 2024/11/13

Date format : yyyy/mm/dd

Full text of other abbreviations

CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



ELOTEX HD2000 (CN)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/08/06
1.8	2024/11/13	000000048986	Date of first issue: 2020/10/15

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN