according to GB/T 16483 and GB/T 17519



## **ELOTEX HD2000**

Version Revision Date: SDS Number: Date of last issue: 2020/12/14
1.2 2024/07/17 000000049186 Date of first issue: 2020/12/14

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ELOTEX HD2000

Product code : 00000000021051566

Chemical nature : Dispersion powder

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

Address : 4560 Jinke Road, Zhangjiang, Pudong

Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone number: +1-703-527 3887,

+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Industrial use

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance : powder Colour : white Odour : slight

Causes mild skin irritation.

**GHS Classification** 

Skin corrosion/irritation : Category 3

**GHS** label elements

Hazard pictograms : None Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.

Precautionary statements : Response:

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

according to GB/T 16483 and GB/T 17519



## **ELOTEX HD2000**

Revision Date: Date of last issue: 2020/12/14 Version SDS Number: 2024/07/17 000000049186 Date of first issue: 2020/12/14 1.2

#### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Causes mild skin irritation.

#### **Environmental hazards**

Not classified based on available information.

#### Other hazards which do not result in classification

Risk of dust explosion.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
dolomite	16389-88-1	>= 10 -< 20
triethoxyoctylsilane	2943-75-1	>= 1 -< 10

#### 4. FIRST AID MEASURES

General advice Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled Remove to fresh air.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact Remove contaminated clothing and shoes.

> Wash off immediately with plenty of water. If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact Rinse with plenty of water.

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing. Flush eyes with water as a precaution. If eye irritation persists, consult a specialist.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person.

Keep respiratory tract clear.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Causes mild skin irritation.

Notes to physician Treat symptomatically.

### 5. FIREFIGHTING MEASURES

according to GB/T 16483 and GB/T 17519



## **ELOTEX HD2000**

Version Revision Date: SDS Number: Date of last issue: 2020/12/14
1.2 2024/07/17 000000049186 Date of first issue: 2020/12/14

Suitable extinguishing media : Water mist

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

High volume water jet

Specific hazards during fire- :

fighting

Risks of ignition followed by flame propagation or secondary

explosions shall be prevented by avoiding accumulation of

dust, e.g. on floors and ledges.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if nec-

essary.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Shovel or sweep up.

Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

# Handling

Advice on protection against

fire and explosion

No sparking tools should be used.

Take measures to prevent the build up of electrostatic charge.

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid creating dust.

Keep away from fire, sparks and heated surfaces.

according to GB/T 16483 and GB/T 17519



## **ELOTEX HD2000**

Version Revision Date: SDS Number: Date of last issue: 2020/12/14
1.2 2024/07/17 000000049186 Date of first issue: 2020/12/14

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Avoidance of contact : None known.

Not applicable

**Storage** 

Conditions for safe storage : Keep in a dry place.

Store at room temperature in the original container. Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	
dolomite	16389-88-1	PC-TWA	8 mg/m3	CN OEL
		(Total dust)		
		PC-TWA	4 mg/m3	CN OEL
		(Respirable		
		dust)		

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Eye/face protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection

Directive : Protective gloves complying with EN 374.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

according to GB/T 16483 and GB/T 17519



## **ELOTEX HD2000**

Version Revision Date: SDS Number: Date of last issue: 2020/12/14
1.2 2024/07/17 000000049186 Date of first issue: 2020/12/14

Colour : white

Odour : slight

pH : 6.00 - 8.00

Concentration: 10.0 % (as a dispersion)

Melting point/range : Not applicable

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Flammability (solid, gas) : The product is not flammable., Combustible Solids, May form

combustible dust concentrations in air.

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

15.000 mg/m3

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : Not applicable

Bulk density : 500 - 650 kg/m3

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : For further information, refer to the product technical data

sheet.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Dust explosion class : St1

Particle size : ca. 60 - 120 µm

Method: ISO 13320

Physical state, agglomerates

< 1 µm

Method: OECD Test Guideline 110 nano particles, Physical state, aggregates

according to GB/T 16483 and GB/T 17519



## **ELOTEX HD2000**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/12/14

 1.2
 2024/07/17
 000000049186
 Date of first issue: 2020/12/14

#### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed. Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions. No hazards to be specially mentioned.

Dust may form explosive mixture in air.

No decomposition if stored and applied as directed.

Conditions to avoid : No data available Incompatible materials : None known.

Not applicable

**Hazardous decomposition products** 

Thermal decomposition : No data available

#### 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

Not classified based on available information.

### Components:

dolomite:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

triethoxyoctylsilane:

Acute oral toxicity : LD50 (Rat): > 5,100 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): 6,730 mg/kg

Method: OECD Test Guideline 402

### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Remarks : May cause skin irritation and/or dermatitis.

### **Components:**

triethoxyoctylsilane:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : irritating

Remarks : Information taken from reference works and the literature.

Remarks : May cause skin irritation in susceptible persons.

according to GB/T 16483 and GB/T 17519



## **ELOTEX HD2000**

Version Revision Date: SDS Number: Date of last issue: 2020/12/14 1.2 2024/07/17 000000049186 Date of first issue: 2020/12/14

#### Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

**Components:** 

triethoxyoctylsilane:

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

**Further information** 

**Product:** 

Remarks : No data available

**Components:** 

triethoxyoctylsilane:

Remarks : No data available

according to GB/T 16483 and GB/T 17519



## **ELOTEX HD2000**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2020/12/14

 1.2
 2024/07/17
 000000049186
 Date of first issue: 2020/12/14

#### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### Components:

dolomite:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Daphnia (water flea)): > 5,000 mg/l

Exposure time: 48 h

### Persistence and degradability

**Product:** 

Biodegradability : Result: Not readily biodegradable.

BOD/COD : Remarks: No data available

Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil
No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to local recyclers for dis-

posal.

Dispose of as unused product. Do not re-use empty containers.

according to GB/T 16483 and GB/T 17519



## **ELOTEX HD2000**

Version Revision Date: SDS Number: Date of last issue: 2020/12/14 1.2 2024/07/17 000000049186 Date of first issue: 2020/12/14

#### 14. TRANSPORT INFORMATION

### International Regulations

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

**IATA-DGR** 

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

**IMDG-Code** 

**UN** number Not applicable Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Not applicable Labels **EmS Code** Not applicable Marine pollutant Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

### Special precautions for user

Not applicable

### 15. REGULATORY INFORMATION

### National regulatory information

Law on the Prevention and Control of Occupational Diseases

according to GB/T 16483 and GB/T 17519



## **ELOTEX HD2000**

Version Revision Date: SDS Number: Date of last issue: 2020/12/14 1.2 2024/07/17 000000049186 Date of first issue: 2020/12/14

#### **16. OTHER INFORMATION**

Revision Date : 2024/07/17 Date format : yyyy/mm/dd

Full text of other abbreviations

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN