

## ELOTEX OTA200

Version 1.2      Revision Date: 03-21-2024      SDS Number: 000000054864      Date of last issue: 06-29-2023  
Date of first issue: 12-05-2022

## SECTION 1. IDENTIFICATION

Product name : ELOTEX OTA200

Product code : 000000000021054213

**Manufacturer or supplier's details**

Company name of supplier : Celanese Sales U.S. Ltd.  
Address : 222 West Las Colinas Boulevard Suite 900N  
Irving TX 75039  
Telephone : '+1 972-443-4000  
E-mail address of person responsible for the SDS : HazCom@celanese.com  
Emergency telephone number : DOMESTIC NORTH AMERICA: 800-424-9300  
INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

**Recommended use of the chemical and restrictions on use**

Recommended use : For industrial use only.

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Combustible dust

**GHS label elements**

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

**Other hazards**

Risk of dust explosion.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : Dispersion powder

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
dolomite	16389-88-1	>= 50 - < 70

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing and shoes.

## ELOTEX OTA200

Version	Revision Date:	SDS Number:	Date of last issue: 06-29-2023
1.2	03-21-2024	000000054864	Date of first issue: 12-05-2022

In case of eye contact	:	Wash off immediately with plenty of water. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	None known.
Notes to physician	:	Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water mist Foam Carbon dioxide (CO <sub>2</sub> )
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire-fighting	:	Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.
Hazardous combustion products	:	No hazardous combustion products are known
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.  Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation.
Environmental precautions	:	Try to prevent the material from entering drains or water courses.  If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Shovel or sweep up. Keep in suitable, closed containers for disposal.  Pick up and arrange disposal without creating dust. Sweep up and shovel.

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against	:	No sparking tools should be used.
------------------------------	---	-----------------------------------

# ELOTEX OTA200



fire and explosion	Take measures to prevent the build up of electrostatic charge.
	Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	: Avoid creating dust. Keep away from fire, sparks and heated surfaces. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	: Keep in a dry place. Store at room temperature in the original container. Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: No materials to be especially mentioned.
Further information on storage stability	: Keep in a dry place. No decomposition if stored and applied as directed.

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dolomite	16389-88-1	TWA (Respirable)	5 mg/m3 (Calcium carbonate)	NIOSH REL
		TWA (total)	10 mg/m3 (Calcium carbonate)	NIOSH REL

Respiratory protection	:	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Eye protection	:	Safety glasses
Skin and body protection	:	Protective suit
Hygiene measures	:	General industrial hygiene practice.

Appearance : powder

Colour : light yellow

## ELOTEX OTA200

Version	Revision Date:	SDS Number:	Date of last issue: 06-29-2023
1.2	03-21-2024	000000054864	Date of first issue: 12-05-2022

---

pH	:	6 - 8 Concentration: 10 %
Melting point/range	:	Not applicable
Boiling point/boiling range	:	Not applicable
Flash point	:	Not applicable
Flammability (solid, gas)	:	The product is not flammable., Combustible Solids, May form combustible dust concentrations in air.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	15.000 mg/m3
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	Not applicable
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	> 392 °F / > 200 °C Method: DIN EN 50281-2-1
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Dust explosion class	:	St1
Particle size	:	ca. 150 - 155 µm Method: ISO 13320 Physical state, agglomerates  < 1 µm Method: OECD Test Guideline 110 nano particles, Physical state, aggregates

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.

## ELOTEX OTA200

Version	Revision Date:	SDS Number:	Date of last issue: 06-29-2023
1.2	03-21-2024	000000054864	Date of first issue: 12-05-2022

---

Possibility of hazardous reactions : Dust can form an explosive mixture in air.  
Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
Dust may form explosive mixture in air.

Conditions to avoid : No data available  
Incompatible materials : None known.  
Not applicable

**Hazardous decomposition products**

Thermal decomposition : No data available

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Components:****dolomite:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

**Carcinogenicity**

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Further information****Product:**

Remarks : No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****dolomite:**

Toxicity to fish : LC50 (Fish): > 1,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : (Daphnia (water flea)): > 5,000 mg/l  
Exposure time: 48 h

**Persistence and degradability****Product:**

# SAFETY DATA SHEET



## ELOTEX OTA200

Version 1.2	Revision Date: 03-21-2024	SDS Number: 000000054864	Date of last issue: 06-29-2023 Date of first issue: 12-05-2022
----------------	------------------------------	-----------------------------	---

Biodegradability : Result: Not readily biodegradable.

BOD/COD : Remarks: No data available

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### **49 CFR**

## ELOTEX OTA200

Version	Revision Date:	SDS Number:	Date of last issue: 06-29-2023
1.2	03-21-2024	000000054864	Date of first issue: 12-05-2022

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Combustible dust

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

formaldehyde	50-00-0	>= 0 - < 0.1 %
--------------	---------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

formaldehyde	50-00-0	>= 0 - < 0.1 %
--------------	---------	----------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

**California Prop. 65**

WARNING: This product can expose you to chemicals including formaldehyde, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


## ELOTEX OTA200

Version	Revision Date:	SDS Number:	Date of last issue: 06-29-2023
1.2	03-21-2024	000000054864	Date of first issue: 12-05-2022

## SECTION 16. OTHER INFORMATION

## Further information

## NFPA 704:



## HMIS® IV:

HEALTH	/	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

## Full text of other abbreviations

NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the



## ELOTEX OTA200

Version	Revision Date:	SDS Number:	Date of last issue: 06-29-2023
1.2	03-21-2024	000000054864	Date of first issue: 12-05-2022

---

Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03-21-2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN