

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Flexbond 150 Emulsion

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/29
1.1	2025/05/30	000000033955	Date of first issue: 2024/07/29

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Flexbond 150 Emulsion
Product code : 000000000027001523

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd
Address : 4560 Jinke Road, Zhangjiang, Pudong
Shanghai, China 201210
Telephone : 86-21-38619288
Emergency telephone number : CHEMTREC International phone number: +1-703-527 3887,
+86 532 8388-9090 (China, 24h)
E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : For industrial use only.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: liquid
Colour	: milky
Odour	: sweet

Harmful to aquatic life with long lasting effects.

GHS Classification

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms : None
Signal word : None
Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Flexbond 150 Emulsion

Version 1.1 Revision Date: 2025/05/30 SDS Number: 000000033955 Date of last issue: 2024/07/29
Date of first issue: 2024/07/29

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	≥ 0.0025 - < 0.025

4. FIRST AID MEASURES

General advice : Remove contaminated, soaked clothing immediately and dispose of safely
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.

Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Flexbond 150 Emulsion

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/29
1.1	2025/05/30	000000033955	Date of first issue: 2024/07/29

Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Avoid contact with the skin and the eyes. Ensure adequate ventilation. Material can create slippery conditions.
Environmental precautions	: Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Keep in suitable, closed containers for disposal. Wipe up with absorbent material (e.g. cloth, fleece).

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion	: The product is not flammable. Normal measures for preventive fire protection.
Advice on safe handling	: For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Avoidance of contact	: Water-reactive substances Not applicable

Storage

Conditions for safe storage	: Store locked up. Keep tightly closed in a dry and cool place. Protect from frost To maintain product quality, do not store in heat or direct sunlight. Agitate before use
-----------------------------	---

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Flexbond 150 Emulsion

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/29
1.1	2025/05/30	000000033955	Date of first issue: 2024/07/29

Electrical installations / working materials must comply with the technological safety standards.
Observe label precautions.

Further information on storage conditions : Store in a cool place- Protect from freezing

Materials to avoid : No materials to be especially mentioned.

Recommended storage temperature : 5 - 35 °C

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Protective suit

Hand protection

Remarks : Impervious gloves

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : milky

Odour : sweet

pH : 4.5 - 6

Melting point/ range : ca. 0 °C
(1,013 hPa)

Boiling point/boiling range : 100 °C

Flash point : Not applicable

Flammability (solid, gas) : The product is not flammable.

Vapour pressure : 24 hPa (20 °C)

Density : 0.97 - 1.07 g/cm³ (25 °C)
Method: ISO 2811-3

Solubility(ies)
Water solubility : miscible

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Flexbond 150 Emulsion

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/29
1.1	2025/05/30	000000033955	Date of first issue: 2024/07/29

Viscosity
Viscosity, dynamic : 350 - 850 mPa.s (25 °C)
Method: Brookfield Visc. RVT Sp. 2 / 20 r.p.m.

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	Protect from frost, heat and sunlight. No data available
Incompatible materials	:	Water-reactive substances Not applicable

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute inhalation toxicity : LC50 (Rat): > 0.5 - 2 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Flexbond 150 Emulsion

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/29
1.1	2025/05/30	000000033955	Date of first issue: 2024/07/29

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.16 mg/l
aquatic invertebrates
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0052
plants
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 100
icity)

M-Factor (Chronic aquatic : 100
toxicity)

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Flexbond 150 Emulsion

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/29
1.1	2025/05/30	000000033955	Date of first issue: 2024/07/29

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Flexbond 150 Emulsion

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/29
1.1	2025/05/30	000000033955	Date of first issue: 2024/07/29

National Regulations

GB 6944/12268

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Marine pollutant	: no

JT/T 617

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Environmentally hazardous	no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	: This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.
----------------------------------	---

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)	: Not listed
---	--------------

Hazardous Chemicals for Priority Management under SAWS	: Not listed
--	--------------

Catalogue of Specially Controlled Hazardous Chemicals	: Not listed
---	--------------

List of Explosive Precursors	: Not listed
------------------------------	--------------

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals	: Not listed
-------------------------------------	--------------

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import	: Not listed
--	--------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Flexbond 150 Emulsion

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/29
1.1	2025/05/30	000000033955	Date of first issue: 2024/07/29

and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals : Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances : Not listed

List of Controlled Ozone Depleting Substances Import and Export : Not listed

Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

16. OTHER INFORMATION

Revision Date : 2025/05/30
Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Flexbond 150 Emulsion

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/29
1.1	2025/05/30	000000033955	Date of first issue: 2024/07/29

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN