according to GB/T 16483 and GB/T 17519



NEOLAST® S100 NC010

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/05/06 300010000856 Date of first issue: 2025/05/06

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NEOLAST® S100 NC010 Product code : 00000000021055519

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

Address : 4560 Jinke Road, Zhangjiang, Pudong

Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone number: CHEMTREC International phone number: +1-703-527 3887,

+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Polymer

Restrictions on use : For manufacturing and research use only

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: pelletsColour: NaturalOdour: noneNot a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

GHS label elements

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

according to GB/T 16483 and GB/T 17519



NEOLAST® S100 NC010

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/05/06 300010000856 Date of first issue: 2025/05/06

Substance / Mixture : Mixture

Components

This product does not contain any components that require disclosure according to country regu-

lations.

4. FIRST AID MEASURES

If inhaled : Move to fresh air in case of accidental inhalation of fumes

from overheating or combustion.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Call a physician.

In case of skin contact : The material is not likely to be hazardous by skin contact, but

cleaning the skin after use is advisable.

Cool skin rapidly with cold water after contact with molten

material.

Do not peel polymer from the skin.

Obtain medical treatment for thermal burn.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

Call a physician.

If swallowed : No specific intervention is indicated.

Consult a physician if necessary.

Most important symptoms

and effects, both acute and

delayed

Notes to physician

None known.

: Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water

Foam

Dry chemical

Carbon dioxide (CO2)

Specific hazards during fire-

fighting

Combustible

Large molten masses may ignite spontaneously in air.

Water quenching is good practice.

Minimize the generation and accumulation of dust.

Material in pellet form may accumulate static charge when

poured from one container to another.

Failure or malfunction of temperature control systems on processing equipment, such as extruders, may create explosion

hazards.

Hazardous combustion prod- :

ucts

Hazardous combustion products may include:

Carbon monoxide carbon dioxide (see also section 10)

Specific extinguishing meth-

ods

: Evacuate personnel and keep upwind of fire.

Special protective equipment : Wear self-contained breathing apparatus and protective suit.

according to GB/T 16483 and GB/T 17519



NEOLAST® S100 NC010

Revision Date: SDS Number: Date of last issue: -Version

2025/05/06 300010000856 Date of first issue: 2025/05/06 1.0

for firefighters

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Spilled material is a slipping hazard.

tive equipment and emer-

Environmental precautions

gency procedures

Do not discharge to streams, ponds, lakes or sewers.

Methods and materials for containment and cleaning up Spills of fine material should be cleaned using gentle sweeping or vacuuming. Cleaning methods (e.g. compressed air)

which can generate potentially combustible dust clouds should

not be used.

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Use only non-sparking tools.

7. HANDLING AND STORAGE

Handling

Advice on safe handling Open container only in well-ventilated area.

Wash hands thoroughly after handling.

Provide appropriate exhaust ventilation at dryers, machinery and at places where dust or volatiles can be generated.

Do not breathe dust.

Pneumatic conveying and other mechanical handling opera-

tions can generate combustible dust.

Minimize the generation and accumulation of dust. Routine housekeeping should be instituted to ensure that

dusts do not accumulate on surfaces.

Avoidance of contact Strong acids

Strong bases

Strong oxidizing agents

Storage

Store in a cool, dry place. Conditions for safe storage

Keep container closed to prevent contamination.

Keep in an area equipped with sprinklers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

•	•			
Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Dust (inhalable and respirable	Not Assigned	TWA (Res-	3 mg/m3	ACGIH
fraction)		pirable par-		
		ticulate mat-		

according to GB/T 16483 and GB/T 17519



NEOLAST® S100 NC010

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/05/06 300010000856 Date of first issue: 2025/05/06

ter)		
TWA (Inhal-	10 mg/m3	ACGIH
able particu-		
late matter)		

Engineering measures : General mechanical ventilation is normally adequate but use

local exhaust where necessary to maintain exposures below

acceptable limits.

Use local exhaust to completely remove vapors and fumes

liberated during hot processing from the work area.

Personal protective equipment

Respiratory protection : A respiratory protection program that meets country require-

ments must be followed whenever workplace conditions war-

rant respirator use.

Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer. Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with

dust/mist cartridge.

Eye/face protection : Wear safety glasses with side shields.

Wear tightly fitting chemical splash goggles and face shield when possibility exists for eye and face contact due to spat-

tering or splashing of molten material.

A full-face mask respirator provides protection from eye irrita-

tion.

Skin and body protection : If there is a potential for contact with hot/molten material wear

heat resistant clothing and footwear.

Hand protection

Remarks : Wear leather or cotton gloves when grinding, sawing, routing,

drilling or sanding. When handling hot material, use heat

resistant gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Colour : Natural

Odour : none

Odour Threshold : Not applicable

pH : Substance/mixture is non-soluble (in water).

Melting point/ range : > 130 °C

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

according to GB/T 16483 and GB/T 17519



NEOLAST® S100 NC010

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/05/06 300010000856 Date of first issue: 2025/05/06

Flammability (solid, gas) : May form combustible dust concentrations in air during pro-

cessing, handling or other means.

Self-ignition : Not applicable

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : > 1

Solubility(ies)

Water solubility : insoluble

Decomposition temperature : > 275 °C

Thermal decomposition of the resin accelerates above tem-

perature listed.

Decomposition can occur below the recommended processing

temperature limit.

Decomposition is a function of both processing temperature

and time at that temperature.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Stable at normal ambient temperature and pressure. Chemical stability : Stable at normal ambient temperature and pressure.

Possibility of hazardous reac-

tions

Polymerization will not occur.

Conditions to avoid : Temperature > 275 °C

Abnormally long processing time or high temperatures can

produce irritating and toxic fumes.

Incompatible materials : Strong acids

Strong bases

Strong oxidizing agents

Hazardous decomposition

products

Hazardous thermal decomposition products may include:

Carbon monoxide carbon dioxide Tetrahydrofuran 2-Methylpropene formic acid

according to GB/T 16483 and GB/T 17519



NEOLAST® S100 NC010

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/05/06 300010000856 Date of first issue: 2025/05/06

Acrolein

Propionaldehyde acetic acid acetaldehydes

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data is available on the product itself.

For additional toxicity data, write to the company address or

call the non-emergency number shown in Section 1.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

according to GB/T 16483 and GB/T 17519



NEOLAST® S100 NC010

Revision Date: Date of last issue: -Version SDS Number:

2025/05/06 300010000856 Date of first issue: 2025/05/06 1.0

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

No data is available on the product itself.

Toxicity is expected to be low based on insolubility in water.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Preferred options for disposal are recycling or incineration with

energy recovery.

The high fuel value of this product makes incineration very

desirable for material that cannot be recycled.

Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local

regulations.

Dispose of in accordance with local regulations. Contaminated packaging

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Not applicable Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable Not applicable Packing group Not applicable Labels

Environmentally hazardous no

IATA-DGR

UN/ID No. Not applicable Proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Packing group Not applicable Not applicable Labels Not applicable Packing instruction (cargo

aircraft)

Packing instruction (passen-

Not applicable

ger aircraft)

IMDG-Code

UN number Not applicable

according to GB/T 16483 and GB/T 17519



NEOLAST® S100 NC010

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/05/06 300010000856 Date of first issue: 2025/05/06

Proper shipping name : Not applicable Class : Not applicable Subsidiary risk : Not applicable Packing group : Not applicable Labels : Not applicable EmS Code : Not applicable

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

JT/T 617

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous no

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the cata-

logue of hazardous chemicals and it does not meet the definition of hazardous chemicals and its principles

of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

according to GB/T 16483 and GB/T 17519



NEOLAST® S100 NC010

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/05/06 300010000856 Date of first issue: 2025/05/06

Catalogue of Specially Controlled Hazardous Chemi: Not listed

cals

List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals : Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances : Not listed

List of Controlled Ozone Depleting Substances Import : Not listed

and Export

Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

16. OTHER INFORMATION

Revision Date : 2025/05/06 Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

according to GB/T 16483 and GB/T 17519



NEOLAST® S100 NC010

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/05/06 300010000856 Date of first issue: 2025/05/06

- International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN