according to GB/T 16483 and GB/T 17519



Vinamul 88266

Version Revision Date: SDS Number: Date of last issue: 2019/04/30 1.2 2025/01/06 000000033970 Date of first issue: 2019/04/30

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Vinamul 88266

Product code : 00000000021040934

Chemical nature : Water-borne polymer emulsion.

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

赛拉尼斯(上海)国际贸易有限公司

Address : 4560 Jinke Road, Zhangjiang, Pudong

Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone number: CHEMTREC International phone number: +1-703-527 3887,

+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Industrial use

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquidColour: whiteOdour: sweetNot a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Vinamul 88266

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2019/04/30

 1.2
 2025/01/06
 000000033970
 Date of first issue: 2019/04/30

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-	55965-84-9	>= 0.0025 -< 0.025
one [EC no. 247-500-7] and 2-methyl-2H-		
isothiazol-3-one [EC no. 220-239-6] (3:1)		

4. FIRST AID MEASURES

General advice : Remove contaminated, soaked clothing immediately and

dispose of safely

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam

Dry powder

Carbon dioxide (CO2)

Water spray

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

according to GB/T 16483 and GB/T 17519



Vinamul 88266

Version Revision Date: Date of last issue: 2019/04/30 SDS Number: 2025/01/06 00000033970 Date of first issue: 2019/04/30 1.2

Do not use a solid water stream as it may scatter and spread

fire.

Specific extinguishing

methods

The product itself does not burn.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin and the eyes.

Environmental precautions

Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Avoid inhalation of vapor or mist.

Container may be opened only under exhaust ventilation

hood.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Avoidance of contact Water-reactive substances

Storage

Conditions for safe storage Protect from frost

according to GB/T 16483 and GB/T 17519



Vinamul 88266

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2019/04/30

 1.2
 2025/01/06
 000000033970
 Date of first issue: 2019/04/30

Agitate before use

Keep at temperatures between 5°C and 35°C (40°F and 95°F) To maintain product quality, do not store in heat or direct

sunlight.

Keep tightly closed in a dry and cool place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on

storage stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye/face protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : Take off all contaminated clothing immediately.

Wash hands before breaks and at the end of workday.

General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : white

Odour : sweet

pH : For further information, refer to the product technical data

sheet.

Melting point/ range : ca. 0 °C

(1,013 hPa)

Boiling point/boiling range : ca. 100 °C

(1,013 hPa)

according to GB/T 16483 and GB/T 17519



Vinamul 88266

Version Revision Date: SDS Number: Date of last issue: 2019/04/30 1.2 2025/01/06 000000033970 Date of first issue: 2019/04/30

Flash point : boils before flash

Flammability (solid, gas) : The product is not flammable.

Vapour pressure : 24 hPa (20 °C)

Density : 0.97 - 1.07 g/cm³ (25 °C)

Method: ISO 2811-3

Solubility(ies)

Water solubility : miscible

Viscosity

Viscosity, dynamic : For further information, refer to the product technical data

sheet.

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

Stable under recommended storage conditions.

No hazards to be specially mentioned.

Conditions to avoid : Protect from frost.

Incompatible materials : Water-reactive substances

Hazardous decomposition

products

No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute inhalation toxicity : LC50 (Rat): > 0.5 - 2 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

according to GB/T 16483 and GB/T 17519



Vinamul 88266

Version Revision Date: SDS Number: Date of last issue: 2019/04/30 1.2 2025/01/06 000000033970 Date of first issue: 2019/04/30

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.16 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0052

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to GB/T 16483 and GB/T 17519



Vinamul 88266

Version Revision Date: SDS Number: Date of last issue: 2019/04/30 2025/01/06 00000033970 Date of first issue: 2019/04/30 1.2

M-Factor (Acute aquatic

toxicity)

100

M-Factor (Chronic aquatic

toxicity)

100

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Not applicable Proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Packing group Not applicable Not applicable Labels

Environmentally hazardous

IATA-DGR

UN/ID No. Not applicable Proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Labels Not applicable Not applicable

Packing instruction (cargo

aircraft)

Packing instruction

(passenger aircraft)

Not applicable

according to GB/T 16483 and GB/T 17519



Vinamul 88266

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2019/04/30

 1.2
 2025/01/06
 000000033970
 Date of first issue: 2019/04/30

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : applicable

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

according to GB/T 16483 and GB/T 17519



Vinamul 88266

Version Revision Date: SDS Number: Date of last issue: 2019/04/30 1.2 2025/01/06 000000033970 Date of first issue: 2019/04/30

16. OTHER INFORMATION

Revision Date : 2025/01/06

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN