

**Safety Data Sheet**

according to REACH Regulation (EC) No 1907/2006 and updated
Regulation (EC) No 2020/878

Sicoflex S460 COLOR

Revision date: 17.02.2025

Product code: S460COL

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Sicoflex S460 COLOR

Further trade names

Sicoflex S460 F

Sicoflex S460 L

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Manufacturing of plastic articles and goods including compounding and conversion, eventually recycling.

1.3. Details of the supplier of the safety data sheet

Company name: Ravago Distribution Center NV

Street: Moerenstraat 85 A

Place: B 2370 Arendonk

Telephone: +32 (0) 14672511

Telefax: +32 (0) 14672012

e-mail: sdsinfo@ravago.com

Internet: www.ravago.com

1.4. Emergency telephone

+32(0)14672511

number:

Only during office hours (8 am - 5 pm)

Further Information

Type of use: Injection moulding. Blow moulding. Extrusion. Compression moulding.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements**CLP Regulation****Special labelling of certain mixtures**

EUH210 Safety data sheet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3. Other hazards

The hazards of this product are mainly associated with its processing.

See section 11 for more detailed information on health effects and symptoms.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Thermoplastic polymer (ABS)

Hazardous components

none (according to UK REACH Regulation)

Further Information

This mixture does not contain any substances presenting a health or environmental hazard within the means of Regulation (EC) No. 1272/2008, assigned a Community workplace exposure limit, classified as PBT/vPvB or included in the Candidate List.



Safety Data Sheet

according to REACH Regulation (EC) No 1907/2006 and updated
Regulation (EC) No 2020/878

Sicoflex S460 COLOR

Revision date: 17.02.2025

Product code: S460COL

Page 2 of 8

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!
Provide adequate ventilation.

After inhalation

Provide adequate ventilation.
In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still.
Consult physician.

After contact with skin

The melted product can cause severe burns.
Do not use force or solvents to remove product incrustations from affected skin areas.
After contact with molten product, cool skin area rapidly with cold water.
Consult physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Burns caused by molten material must be treated clinically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water and Foam. Carbon dioxide (CO₂). Extinguishing powder. alcohol resistant foam. Sand.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Carbon dioxide., Carbon monoxide, hydrocarbons. Nitrogen oxides (NO_x).
Styrene

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

Additional information

No information available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

High slip hazard because of leaking or spilled product. (Granulate)

For non-emergency personnel

No information available.

For emergency responders

No information available.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or

**Safety Data Sheet**

according to REACH Regulation (EC) No 1907/2006 and updated
Regulation (EC) No 2020/878

Sicoflex S460 COLOR

Revision date: 17.02.2025

Product code: S460COL

Page 3 of 8

drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up**For containment**

No information available.

For cleaning up

Take up mechanically. Collect in closed and suitable containers for disposal.

Other information

Treat the recovered material as prescribed in the section on waste disposal. Do not empty into drains.

6.4. Reference to other sections

Personal protection equipment: see section 8

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation. Equipment with built-in suction provisions.

Advice on protection against fire and explosion

Provide earthing of containers, equipment, pumps and ventilation facilities. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Dust should be exhausted directly at the point of origin. Dust can form an explosive mixture with air.

Advice on general occupational hygiene

When using do not eat, drink or smoke. Do not breathe dust.

Further information on handling

No information available.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep in a cool place.

Provide adequate ventilation.

Hints on joint storage

storage stability:

storage temperature: < 40 °C

Further information on storage conditions

No information available.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

**Safety Data Sheet**according to REACH Regulation (EC) No 1907/2006 and updated
Regulation (EC) No 2020/878**Sicoflex S460 COLOR**

Revision date: 17.02.2025

Product code: S460COL

Page 4 of 8

DNEL/DMEL values

CAS No	Substance			
DNEL type	Exposure route		Effect	Value
1333-86-4	Carbon black			
Consumer DNEL, long-term	inhalation	systemic	0,06 mg/m ³	
Worker DNEL, long-term	inhalation	systemic	1 mg/m ³	

PNEC values

CAS No	Substance			
Environmental compartment				Value
1333-86-4	Carbon black			
Freshwater				50 mg/l

Additional advice on limit values

For some additives used in this product exposure limits exist. However, they are incorporated in the product and under normal processing conditions no exposure is to be expected.

8.2. Exposure controls**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear eye/face protection.

Hand protection

Wear suitable gloves.

Skin protection

Only wear fitting, comfortable and clean protective clothing.

In case of increasing hazard add: heat-resistant synthetic fibres

Respiratory protection

Respiratory protection necessary at: In the case of the formation of dust (half-mask with filter (DIN EN 149).)

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid (Granulate)
Colour:	various
Odour:	odourless to mild
Melting point/freezing point:	105-130 °C
Boiling point or initial boiling point and boiling range:	not applicable
Flammability:	No information available.
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	not applicable
Auto-ignition temperature:	not applicable
Decomposition temperature:	> 250 °C
pH-Value:	not applicable
Viscosity / kinematic:	not applicable
Water solubility:	insoluble
Partition coefficient n-octanol/water:	not applicable
Vapour pressure:	not applicable

**Safety Data Sheet**

according to REACH Regulation (EC) No 1907/2006 and updated
Regulation (EC) No 2020/878

Sicoflex S460 COLOR

Revision date: 17.02.2025

Product code: S460COL

Page 5 of 8

Density: 1.02-1.20 g/cm³
Bulk density: 600 - 1000 kg/m³
Relative vapour density: not applicable

9.2. Other information**Information with regard to physical hazard classes****Explosive properties**

In the case of the formation of dust Dust explosive.

Self-ignition temperature

Solid:

No information available.

Oxidizing properties

not applicable

Other safety characteristics**Further Information**

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Temperatures above thermal decomposition.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

Carbon dioxide., Carbon monoxide, hydrocarbons.

Styrene

Further information

No information available.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicocinetics, metabolism and distribution**

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to REACH Regulation (EC) No 1907/2006 and updated
Regulation (EC) No 2020/878

Sicoflex S460 COLOR

Revision date: 17.02.2025

Product code: S460COL

Page 6 of 8

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

Not applicable.

Additional information on tests

No information available.

Practical experience

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Other information

No information available.

Further information

When used and handled according to the specifications, this product does not have any harmful effects to human health according to our experience and the information available. Contact the manufacturer in case the material is to be used in special applications such as in contact with food or for hygiene, medical or surgical end-use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Insoluble in: Water.

12.2. Persistence and degradability

According to experiences this product is inert and not degradable.

12.3. Bioaccumulative potential

Due to the consistency along with the low water solubility of the product a bioavailability is unlikely.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Material recycling possible.

Consult the appropriate local waste disposal expert about waste disposal.

**Safety Data Sheet**according to REACH Regulation (EC) No 1907/2006 and updated
Regulation (EC) No 2020/878**Sicoflex S460 COLOR**

Revision date: 17.02.2025

Product code: S460COL

Page 7 of 8

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): 0%

2004/42/EC (VOC): 0%

National regulatory information

Water hazard class (D): - - non-hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Relevant H and EUH statements (number and full text)**

EUH210 Safety data sheet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible



Safety Data Sheet

according to REACH Regulation (EC) No 1907/2006 and updated
Regulation (EC) No 2020/878

Sicoflex S460 COLOR

Revision date: 17.02.2025

Product code: S460COL

Page 8 of 8

for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)