# **SAFETY DATA SHEET**



EM-3500

### **Section 1. Identification**

A. Product name : EM-3500

Product description : Zeolite Catalyst

B. Relevant identified uses of the substance or mixture and uses advised against

Identified uses : catalyst

**Uses advised against**: This product is not recommended for any industrial, professional or consumer use

other than the Identified Uses above.

C. Supplier's details : EXXONMOBIL Chemical Korea

22F Seoul Square Bldg., 416

HanGang Daero

Jung-GuSeoul 04637 Republic of Korea

24 Hour Emergency

**Telephone** 

: 080-880-0454/ +1 703-741-5970 (CHEMTREC)

Supplier General

Contact

: +82 2 750 8716

÷

SDS Internet Address www.sds.exxonmobil.com

### Section 2. Hazards identification

A. Hazard classification : Not classified.

This product was evaluated in accordance with the Industrial Safety and Health Act

and the Chemical Control Act, and determined to be 'not classified'.

B. Hazard statements : No known significant effects or critical hazards.

**Precautionary statements** 

C. Other hazards which do

not result in classification

: None known.

Nota : This material should not be used for any other purpose than the intended use in

Section 1 without expert advice. Health studies have shown that chemical exposure may cause potential human health risks which may vary from person to person.

may dadde potential naman neath note which may vary noth person to p

### Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	Common name	Identifiers	%
aluminum oxide, non fibrous	-	CAS: KE-01012	≥35 - ≤40

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 7/25/2024 Date of previous issue : 7/18/2024 Version : 1.03 1/10

### Section 4. First-aid measures

#### **Description of necessary first aid measures**

A. Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

B. Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

C. Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur.

D. Ingestion : Wash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

#### Indication of immediate medical attention and special treatment needed, if necessary

E. Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

#### See toxicological information (Section 11)

## Section 5. Firefighting measures

### A. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing media

: Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

B. Specific hazards arising

from the chemical

: Adsorption of water will generate heat and possibly steam; closed containers may get very hot and build up pressure. If contact with water occurs, large quantities of heat and steam may be generated. Avoid contact with eyes. Avoid contact with skin.

Avoid conditions which create dust. Avoid inhalation of dust.

Hazardous combustion

products

: metal oxide/oxides

: Do not use water jet.

C. Special protective actions for fire-fighters

: Use standard firefighting procedures and consider the hazards of other involved materials. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Assure an extended cooling down period to prevent reignition. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. No action shall be taken involving any personal risk or without suitable training.

Date of issue/Date of revision : 7/25/2024 Date of previous issue : 7/18/2024 Version : 1.03 2/10

# Section 5. Firefighting measures

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### **NOTIFICATION PROCEDURES**

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

#### A. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

B. Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### C. Methods and material for containment and cleaning up

Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Confine the spill immediately with booms. Skim from surface Warn other shipping. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Water spill and land spill recommendations are based on the most likely spill scenario for this material; however, geographic conditions, wind, temperature, (and in the case of a water spill) wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted. Note: Local regulations may prescribe or limit action to be taken.

## Section 7. Handling and storage

#### A. Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Static Accumulator** 

: This material is a static accumulator.

B. Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Date of issue/Date of revision : 7/25/2024 Date of previous issue : 7/18/2024 Version : 1.03 3/10

### Section 8. Exposure controls/personal protection

#### A. Control parameters

**Occupational exposure limits** 

Ingredient name	Exposure limits
zeolite	ACGIH TLV (United States, 1/2024) [Aluminum, metal and insoluble compounds]
aluminum oxide, non fibrous	TWA 8 hours: 1 mg/m <sup>3</sup> . Form: Respirable fraction.  ISHA Article 42 (Republic of Korea, 1/2020)  TWA 8 hours: 10 mg/m <sup>3</sup> .
	ACGIH TLV (United States, 1/2024) [Aluminum, metal and insoluble compounds]  TWA 8 hours: 1 mg/m³. Form: Respirable fraction.

NOTE: Limits/standards shown for guidance only. Follow applicable regulations.

For dusty conditions, ACGIH recommends for insoluble and poorly soluble particles not otherwise specified an 8-hour TWA of 10 mg/m3 (inhalable particles), 3 mg/m3 (respirable particles).

# B. Appropriate engineering controls

**Environmental exposure controls** 

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### C. Personal protective equipment

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Eye protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

# Section 9. Physical and chemical properties and safety characteristics

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Contact the Supplier for additional information.

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### A. Appearance

Date of issue/Date of revision : 7/25/2024 Date of previous issue : 7/18/2024 Version : 1.03 4/10

EM-3500

# Section 9. Physical and chemical properties and safety characteristics

**Physical state** Solid. [pellet]

Colour White

B. Odour Odourless

C. Odour threshold Not applicable. D. pH Not applicable.

E. Melting/freezing point : >1200°C (>2192°F)

F. Boiling point or initial Not applicable.

boiling point and boiling

range

G. Flash point : Closed cup: Not applicable.

H. Evaporation rate Not applicable.

Ignitable **Flammability** 

J. Lower and upper Not applicable.

explosion limit/

flammability limit

K. Vapour pressure Not available. L. Solubility in water Negligible M. Relative vapour density Not applicable.

N. Relative density

**Bulk density** Not available. Not available. **Density** O. Partition coefficient: n-Not applicable.

octanol/water

P. Auto-ignition : Not applicable.

temperature

Q. Decomposition temperature

: Not available.

Not applicable. R. Viscosity Not available. S. Molecular weight

**Particle characteristics** 

: Not available. Median particle size

## Section 10. Stability and reactivity

A. Reactivity No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

B. Conditions to avoid : Moisture., High dust concentrations., High energy sources of ignition.

C. Incompatible materials : water, Strong oxidisers, Strong Acids, Strong Bases

D. Hazardous : Under normal conditions of storage and use, hazardous decomposition products

should not be produced. decomposition products

Date of issue/Date of revision : 7/25/2024 Date of previous issue : 7/18/2024 Version : 1.03 5/10

### **Section 11. Toxicological information**

A. Information on likely routes of exposure

: Not available.

#### B. Health hazards

#### **Acute toxicity**

Conclusion/Summary

Inhalation : Minimally Toxic. No end point data for material. Based on assessment of the

components.

Dermal : Minimally Toxic. No end point data for material. Based on assessment of the

components.

Oral : Minimally Toxic. No end point data for material. Based on assessment of the

components.

### **Irritation/Corrosion**

**Conclusion/Summary** 

**Skin** : Negligible irritation to skin at ambient temperatures. No end point data for material.

Based on assessment of the components.

**Eyes**: May cause mild, short-lasting discomfort to eyes. No end point data for material.

Based on assessment of the components.

**Respiratory**: Negligible hazard at ambient/normal handling temperatures. No end point data for

material.

#### Respiratory or skin sensitization

#### **Conclusion/Summary**

Skin : Not expected to be a skin sensitizer. No end point data for material. Based on

assessment of the components.

**Respiratory**: Not expected to be a respiratory sensitizer. No end point data for material.

**Mutagenicity** 

Conclusion/Summary : Not expected to be a germ cell mutagen. No end point data for material. Based on

assessment of the components.

**Carcinogenicity** 

Conclusion/Summary : Not expected to cause cancer. No end point data for material. Based on

assessment of the components.

#### **Classification**

Product/ingredient name	IARC
aluminum oxide, non fibrous	-

#### Reproductive toxicity

**Conclusion/Summary**: Not expected to be a reproductive toxicant. No end point data for material. Based on

assessment of the components.

#### Specific target organ toxicity (single exposure)

**Conclusion/Summary**: Not expected to cause organ damage from a single exposure. No end point data for

material.

#### Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Target organs
EM-3500	Not applicable.	-

**Conclusion/Summary** 

: Not expected to cause organ damage from prolonged or repeated exposure. No end

point data for material. Based on assessment of the components.

**Aspiration hazard** 

**Conclusion/Summary**: Not expected to be an aspiration hazard. Based on physico-chemical properties of

the material. No end point data for material.

#### **Other information**

**Product** : Dust may be irritating to eyes and respiratory tract.

Date of issue/Date of revision : 7/25/2024 Date of previous issue : 7/18/2024 Version : 1.03 6/10

# Section 11. Toxicological information

### Section 12. Ecological information

The information given is based on data for the material, components of the material, or for similar materials, through the application of bridging principals.

#### A. Ecotoxicity

Not available.

#### **Conclusion/Summary**

**Acute toxicity** : Not expected to be harmful to aquatic organisms.

Chronic toxicity : Not expected to demonstrate chronic toxicity to aquatic organisms

#### B. Persistence and degradability

**Biodegradability**: Material -- Expected to be persistent.

#### C. Bioaccumulative potential

**Conclusion/Summary** : Material -- Potential to bioaccumulate is low.

#### D. Mobility in soil

Mobility : Material -- Can float on water, but will sink when saturated.

#### E. Other adverse effects

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

#### A. Disposal methods

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

#### **B.** Disposal precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Empty Container Warning (where applicable): Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safely stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

## **Section 14. Transport information**

Date of issue/Date of revision : 7/25/2024 Date of previous issue : 7/18/2024 Version : 1.03 7/10

EM-3500

# **Section 14. Transport information**

	ADR	IMDG	IATA
A. UN number	Not regulated.	Not regulated.	Not regulated.
B. UN proper shipping name	-	-	-
C. Transport hazard class(es)	-	-	-
	-	-	-
E. Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according : Not applicable.

to IMO instruments

### Section 15. Regulatory information

### A. Regulation according to ISHA

**ISHA** article 117 : None of the components are listed.

(Harmful substances prohibited from manufacture)

**ISHA** article 118

(Harmful substances requiring permission) : None of the components are listed.

**Article 2 of Youth Protection Act on** 

**Substances Hazardous** 

to Youth

: Not applicable.

#### **Exposure Limits of Chemical Substances and Physical Factors**

The following components have an OEL:

zeolite

aluminum oxide, non fibrous

: None of the components are listed.

**ISHA Enforcement Regs Annex 19 (Exposure** standards established for harmful factors)

**ISHA Enforcement Regs** 

: None of the components are listed.

**Annex 21 (Harmful** factors subject to Work

**Environment** Measurement)

**ISHA Enforcement Regs**: None of the components are listed.

**Annex 22 (Harmful Factors Subject to Special Health Check-**

up)

Date of issue/Date of revision : 7/25/2024 : 7/18/2024 Version : 1.03 8/10 Date of previous issue

EM-3500

### Section 15. Regulatory information

Standard of Industrial **Safety and Health Annex 12 (Hazardous** substances subject to : The following components are listed: aluminum and its compounds

control)

B. Regulation according to Chemicals Control Act

Article 11 (TRI) : The following components are listed: Aluminium and its compounds

Article 18 Prohibited (K- : None of the components are listed.

**Reach Article 27)** 

**Article 19 Subject to** : None of the components are listed.

authorization (K-Reach

Article 25)

**Article 20 Toxic** : Not applicable

**Chemicals (K-Reach** 

Article 20)

Article 20 Restricted (K- : None of the components are listed.

Reach Article 27)

**Article 39 (Accident** 

**Precaution Chemicals**)

: None of the components are listed.

**Existing Chemical Substances Subject to** 

Registration

: None of the components are listed.

C. Dangerous Materials

**Safety Management Act** 

D. Wastes regulation : Dispose of contents and container in accordance with all local, regional, national

and international regulations.

E. Regulation according to other foreign laws

**International regulations** 

Chemical Weapon Convention List Schedules I, II & III Chemicals

: Not available.

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

**Inventory list** 

Australia inventory (AIIC) : All components are listed or exempted. Canada inventory (DSL-NDSL) : All components are listed or exempted. China inventory (IECSC) : All components are listed or exempted. : All components are listed or exempted. Japan inventory (CSCL) : All components are listed or exempted.

Japan inventory (Industrial Safety and

**New Zealand Inventory of Chemicals** 

**Health Act)** 

: All components are listed or exempted.

(NZIoC)

**Philippines inventory (PICCS)** : All components are listed or exempted. Korea inventory (KECI) All components are listed or exempted.

Date of issue/Date of revision : 7/25/2024 : 7/18/2024 Version : 1.03 9/10 Date of previous issue

### **Section 15. Regulatory information**

Taiwan Chemical Substances

Inventory (TCSI)

: All components are listed or exempted.

**United States inventory (TSCA 8b)** 

: All components are active or exempted.

### Section 16. Other information

A. References : - Registry of Toxic Effects of Chemical Substances

- United States Environmental Protection Agency ECOTOX

B. Date of issue/Date of

revision

: 7/25/2024

**Date of previous issue** 

: 18 July 2024

C. Version

1.03

D. Other

▼ Indicates information that has changed from previously issued version.

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available SGG = Segregation Group UN = United Nations

**Product code** : 1163186 13649720

#### **Notice to reader**

"The information and recommendations contained herein are, to the best of ExxonMobil's knowledge and belief, accurate and reliable as of the date issued. You can contact ExxonMobil to insure that this document is the most current available from ExxonMobil. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. The term, ""ExxonMobil" is used for convenience, and may include any one or more of ExxonMobil Chemical Company, Exxon Mobil Corporation, or any affiliates in which they directly or indirectly hold any interest."

Date of issue/Date of revision : 7/25/2024 Date of previous issue : 7/18/2024 Version : 1.03 10/10